

C Verhoef

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10528908/publications.pdf>

Version: 2024-02-01

88
papers

3,206
citations

159358

30
h-index

161609

54
g-index

89
all docs

89
docs citations

89
times ranked

4127
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical relevance of melanoma micrometastases (<0.1 mm) in sentinel nodes: are these nodes to be considered negative?. <i>Annals of Oncology</i> , 2006, 17, 1578-1585.	0.6	246
2	Trends in incidence, treatment and survival of patients with stage IV colorectal cancer: a population-based series. <i>Colorectal Disease</i> , 2012, 14, 56-61.	0.7	184
3	Stereotactic body radiation therapy for colorectal liver metastases. <i>British Journal of Surgery</i> , 2010, 97, 377-382.	0.1	157
4	Total Pelvic Exenteration for Primary and Recurrent Malignancies. <i>World Journal of Surgery</i> , 2009, 33, 1502-1508.	0.8	148
5	Factors affecting outcomes following pelvic exenteration for locally recurrent rectal cancer. <i>British Journal of Surgery</i> , 2018, 105, 650-657.	0.1	147
6	Total pelvic exenteration for primary locally advanced and locally recurrent rectal cancer. <i>European Journal of Surgical Oncology</i> , 2007, 33, 452-458.	0.5	117
7	Morbidity and prognosis after therapeutic lymph node dissections for malignant melanoma. <i>European Journal of Surgical Oncology</i> , 2007, 33, 102-108.	0.5	114
8	Optimizing the outcome of surgery in patients with rectal cancer and synchronous liver metastases. <i>British Journal of Surgery</i> , 2010, 97, 383-390.	0.1	98
9	High positive sentinel node identification rate by EORTC melanoma group protocol. <i>European Journal of Cancer</i> , 2006, 42, 372-380.	1.3	96
10	Randomized clinical trial of open <i>versus</i> laparoscopic left lateral hepatic sectionectomy within an enhanced recovery after surgery programme (ORANGE II study). <i>British Journal of Surgery</i> , 2017, 104, 525-535.	0.1	96
11	Meta-analysis of the influence of surgical margin and adjuvant radiotherapy on local recurrence after resection of sporadic desmoid-type fibromatosis. <i>British Journal of Surgery</i> , 2017, 104, 347-357.	0.1	89
12	Systematic review of the influence of chemotherapy-associated liver injury on outcome after partial hepatectomy for colorectal liver metastases. <i>British Journal of Surgery</i> , 2017, 104, 990-1002.	0.1	84
13	The use of neo-adjuvant chemotherapy in patients with resectable colorectal liver metastases: Clinical risk score as possible discriminator. <i>European Journal of Surgical Oncology</i> , 2015, 41, 859-867.	0.5	67
14	Patient reported outcome measures in breast cancer patients. <i>European Journal of Surgical Oncology</i> , 2018, 44, 963-968.	0.5	67
15	Endothelial CD276 (B7-H3) expression is increased in human malignancies and distinguishes between normal and tumour-derived circulating endothelial cells. <i>British Journal of Cancer</i> , 2014, 111, 149-156.	2.9	62
16	Prospective Dutch colorectal cancer cohort: an infrastructure for long-term observational, prognostic, predictive and (randomized) intervention research. <i>Acta Oncologica</i> , 2016, 55, 1273-1280.	0.8	62
17	Therapeutic Surgical Management of Palpable Melanoma Groin Metastases: Superficial or Combined Superficial and Deep Groin Lymph Node Dissection. <i>Annals of Surgical Oncology</i> , 2011, 18, 3300-3308.	0.7	54
18	Good Outcomes after Resection of Large Hepatocellular Carcinoma in the Non-Cirrhotic Liver. <i>Digestive Surgery</i> , 2004, 21, 380-386.	0.6	51

#	ARTICLE	IF	CITATIONS
19	Angiogenesis Inhibitors: Perspectives for Medical, Surgical and Radiation Oncology. <i>Current Pharmaceutical Design</i> , 2006, 12, 2623-2630.	0.9	51
20	Prognosis in patients with sentinel node-positive melanoma without immediate completion lymph node dissection. <i>British Journal of Surgery</i> , 2012, 99, 1396-1405.	0.1	49
21	A new approach for rapid and reliable enumeration of circulating endothelial cells in patients. <i>Journal of Thrombosis and Haemostasis</i> , 2012, 10, 931-939.	1.9	48
22	Short term and long term results of patients with colorectal liver metastases undergoing surgery with or without radiofrequency ablation. <i>European Journal of Surgical Oncology</i> , 2016, 42, 523-530.	0.5	47
23	Primary and secondary reconstruction after surgery of the irradiated pelvis using a gracilis muscle flap transposition. <i>European Journal of Surgical Oncology</i> , 2005, 31, 1000-1005.	0.5	46
24	Radiomics approach to distinguish between well differentiated liposarcomas and lipomas on MRI. <i>British Journal of Surgery</i> , 2019, 106, 1800-1809.	0.1	46
25	Radiofrequency Ablation in Patients With Primary and Secondary Hepatic Malignancies. <i>Journal of Gastrointestinal Surgery</i> , 2006, 10, 960-973.	0.9	39
26	Resection of liver metastases in patients with gastrointestinal stromal tumors in the imatinib era: A nationwide retrospective study. <i>European Journal of Surgical Oncology</i> , 2016, 42, 1407-1413.	0.5	39
27	Focally positive margins in breast conserving surgery: Predictors, residual disease, and local recurrence. <i>European Journal of Surgical Oncology</i> , 2017, 43, 1846-1854.	0.5	38
28	Histopathological growth patterns of colorectal liver metastasis exhibit little heterogeneity and can be determined with a high diagnostic accuracy. <i>Clinical and Experimental Metastasis</i> , 2019, 36, 311-319.	1.7	36
29	Increase in the incidence of synchronous and metachronous peritoneal metastases in patients with colorectal cancer: A nationwide study. <i>European Journal of Surgical Oncology</i> , 2021, 47, 1026-1033.	0.5	36
30	Salvage Abdominoperineal Resection for Squamous Cell Anal Cancer: A 30-Year Single-Institution Experience. <i>Annals of Surgical Oncology</i> , 2018, 25, 1970-1979.	0.7	34
31	Development and validation of a nomogram to predict recurrence and melanoma-specific mortality in patients with negative sentinel lymph nodes. <i>British Journal of Surgery</i> , 2019, 106, 217-225.	0.1	34
32	Locally recurrent rectal cancer; long-term outcome of curative surgical and non-surgical treatment of 447 consecutive patients in a tertiary referral centre. <i>European Journal of Surgical Oncology</i> , 2020, 46, 448-454.	0.5	34
33	Muscle wasting and survival following pre-operative chemoradiotherapy for locally advanced rectal carcinoma. <i>Clinical Nutrition</i> , 2018, 37, 1728-1735.	2.3	33
34	Adjuvant hepatic arterial infusion pump chemotherapy and resection versus resection alone in patients with low-risk resectable colorectal liver metastases – the multicenter randomized controlled PUMP trial. <i>BMC Cancer</i> , 2019, 19, 327.	1.1	33
35	Hepatocellular carcinoma in the Netherlands incidence, treatment and survival patterns. <i>European Journal of Cancer</i> , 2004, 40, 1530-1538.	1.3	31
36	Somatostatin Receptor in Human Hepatocellular Carcinomas: Biological, Patient and Tumor Characteristics. <i>Digestive Surgery</i> , 2008, 25, 21-26.	0.6	30

#	ARTICLE	IF	CITATIONS
37	Preoperative chemoradiation with capecitabine in locally advanced rectal cancer. Netherlands Journal of Medicine, 2008, 66, 71-6.	0.6	30
38	Differences in recurrence and survival of extremity liposarcoma subtypes. European Journal of Surgical Oncology, 2018, 44, 1391-1397.	0.5	28
39	Treatment of melanoma of unknown primary in the era of immunotherapy and targeted therapy: A Dutch population-based study. International Journal of Cancer, 2020, 146, 26-34.	2.3	28
40	Prognostic value of circulating tumour cells for early recurrence after resection of colorectal liver metastases. British Journal of Cancer, 2015, 112, 556-561.	2.9	27
41	Benefits of preoperative MRI in breast cancer surgery studied in a large population-based cancer registry. British Journal of Surgery, 2015, 102, 1649-1657.	0.1	26
42	The interval between primary melanoma excision and sentinel node biopsy is not associated with survival in sentinel node positive patients – An EORTC Melanoma Group study. European Journal of Surgical Oncology, 2016, 42, 1906-1913.	0.5	25
43	The impact of hospital volume on perioperative outcomes of rectal cancer. European Journal of Surgical Oncology, 2017, 43, 1894-1900.	0.5	22
44	Treatment Strategies and Prognosis of Patients With Synchronous or Metachronous Colorectal Peritoneal Metastases: A Population-Based Study. Annals of Surgical Oncology, 2021, 28, 9073-9083.	0.7	22
45	Results after simultaneous surgery and RFA liver ablation for patients with colorectal carcinoma and synchronous liver metastases. European Journal of Surgical Oncology, 2019, 45, 2334-2339.	0.5	17
46	Total pelvic exenteration for locally advanced and locally recurrent rectal cancer in the elderly. European Journal of Surgical Oncology, 2018, 44, 1548-1554.	0.5	16
47	Adequate surgical margins for dermatofibrosarcoma protuberans – A multi-centre analysis. European Journal of Surgical Oncology, 2021, 47, 436-442.	0.5	16
48	Isolated Tumor Cells and Long-Term Prognosis of Patients with Melanoma. Annals of Surgical Oncology, 2008, 15, 1547-1548.	0.7	15
49	The liver-first approach for locally advanced rectal cancer and synchronous liver metastases. European Journal of Surgical Oncology, 2019, 45, 591-596.	0.5	15
50	Interstitial laser coagulation with temporary hepatic artery occlusion for patients with cirrhosis and irresectable hepatoma. British Journal of Surgery, 2003, 90, 950-955.	0.1	14
51	Risk Factors for Positive Deep Pelvic Nodal Involvement in Patients with Palpable Groin Melanoma Metastases: Can the Extent of Surgery be Safely Minimized?. Annals of Surgical Oncology, 2015, 22, 1172-1180.	0.7	14
52	Long-term results of ultrasound guided fine needle aspiration cytology in conjunction with sentinel node biopsy support step-wise approach in melanoma. European Journal of Surgical Oncology, 2017, 43, 1509-1516.	0.5	13
53	Impact of primary tumor location on outcome of liposarcoma patients, a retrospective cohort study. European Journal of Surgical Oncology, 2019, 45, 2437-2442.	0.5	13
54	Hospital volume and outcome in rectal cancer patients; results of a population-based study in the Netherlands. European Journal of Surgical Oncology, 2019, 45, 613-619.	0.5	13

#	ARTICLE	IF	CITATIONS
55	Regional and inter-hospital differences in the utilisation of liver surgery for patients with synchronous colorectal liver metastases in the Netherlands. <i>European Journal of Cancer</i> , 2017, 71, 109-116.	1.3	12
56	Efficacy of isolated limb perfusion (ILP) in patients with Merkel cell carcinoma (MCC): A multicenter experience. <i>European Journal of Surgical Oncology</i> , 2017, 43, 2157-2162.	0.5	12
57	Isolated limb perfusion for locally advanced angiosarcoma in extremities: A multi-centre study. <i>European Journal of Cancer</i> , 2017, 85, 114-121.	1.3	12
58	Breast and Tumour Volume Measurements in Breast Cancer Patients Using 3D Automated Breast Volume Scanner Images. <i>World Journal of Surgery</i> , 2018, 42, 2087-2093.	0.8	12
59	Propensity score matching demonstrates similar results for radiofrequency ablation compared to surgical resection in colorectal liver metastases. <i>European Journal of Surgical Oncology</i> , 2022, 48, 1368-1374.	0.5	12
60	Optimal extent of completion lymphadenectomy for patients with melanoma and a positive sentinel node in the groin. <i>British Journal of Surgery</i> , 2017, 105, 96-105.	0.1	11
61	Tumor-volume to breast-volume Ratio for improving COSmetic results in breast cancer patients (TURACOS); a randomized controlled trial. <i>BMC Cancer</i> , 2017, 17, 336.	1.1	11
62	Treatment of Inguinal Lymph Node Metastases in Patients with Rectal Adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2019, 26, 1134-1141.	0.7	10
63	Patient-Reported Outcome Measures may optimize shared decision-making for cancer risk management in BRCA mutation carriers. <i>Breast Cancer</i> , 2020, 27, 426-434.	1.3	10
64	Preoperative imaging for colorectal liver metastases: a nationwide population-based study. <i>BJS Open</i> , 2020, 4, 605-621.	0.7	10
65	Resection of Extrahepatic Hepatocellular Carcinoma Metastasis can result in Long-term Survival. <i>Acta Chirurgica Belgica</i> , 2005, 105, 533-536.	0.2	9
66	mRNA expression profiles of colorectal liver metastases as a novel biomarker for early recurrence after partial hepatectomy. <i>Molecular Oncology</i> , 2016, 10, 1542-1550.	2.1	9
67	A Single-Center Comparison of Extended and Restricted THROMBOPROPHYLAXIS with LMWH after Metabolic Surgery. <i>Obesity Surgery</i> , 2020, 30, 553-559.	1.1	9
68	Treatment of metachronous colorectal cancer metastases in the Netherlands: A population-based study. <i>European Journal of Surgical Oncology</i> , 2022, 48, 1104-1109.	0.5	9
69	Improved stratification of pT1 melanoma according to the 8th American Joint Committee on Cancer staging edition criteria: A Dutch population-based study. <i>European Journal of Cancer</i> , 2018, 92, 100-107.	1.3	8
70	Clinical added value of MRI to CT in patients scheduled for local therapy of colorectal liver metastases (CAMINO): study protocol for an international multicentre prospective diagnostic accuracy study. <i>BMC Cancer</i> , 2021, 21, 1116.	1.1	7
71	Cost-effectiveness of adjuvant systemic therapies for patients with high-risk melanoma in Europe: a model-based economic evaluation. <i>ESMO Open</i> , 2021, 6, 100303.	2.0	7
72	A Place for Radiofrequency Ablation in the Treatment of Resectable Colorectal Liver Metastases?. <i>Annals of Surgical Oncology</i> , 2008, 15, 2063-2063.	0.7	6

#	ARTICLE	IF	CITATIONS
73	Surgery for rectal cancer: Differences in resection rates among hospitals in the Netherlands. <i>European Journal of Surgical Oncology</i> , 2021, 47, 2384-2389.	0.5	6
74	Timing of completion lymphadenectomy after positive sentinel node biopsy in patients with melanoma. <i>British Journal of Surgery</i> , 2017, 104, 726-733.	0.1	5
75	Cutaneous Melanoma and Sentinel Lymph Node Biopsy. <i>Annals of Surgical Oncology</i> , 2008, 15, 1808-1809.	0.7	4
76	Outcomes of urinary diversion after surgery for locally advanced or locally recurrent rectal cancer with complete cystectomy; ileal and colon conduit. <i>European Journal of Surgical Oncology</i> , 2020, 46, 1160-1166.	0.5	4
77	The Influence of Surgical Experience on Postoperative Recovery in Fast-Track Bariatric Surgery. <i>Obesity Surgery</i> , 2020, 30, 1653-1659.	1.1	4
78	Isolated limb perfusion is an effective treatment modality for locally advanced Kaposi sarcoma of the extremities. <i>European Journal of Surgical Oncology</i> , 2020, 46, 1315-1319.	0.5	3
79	Relation between body composition and severe diarrhea in patients treated with preoperative chemoradiation with capecitabine for rectal cancer: a single-centre cohort study. <i>BMC Gastroenterology</i> , 2021, 21, 313.	0.8	3
80	Partial hepatic resection for liver metastases of non-colorectal origin, is it justified?. <i>Hepato-Gastroenterology</i> , 2007, 54, 1517-21.	0.5	3
81	The clinical relevance of indeterminate lung nodules in patients with locally recurrent rectal cancer. <i>European Journal of Surgical Oncology</i> , 2021, 47, 1616-1622.	0.5	1
82	Comment on: External validation of a prognostic model to predict survival of patients with sentinel node-negative melanoma. <i>British Journal of Surgery</i> , 2020, 107, 615-616.	0.1	0
83	ASO Author Reflections: Towards Patient-Tailored Management of Extremity Soft Tissue Sarcoma. <i>Annals of Surgical Oncology</i> , 2021, 28, 7937-7938.	0.7	0
84	ASO Visual Abstract: Treatment Strategies and Prognosis in Patients with Synchronous or Metachronous Colorectal Peritoneal Metastases: A Population-Based Study. <i>Annals of Surgical Oncology</i> , 2021, 28, 522-523.	0.7	0
85	Microanatomic characteristics of melanoma metastases in the sentinel node(s) (SN) predict survival and question the need for complete lymph node dissection (cLND). <i>Journal of Clinical Oncology</i> , 2006, 24, 8005-8005.	0.8	0
86	16 Levertumoren. , 2009, , 160-171.		0
87	Treatment of clinical T1 rectal cancer in the Netherlands; a population-based overview of clinical practice. <i>European Journal of Surgical Oncology</i> , 2021, , .	0.5	0
88	Changes in rectal cancer treatment after the introduction of a national screening program; Increasing use of less invasive strategies within a national cohort. <i>European Journal of Surgical Oncology</i> , 2021, , .	0.5	0