

C Verhoef

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10528908/publications.pdf>

Version: 2024-02-01

88
papers

3,206
citations

159585
30
h-index

161849
54
g-index

89
all docs

89
docs citations

89
times ranked

4127
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical relevance of melanoma micrometastases (<0.1 mm) in sentinel nodes: are these nodes to be considered negative?. <i>Annals of Oncology</i> , 2006, 17, 1578-1585.	1.2	246
2	Trends in incidence, treatment and survival of patients with stage IV colorectal cancer: a population-based series. <i>Colorectal Disease</i> , 2012, 14, 56-61.	1.4	184
3	Stereotactic body radiation therapy for colorectal liver metastases. <i>British Journal of Surgery</i> , 2010, 97, 377-382.	0.3	157
4	Total Pelvic Exenteration for Primary and Recurrent Malignancies. <i>World Journal of Surgery</i> , 2009, 33, 1502-1508.	1.6	148
5	Factors affecting outcomes following pelvic exenteration for locally recurrent rectal cancer. <i>British Journal of Surgery</i> , 2018, 105, 650-657.	0.3	147
6	Total pelvic exenteration for primary locally advanced and locally recurrent rectal cancer. <i>European Journal of Surgical Oncology</i> , 2007, 33, 452-458.	1.0	117
7	Morbidity and prognosis after therapeutic lymph node dissections for malignant melanoma. <i>European Journal of Surgical Oncology</i> , 2007, 33, 102-108.	1.0	114
8	Optimizing the outcome of surgery in patients with rectal cancer and synchronous liver metastases. <i>British Journal of Surgery</i> , 2010, 97, 383-390.	0.3	98
9	High positive sentinel node identification rate by EORTC melanoma group protocol. <i>European Journal of Cancer</i> , 2006, 42, 372-380.	2.8	96
10	Randomized clinical trial of open <i>versus</i> laparoscopic left lateral hepatic sectionectomy within an enhanced recovery after surgery programme (ORANGE II study). <i>British Journal of Surgery</i> , 2017, 104, 525-535.	0.3	96
11	Meta-analysis of the influence of surgical margin and adjuvant radiotherapy on local recurrence after resection of sporadic desmoid-type fibromatosis. <i>British Journal of Surgery</i> , 2017, 104, 347-357.	0.3	89
12	Systematic review of the influence of chemotherapy-associated liver injury on outcome after partial hepatectomy for colorectal liver metastases. <i>British Journal of Surgery</i> , 2017, 104, 990-1002.	0.3	84
13	The use of neo-adjuvant chemotherapy in patients with resectable colorectal liver metastases: Clinical risk score as possible discriminator. <i>European Journal of Surgical Oncology</i> , 2015, 41, 859-867.	1.0	67
14	Patient reported outcome measures in breast cancer patients. <i>European Journal of Surgical Oncology</i> , 2018, 44, 963-968.	1.0	67
15	Endothelial CD276 (B7-H3) expression is increased in human malignancies and distinguishes between normal and tumour-derived circulating endothelial cells. <i>British Journal of Cancer</i> , 2014, 111, 149-156.	6.4	62
16	Prospective Dutch colorectal cancer cohort: an infrastructure for long-term observational, prognostic, predictive and (randomized) intervention research. <i>Acta Oncologica</i> , 2016, 55, 1273-1280.	1.8	62
17	Therapeutic Surgical Management of Palpable Melanoma Groin Metastases: Superficial or Combined Superficial and Deep Groin Lymph Node Dissection. <i>Annals of Surgical Oncology</i> , 2011, 18, 3300-3308.	1.5	54
18	Good Outcomes after Resection of Large Hepatocellular Carcinoma in the Non-Cirrhotic Liver. <i>Digestive Surgery</i> , 2004, 21, 380-386.	1.2	51

#	ARTICLE	IF	CITATIONS
19	Angiogenesis Inhibitors: Perspectives for Medical, Surgical and Radiation Oncology. Current Pharmaceutical Design, 2006, 12, 2623-2630.	1.9	51
20	Prognosis in patients with sentinel node-positive melanoma without immediate completion lymph node dissection. British Journal of Surgery, 2012, 99, 1396-1405.	0.3	49
21	A new approach for rapid and reliable enumeration of circulating endothelial cells in patients. Journal of Thrombosis and Haemostasis, 2012, 10, 931-939.	3.8	48
22	Short term and long term results of patients with colorectal liver metastases undergoing surgery with or without radiofrequency ablation. European Journal of Surgical Oncology, 2016, 42, 523-530.	1.0	47
23	Primary and secondary reconstruction after surgery of the irradiated pelvis using a gracilis muscle flap transposition. European Journal of Surgical Oncology, 2005, 31, 1000-1005.	1.0	46
24	Radiomics approach to distinguish between well differentiated liposarcomas and lipomas on MRI. British Journal of Surgery, 2019, 106, 1800-1809.	0.3	46
25	Radiofrequency Ablation in Patients With Primary and Secondary Hepatic Malignancies. Journal of Gastrointestinal Surgery, 2006, 10, 960-973.	1.7	39
26	Resection of liver metastases in patients with gastrointestinal stromal tumors in the imatinib era: A nationwide retrospective study. European Journal of Surgical Oncology, 2016, 42, 1407-1413.	1.0	39
27	Focally positive margins in breast conserving surgery: Predictors, residual disease, and local recurrence. European Journal of Surgical Oncology, 2017, 43, 1846-1854.	1.0	38
28	Histopathological growth patterns of colorectal liver metastasis exhibit little heterogeneity and can be determined with a high diagnostic accuracy. Clinical and Experimental Metastasis, 2019, 36, 311-319.	3.3	36
29	Increase in the incidence of synchronous and metachronous peritoneal metastases in patients with colorectal cancer: A nationwide study. European Journal of Surgical Oncology, 2021, 47, 1026-1033.	1.0	36
30	Salvage Abdominoperineal Resection for Squamous Cell Anal Cancer: A 30-Year Single-Institution Experience. Annals of Surgical Oncology, 2018, 25, 1970-1979.	1.5	34
31	Development and validation of a nomogram to predict recurrence and melanoma-specific mortality in patients with negative sentinel lymph nodes. British Journal of Surgery, 2019, 106, 217-225.	0.3	34
32	Locally recurrent rectal cancer; long-term outcome of curative surgical and non-surgical treatment of 447 consecutive patients in a tertiary referral centre. European Journal of Surgical Oncology, 2020, 46, 448-454.	1.0	34
33	Muscle wasting and survival following pre-operative chemoradiotherapy for locally advanced rectal carcinoma. Clinical Nutrition, 2018, 37, 1728-1735.	5.0	33
34	Adjuvant hepatic arterial infusion pump chemotherapy and resection versus resection alone in patients with low-risk resectable colorectal liver metastases – the multicenter randomized controlled PUMP trial. BMC Cancer, 2019, 19, 327.	2.6	33
35	Hepatocellular carcinoma in the Netherlands incidence, treatment and survival patterns. European Journal of Cancer, 2004, 40, 1530-1538.	2.8	31
36	Somatostatin Receptor in Human Hepatocellular Carcinomas: Biological, Patient and Tumor Characteristics. Digestive Surgery, 2008, 25, 21-26.	1.2	30

#	ARTICLE	IF	CITATIONS
37	Preoperative chemoradiation with capecitabine in locally advanced rectal cancer. Netherlands Journal of Medicine, 2008, 66, 71-6.	0.5	30
38	Differences in recurrence and survival of extremity liposarcoma subtypes. European Journal of Surgical Oncology, 2018, 44, 1391-1397.	1.0	28
39	Treatment of melanoma of unknown primary in the era of immunotherapy and targeted therapy: A Dutch population-based study. International Journal of Cancer, 2020, 146, 26-34.	5.1	28
40	Prognostic value of circulating tumour cells for early recurrence after resection of colorectal liver metastases. British Journal of Cancer, 2015, 112, 556-561.	6.4	27
41	Benefits of preoperative MRI in breast cancer surgery studied in a large population-based cancer registry. British Journal of Surgery, 2015, 102, 1649-1657.	0.3	26
42	The interval between primary melanoma excision and sentinel node biopsy is not associated with survival in sentinel node positive patients – An EORTC Melanoma Group study. European Journal of Surgical Oncology, 2016, 42, 1906-1913.	1.0	25
43	The impact of hospital volume on perioperative outcomes of rectal cancer. European Journal of Surgical Oncology, 2017, 43, 1894-1900.	1.0	22
44	Treatment Strategies and Prognosis of Patients With Synchronous or Metachronous Colorectal Peritoneal Metastases: A Population-Based Study. Annals of Surgical Oncology, 2021, 28, 9073-9083.	1.5	22
45	Results after simultaneous surgery and RFA liver ablation for patients with colorectal carcinoma and synchronous liver metastases. European Journal of Surgical Oncology, 2019, 45, 2334-2339.	1.0	17
46	Total pelvic exenteration for locally advanced and locally recurrent rectal cancer in the elderly. European Journal of Surgical Oncology, 2018, 44, 1548-1554.	1.0	16
47	Adequate surgical margins for dermatofibrosarcoma protuberans – A multi-centre analysis. European Journal of Surgical Oncology, 2021, 47, 436-442.	1.0	16
48	Isolated Tumor Cells and Long-Term Prognosis of Patients with Melanoma. Annals of Surgical Oncology, 2008, 15, 1547-1548.	1.5	15
49	The liver-first approach for locally advanced rectal cancer and synchronous liver metastases. European Journal of Surgical Oncology, 2019, 45, 591-596.	1.0	15
50	Interstitial laser coagulation with temporary hepatic artery occlusion for patients with cirrhosis and irresectable hepatoma. British Journal of Surgery, 2003, 90, 950-955.	0.3	14
51	Risk Factors for Positive Deep Pelvic Nodal Involvement in Patients with Palpable Groin Melanoma Metastases: Can the Extent of Surgery be Safely Minimized?. Annals of Surgical Oncology, 2015, 22, 1172-1180.	1.5	14
52	Long-term results of ultrasound guided fine needle aspiration cytology in conjunction with sentinel node biopsy support step-wise approach in melanoma. European Journal of Surgical Oncology, 2017, 43, 1509-1516.	1.0	13
53	Impact of primary tumor location on outcome of liposarcoma patients, a retrospective cohort study. European Journal of Surgical Oncology, 2019, 45, 2437-2442.	1.0	13
54	Hospital volume and outcome in rectal cancer patients; results of a population-based study in the Netherlands. European Journal of Surgical Oncology, 2019, 45, 613-619.	1.0	13

#	ARTICLE	IF	CITATIONS
55	Regional and inter-hospital differences in the utilisation of liver surgery for patients with synchronous colorectal liver metastases in the Netherlands. <i>European Journal of Cancer</i> , 2017, 71, 109-116.	2.8	12
56	Efficacy of isolated limb perfusion (ILP) in patients with Merkel cell carcinoma (MCC): A multicenter experience. <i>European Journal of Surgical Oncology</i> , 2017, 43, 2157-2162.	1.0	12
57	Isolated limb perfusion for locally advanced angiosarcoma in extremities: A multi-centre study. <i>European Journal of Cancer</i> , 2017, 85, 114-121.	2.8	12
58	Breast and Tumour Volume Measurements in Breast Cancer Patients Using 3D Automated Breast Volume Scanner Images. <i>World Journal of Surgery</i> , 2018, 42, 2087-2093.	1.6	12
59	Propensity score matching demonstrates similar results for radiofrequency ablation compared to surgical resection in colorectal liver metastases. <i>European Journal of Surgical Oncology</i> , 2022, 48, 1368-1374.	1.0	12
60	Optimal extent of completion lymphadenectomy for patients with melanoma and a positive sentinel node in the groin. <i>British Journal of Surgery</i> , 2017, 105, 96-105.	0.3	11
61	Tumor-volume to breast-volume RAtio for improving COSmetic results in breast cancer patients (TURACOS); a randomized controlled trial. <i>BMC Cancer</i> , 2017, 17, 336.	2.6	11
62	Treatment of Inguinal Lymph Node Metastases in Patients with Rectal Adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2019, 26, 1134-1141.	1.5	10
63	Patient-Reported Outcome Measures may optimize shared decision-making for cancer risk management in BRCA mutation carriers. <i>Breast Cancer</i> , 2020, 27, 426-434.	2.9	10
64	Preoperative imaging for colorectal liver metastases: a nationwide population-based study. <i>BJS Open</i> , 2020, 4, 605-621.	1.7	10
65	Resection of Extrahepatic Hepatocellular Carcinoma Metastasis can result in Long-term Survival. <i>Acta Chirurgica Belgica</i> , 2005, 105, 533-536.	0.4	9
66	mRNA expression profiles of colorectal liver metastases as a novel biomarker for early recurrence after partial hepatectomy. <i>Molecular Oncology</i> , 2016, 10, 1542-1550.	4.6	9
67	A Single-Center Comparison of Extended and Restricted THROMBOPROPHYLAXIS with LMWH after Metabolic Surgery. <i>Obesity Surgery</i> , 2020, 30, 553-559.	2.1	9
68	Treatment of metachronous colorectal cancer metastases in the Netherlands: A population-based study. <i>European Journal of Surgical Oncology</i> , 2022, 48, 1104-1109.	1.0	9
69	Improved stratification of pT1 melanoma according to the 8th American Joint Committee on Cancer staging edition criteria: A Dutch population-based study. <i>European Journal of Cancer</i> , 2018, 92, 100-107.	2.8	8
70	Clinical added value of MRI to CT in patients scheduled for local therapy of colorectal liver metastases (CAMINO): study protocol for an international multicentre prospective diagnostic accuracy study. <i>BMC Cancer</i> , 2021, 21, 1116.	2.6	7
71	Cost-effectiveness of adjuvant systemic therapies for patients with high-risk melanoma in Europe: a model-based economic evaluation. <i>ESMO Open</i> , 2021, 6, 100303.	4.5	7
72	A Place for Radiofrequency Ablation in the Treatment of Resectable Colorectal Liver Metastases?. <i>Annals of Surgical Oncology</i> , 2008, 15, 2063-2063.	1.5	6

#	ARTICLE	IF	CITATIONS
73	Surgery for rectal cancer: Differences in resection rates among hospitals in the Netherlands. European Journal of Surgical Oncology, 2021, 47, 2384-2389.	1.0	6
74	Timing of completion lymphadenectomy after positive sentinel node biopsy in patients with melanoma. British Journal of Surgery, 2017, 104, 726-733.	0.3	5
75	Cutaneous Melanoma and Sentinel Lymph Node Biopsy. Annals of Surgical Oncology, 2008, 15, 1808-1809.	1.5	4
76	Outcomes of urinary diversion after surgery for locally advanced or locally recurrent rectal cancer with complete cystectomy; ileal and colon conduit. European Journal of Surgical Oncology, 2020, 46, 1160-1166.	1.0	4
77	The Influence of Surgical Experience on Postoperative Recovery in Fast-Track Bariatric Surgery. Obesity Surgery, 2020, 30, 1653-1659.	2.1	4
78	Isolated limb perfusion is an effective treatment modality for locally advanced Kaposi sarcoma of the extremities. European Journal of Surgical Oncology, 2020, 46, 1315-1319.	1.0	3
79	Relation between body composition and severe diarrhea in patients treated with preoperative chemoradiation with capecitabine for rectal cancer: a single-centre cohort study. BMC Gastroenterology, 2021, 21, 313.	2.0	3
80	Partial hepatic resection for liver metastases of non-colorectal origin, is it justified?. Hepato-Gastroenterology, 2007, 54, 1517-21.	0.5	3
81	The clinical relevance of indeterminate lung nodules in patients with locally recurrent rectal cancer. European Journal of Surgical Oncology, 2021, 47, 1616-1622.	1.0	1
82	Comment on: External validation of a prognostic model to predict survival of patients with sentinel node-negative melanoma. British Journal of Surgery, 2020, 107, 615-616.	0.3	0
83	ASO Author Reflections: Towards Patient-Tailored Management of Extremity Soft Tissue Sarcoma. Annals of Surgical Oncology, 2021, 28, 7937-7938.	1.5	0
84	ASO Visual Abstract: Treatment Strategies and Prognosis in Patients with Synchronous or Metachronous Colorectal Peritoneal Metastases: A Population-Based Study. Annals of Surgical Oncology, 2021, 28, 522-523.	1.5	0
85	Microanatomic characteristics of melanoma metastases in the sentinel node(s) (SN) predict survival and question the need for complete lymph node dissection (cLND). Journal of Clinical Oncology, 2006, 24, 8005-8005.	1.6	0
86	16 Levertumoren. , 2009, , 160-171.		0
87	Treatment of clinical T1 rectal cancer in the Netherlands; a population-based overview of clinical practice. European Journal of Surgical Oncology, 2021, , .	1.0	0
88	Changes in rectal cancer treatment after the introduction of a national screening program; Increasing use of less invasive strategies within a national cohort. European Journal of Surgical Oncology, 2021, , .	1.0	0