

Yaling Han

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1053141/publications.pdf>

Version: 2024-02-01

158
papers

3,839
citations

257450

24
h-index

155660

55
g-index

163
all docs

163
docs citations

163
times ranked

6420
citing authors

#	ARTICLE	IF	CITATIONS
1	Clonal hematopoiesis of indeterminate potential in patients with acute coronary syndrome undergoing percutaneous coronary intervention in the absence of traditional risk factors. <i>Clinical Research in Cardiology</i> , 2023, 112, 506-517.	3.3	1
2	HOXA5-miR-574-5p axis promotes adipogenesis and alleviates insulin resistance. <i>Molecular Therapy - Nucleic Acids</i> , 2022, 27, 200-210.	5.1	9
3	Magnetically Controlled Capsule Endoscopy for Assessment of Antiplatelet Therapyâ€“Induced Gastrointestinal Injury. <i>Journal of the American College of Cardiology</i> , 2022, 79, 116-128.	2.8	37
4	Chinese expert consensus statement on dual antiplatelet therapy in patients with coronary artery disease. <i>European Heart Journal</i> , 2022, 43, 1283-1285.	2.2	4
5	A novel function of CREG in metabolic disorders. <i>Medical Review</i> , 2022, .	1.2	1
6	Current clinical data and experience of TAVR in China. <i>European Heart Journal</i> , 2022, , .	2.2	1
7	Twelve-month outcomes of the TaurusOne valve for transcatheter aortic valve implantation in patients with severe aortic stenosis. <i>EuroIntervention</i> , 2022, 17, 1070-1076.	3.2	12
8	Artificial intelligence in cardiovascular medicine in China. <i>European Heart Journal</i> , 2022, , .	2.2	1
9	Overexpression of MFN2 alleviates sorafenib-induced cardiomyocyte necroptosis via the MAM-CaMKII β pathway <i>in vitro</i> and <i>in vivo</i> . <i>Theranostics</i> , 2022, 12, 1267-1285.	10.0	27
10	Predictors and long-term outcomes of in-hospital switching from clopidogrel to ticagrelor among patients with acute coronary syndrome undergoing percutaneous coronary intervention. <i>Catheterization and Cardiovascular Interventions</i> , 2022, , .	1.7	0
11	Effectiveness and safety of bivalirudin in elderly patients with coronary artery disease undergoing percutaneous coronary intervention: A real-world study. <i>Catheterization and Cardiovascular Interventions</i> , 2022, 99, 1448-1455.	1.7	4
12	Ticagrelor versus clopidogrel in patients with acute coronary syndrome undergoing complex percutaneous coronary intervention. <i>Catheterization and Cardiovascular Interventions</i> , 2022, , .	1.7	1
13	Proton Pump Inhibitors and In-Hospital Gastrointestinal Bleeding in Patients With Acute Coronary Syndrome Receiving Dual Antiplatelet Therapy. <i>Mayo Clinic Proceedings</i> , 2022, 97, 682-692.	3.0	4
14	Gut microbiota induces high platelet response in patients with ST segment elevation myocardial infarction after ticagrelor treatment. <i>ELife</i> , 2022, 11, .	6.0	11
15	Performance of Management Strategies With Class I Recommendations Among Patients Hospitalized With ST-Segment Elevation Myocardial Infarction in China. <i>JAMA Cardiology</i> , 2022, 7, 484.	6.1	10
16	Baseline Characteristics of Patients With HF With Mildly Reduced and Preserved Ejection Fraction. <i>JACC: Heart Failure</i> , 2022, 10, 184-197.	4.1	75
17	Sodium-glucose cotransporterâ€“2 inhibitors in heart failure: an updated meta-analysis. <i>ESC Heart Failure</i> , 2022, 9, 1942-1953.	3.1	9
18	Determination of Optimal Fluoroscopic Angulations for Left Main Coronary Artery Ostial Interventions: 3-Dimensional Computed Tomography Validation. <i>Journal of Interventional Cardiology</i> , 2022, 2022, 1-8.	1.2	1

#	ARTICLE	IF	CITATIONS
19	Guidewire ablation of epicardial ventricular arrhythmia within the coronary venous system: A case report. <i>HeartRhythm Case Reports</i> , 2022, 8, 195-199.	0.4	3
20	Adherence to P2Y12 inhibitors in acute coronary syndrome after a percutaneous coronary intervention: what can we improve?. <i>European Heart Journal</i> , 2022, 43, 2314-2316.	2.2	2
21	CREG ameliorates embryonic stem cell differentiation into smooth muscle cells by modulation of TGF- β^2 expression. <i>Differentiation</i> , 2022, 125, 9-17.	1.9	2
22	Antiplatelet effect, safety, and pharmacokinetics of ticagrelor in patients with coronary artery disease undergoing percutaneous coronary intervention. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2022, 8, 806-814.	3.0	5
23	Ticagrelor With or Without Aspirin in Chinese Patients Undergoing Percutaneous Coronary Intervention: A TWILIGHT China Substudy. <i>Circulation: Cardiovascular Interventions</i> , 2022, 15, CIRCINTERVENTIONS120009495.	3.9	4
24	Association Between Early Oral β^2 -Blocker Therapy and In-Hospital Outcomes in Patients With ST-Elevation Myocardial Infarction With Mild-Moderate Heart Failure: Findings From the CCC-ACS Project. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 828614.	2.4	3
25	Mid-Depth-Septal Pacing Optimized Cardiac Resynchronization Therapy: A Novel Strategy. <i>Canadian Journal of Cardiology</i> , 2022, 38, 1458-1460.	1.7	1
26	GCN5-mediated regulation of pathological cardiac hypertrophy via activation of the TAK1-JNK/p38 signaling pathway. <i>Cell Death and Disease</i> , 2022, 13, 421.	6.3	13
27	Corrigendum to "Orosomucoid 1 Attenuates Doxorubicin-Induced Oxidative Stress and Apoptosis in Cardiomyocytes via Nrf2 Signaling". <i>BioMed Research International</i> , 2022, 2022, 1-3.	1.9	0
28	Clinical significance of glycated hemoglobin in acute coronary syndrome patients from the CCC-ACS project. <i>Herz</i> , 2021, 46, 287-294.	1.1	3
29	A High-Fat Diet Attenuates AMPK β^1 in Adipocytes to Induce Exosome Shedding and Nonalcoholic Fatty Liver Development In Vivo. <i>Diabetes</i> , 2021, 70, 577-588.	0.6	49
30	Long-term antiplatelet therapy in medically managed non-ST-segment elevation acute coronary syndromes: The EPICOR Asia study. <i>International Journal of Cardiology</i> , 2021, 327, 19-24.	1.7	1
31	TRPV5 attenuates abdominal aortic aneurysm in mice by regulating KLF4-dependent phenotype switch of aortic vascular smooth muscle cells. <i>Archives of Biochemistry and Biophysics</i> , 2021, 698, 108724.	3.0	11
32	Role of Neutrophil-Derived S100B in Acute Myocardial Infarction Patients From the Han Chinese Population. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 7, 595446.	2.4	2
33	MiR-221-3p targets Hif-1 α to inhibit angiogenesis in heart failure. <i>Laboratory Investigation</i> , 2021, 101, 104-115.	3.7	23
34	Long-Term Antithrombotic Therapy and Clinical Outcomes in Patients with Acute Coronary Syndrome and Renal Impairment: Insights from EPICOR and EPICOR Asia. <i>American Journal of Cardiovascular Drugs</i> , 2021, 21, 471-482.	2.2	1
35	Comparison of the efficacy and safety of ticagrelor and clopidogrel in patients with acute coronary syndrome after risk stratification. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 97, 1032-1039.	1.7	1
36	The change of cardiac axis deviation in catheter ablation of verapamil-sensitive idiopathic left ventricular tachycardia. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021, 44, 685-692.	1.2	0

#	ARTICLE	IF	CITATIONS
37	Impact of 6â€­versus 12â€­month dual antiplatelet therapy on clinical prognosis in patients with high bleeding risk: Insights from the 4â€­year results of the I LOVE IT 2 study. Catheterization and Cardiovascular Interventions, 2021, 97, 1025-1031.	1.7	4
38	CREG ameliorates the phenotypic switching of cardiac fibroblasts after myocardial infarction via modulation of CDC42. Cell Death and Disease, 2021, 12, 355.	6.3	8
39	Overexpression of Kininogen-1 aggravates oxidative stress and mitochondrial dysfunction in DOX-induced cardiotoxicity. Biochemical and Biophysical Research Communications, 2021, 550, 142-150.	2.1	19
40	CREG1 improves the capacity of the skeletal muscle response to exercise endurance via modulation of mitophagy. Autophagy, 2021, 17, 4102-4118.	9.1	12
41	Impact of extended dual antiplatelet therapy on longâ€­term prognosis in patients with acute coronary syndrome complicated with anemia: A subâ€­analysis of the realâ€­world OPTâ€­CAD study. Catheterization and Cardiovascular Interventions, 2021, 98, E235-E242.	1.7	1
42	Thrombopoietic effects of CCAAT/enhancer-binding protein Î² on the early-stage differentiation of megakaryocytes. Archives of Biochemistry and Biophysics, 2021, 703, 108846.	3.0	0
43	Derivation and Verification of the Relationship between Ablation Index and Baseline Impedance. Cardiology Research and Practice, 2021, 2021, 1-6.	1.1	3
44	LDL cholesterol levels and in-hospital bleeding in patients on high-intensity antithrombotic therapy: findings from the CCC-ACS project. European Heart Journal, 2021, 42, 3175-3186.	2.2	14
45	Bivalirudin Attenuates Thrombin-Induced Endothelial Hyperpermeability via S1P/S1PR2 Category: Original Articles. Frontiers in Pharmacology, 2021, 12, 721200.	3.5	5
46	Association of periâ€­procedural myocardial infarction with mortality after stenting true coronary bifurcation lesions: A pooled individual participant data analysis from four randomized controlled trials. Catheterization and Cardiovascular Interventions, 2021, , .	1.7	4
47	Long-term outcomes of new-generation coronary stents in China. European Heart Journal, 2021, 42, 4209-4211.	2.2	2
48	Clinical Outcome between Ticagrelor versus Clopidogrel in Patients with Acute Coronary Syndrome and Diabetes. Cardiovascular Therapeutics, 2021, 2021, 1-9.	2.5	4
49	Knockdown of mesenchymal stem cellâ€­derived exosomal LOC100129516 suppresses the symptoms of atherosclerosis via upregulation of the PPARÎ³/LXRÎ±/ABCA1 signaling pathway. International Journal of Molecular Medicine, 2021, 48, .	4.0	16
50	A Novel Multiple Risk Score Model for Prediction of Long-Term Ischemic Risk in Patients With Coronary Artery Disease Undergoing Percutaneous Coronary Intervention: Insights From the I-LOVE-IT 2 Trial. Frontiers in Cardiovascular Medicine, 2021, 8, 756379.	2.4	2
51	Trends in Bleeding Events Among Patients With Acute Coronary Syndrome in China, 2015 to 2019: Insights From the CCC-ACS Project. Frontiers in Cardiovascular Medicine, 2021, 8, 769165.	2.4	1
52	Utility of S100A12 as an Early Biomarker in Patients With ST-Segment Elevation Myocardial Infarction. Frontiers in Cardiovascular Medicine, 2021, 8, 747511.	2.4	6
53	Plasma biomarkers and plaque strain predict long-term cardiovascular events in patients with acute coronary syndrome. Science China Life Sciences, 2020, 63, 269-278.	4.9	2
54	Impact of dual antiplatelet therapy duration on 1â€­year clinical outcomes in diabetic patients with acute coronary syndrome undergoing percutaneous coronary intervention: Insights from the realâ€­world OPTâ€­CAD study. Catheterization and Cardiovascular Interventions, 2020, 95, 579-586.	1.7	6

#	ARTICLE	IF	CITATIONS
55	ODYSSEY EAST: Alirocumab efficacy and safety vs ezetimibe in high cardiovascular risk patients with hypercholesterolemia and on maximally tolerated statin in China, India, and Thailand. <i>Journal of Clinical Lipidology</i> , 2020, 14, 98-108.e8.	1.5	23
56	Individual Patient Data Pooled Analysis of Randomized Trials of Bivalirudin versus Heparin in Acute Myocardial Infarction: Rationale and Methodology. <i>Thrombosis and Haemostasis</i> , 2020, 120, 348-362.	3.4	13
57	Low-dose nicotine promotes autophagy of cardiomyocytes by upregulating HO-1 expression. <i>Biochemical and Biophysical Research Communications</i> , 2020, 522, 1015-1021.	2.1	11
58	Molecular Targets and Pathways Contributing to the Effects of Wenxin Keli on Atrial Fibrillation Based on a Network Pharmacology Approach. <i>Evidence-based Complementary and Alternative Medicine</i> , 2020, 2020, 1-11.	1.2	3
59	COVID-19 and cardiovascular disease: from basic mechanisms to clinical perspectives. <i>Nature Reviews Cardiology</i> , 2020, 17, 543-558.	13.7	999
60	Optimal antiplatelet therapy for prevention of gastrointestinal injury evaluated by ANKON magnetically controlled capsule endoscopy: Rationale and design of the OPT-PEACE trial. <i>American Heart Journal</i> , 2020, 228, 8-16.	2.7	10
61	Intracoronary Imaging-Guided Percutaneous Coronary Intervention for Woven Coronary Artery Disease With Chronic Total Occlusion. <i>Canadian Journal of Cardiology</i> , 2020, 36, 1977.e9-1977.e11.	1.7	2
62	Extended antiplatelet therapy with clopidogrel alone versus clopidogrel plus aspirin after completion of 9- to 12-month dual antiplatelet therapy for acute coronary syndrome patients with both high bleeding and ischemic risk. Rationale and design of the OPT-BIRISK double-blinded, placebo-controlled randomized trial. <i>American Heart Journal</i> , 2020, 228, 1-7.	2.7	7
63	A simple and practical criterion for determining a failed His-bundle pacing. <i>Europace</i> , 2020, 22, ii61-ii66.	1.7	3
64	Orosomucoid 1 Attenuates Doxorubicin-Induced Oxidative Stress and Apoptosis in Cardiomyocytes via Nrf2 Signaling. <i>BioMed Research International</i> , 2020, 2020, 1-13.	1.9	16
65	Impact of Diabetes Mellitus on Antithrombotic Management Patterns and Long-Term Clinical Outcomes in Patients With Acute Coronary Syndrome: Insights From the EPICOR Asia Study. <i>Journal of the American Heart Association</i> , 2020, 9, e013476.	3.7	4
66	Changes in the work mode of cardiologists during the COVID-19 epidemic in Wuhan. <i>European Heart Journal</i> , 2020, 41, 2729-2730.	2.2	3
67	Dual Antiplatelet Therapy Duration in Medically Managed Acute Coronary Syndrome Patients: Sub-Analysis of the OPT-CAD Study. <i>Advances in Therapy</i> , 2020, 37, 3150-3161.	2.9	1
68	Population pharmacokinetic/pharmacodynamic modelling of nifekalant in healthy Chinese volunteers. <i>European Journal of Pharmaceutical Sciences</i> , 2020, 151, 105385.	4.0	4
69	Purkinje Fibers in Canine False Tendons: New Anatomical and Electrophysiological Findings. <i>Cardiology Research and Practice</i> , 2020, 2020, 1-7.	1.1	3
70	CSC Expert Consensus on Principles of Clinical Management of Patients With Severe Emergent Cardiovascular Diseases During the COVID-19 Epidemic. <i>Circulation</i> , 2020, 141, e810-e816.	1.6	92
71	Multicentre, randomized comparison of two-stent and provisional stenting techniques in patients with complex coronary bifurcation lesions: the DEFINITION II trial. <i>European Heart Journal</i> , 2020, 41, 2523-2536.	2.2	124
72	Genetic predisposition to coronary artery disease is predictive of recurrent events: a Chinese prospective cohort study. <i>Human Molecular Genetics</i> , 2020, 29, 1044-1053.	2.9	6

#	ARTICLE	IF	CITATIONS
73	DNA hypermethylation: A novel mechanism of CREG gene suppression and atherosclerogenic endothelial dysfunction. <i>Redox Biology</i> , 2020, 32, 101444.	9.0	21
74	Impact of extended dual antiplatelet therapy on clinical prognosis in acute coronary syndrome patients with intermediate or high ischemic risk defined by the GRACE score. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 95, 665-673.	1.7	5
75	Three-year follow up of biodegradable polymer cobalt-chromium sirolimus-eluting stent (EXCROSSAL) in treating de novo coronary artery disease: Pooled analysis of CREDIT II and CREDIT III trials. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 95, 565-571.	1.7	2
76	Impact of the residual SYNTAX score on clinical outcomes after percutaneous coronary intervention for patients with chronic renal insufficiency. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 95, 606-615.	1.7	8
77	Efficacy and Safety of Potent Oral P2Y12 Inhibitors in Medically Managed ACS Patients: a Meta-analysis. <i>Cardiovascular Drugs and Therapy</i> , 2020, 34, 199-208.	2.6	3
78	Comparison of the Ultrathin Strut, Biodegradable Polymer Sirolimus-eluting Stent With a Durable Polymer Everolimus-eluting Stent in a Chinese Population: The Randomized BIOFLOW VI Trial. <i>Clinical Therapeutics</i> , 2020, 42, 649-660.e9.	2.5	12
79	Initial COVID-19 affecting cardiac patients in China. <i>European Heart Journal</i> , 2020, 41, 1719-1719.	2.2	8
80	Efficacy of clopidogrel and ticagrelor under NT-proBNP in hospitalized ST-elevation acute coronary syndrome patients on percutaneous coronary intervention: CCC-ACS Project Analysis. <i>International Journal of Cardiology</i> , 2020, 310, 1-8.	1.7	3
81	Smoking and Provision of Smoking Cessation Interventions among Inpatients with Acute Coronary Syndrome in China: Findings from the Improving Care for Cardiovascular Disease in China-Acute Coronary Syndrome Project. <i>Global Heart</i> , 2020, 15, 72.	2.3	9
82	Contemporary invasive management and in-hospital outcomes of patients with non-ST-segment elevation myocardial infarction in China: Findings from China Acute Myocardial Infarction (CAMI) Registry. <i>American Heart Journal</i> , 2019, 215, 1-11.	2.7	12
83	MiR-207 inhibits autophagy and promotes apoptosis of cardiomyocytes by directly targeting LAMP2 in type 2 diabetic cardiomyopathy. <i>Biochemical and Biophysical Research Communications</i> , 2019, 520, 27-34.	2.1	20
84	Protocol of the China ST-segment elevation myocardial infarction (STEMI) Care Project (CSCAP): a 10-year project to improve quality of care by building up a regional STEMI care network. <i>BMJ Open</i> , 2019, 9, e026362.	1.9	16
85	Sex Differences in In-Hospital Management and Outcomes of Patients With Acute Coronary Syndrome. <i>Circulation</i> , 2019, 139, 1776-1785.	1.6	148
86	Cycle length criteria for His-bundle capture are capable of determining pacing types misclassified by output criteria. <i>Heart Rhythm</i> , 2019, 16, 1629-1635.	0.7	10
87	De-escalation from ticagrelor to clopidogrel in acute coronary syndrome patients: a systematic review and meta-analysis. <i>Journal of Thrombosis and Thrombolysis</i> , 2019, 48, 1-10.	2.1	26
88	Prehospital statin use and low-density lipoprotein cholesterol levels at admission in acute coronary syndrome patients with history of myocardial infarction or revascularization: Findings from the Improving Care for Cardiovascular Disease in China (CCC) project. <i>American Heart Journal</i> , 2019, 212, 120-128.	2.7	15
89	Performance on management strategies with Class I Recommendation and A Level of Evidence among hospitalized patients with non-ST-segment elevation acute coronary syndrome in China: Findings from the Improving Care for Cardiovascular Disease in China-Acute Coronary Syndrome (CCC-ACS) project. <i>American Heart Journal</i> , 2019, 212, 80-90.	2.7	8
90	Nicotine promotes the differentiation of C2C12 myoblasts and improves skeletal muscle regeneration in obese mice. <i>Biochemical and Biophysical Research Communications</i> , 2019, 511, 739-745.	2.1	8

#	ARTICLE	IF	CITATIONS
91	Safety and efficacy of the novel sirolimus-eluting bioresorbable scaffold for the treatment of de novo coronary artery disease: One-year results from a prospective patient-level pooled analysis of NeoVas trials. <i>Catheterization and Cardiovascular Interventions</i> , 2019, 93, 832-838.	1.7	12
92	Efficacy and safety of oral Guanxinshutong capsules in patients with stable angina pectoris in China: a prospective, multicenter, double-blind, placebo-controlled, randomized clinical trial. <i>BMC Complementary and Alternative Medicine</i> , 2019, 19, 363.	3.7	8
93	2018 update of expert consensus statement on antiplatelet therapy in East Asian patients with ACS or undergoing PCI. <i>Science Bulletin</i> , 2019, 64, 166-179.	9.0	34
94	Safety and efficacy of a novel abluminal groove-filled biodegradable polymer sirolimus-eluting stent for the treatment of de novo coronary lesions: Final five-year results of the patient-level pooled analysis from the TARGET I and TARGET II trials. <i>Catheterization and Cardiovascular Interventions</i> , 2019, 93, 818-824.	1.7	5
95	Efficacy and safety of a second-generation biodegradable polymer sirolimus-eluting stent: One-year results of the CREDIT 2 trial. <i>Cardiovascular Therapeutics</i> , 2018, 36, e12327.	2.5	2
96	Safety and Incidence of Cardiovascular Events in Chinese Patients with Acute Coronary Syndrome Treated with Ticagrelor: the 12-Month, Phase IV, Multicenter, Single-Arm DAYU Study. <i>Cardiovascular Drugs and Therapy</i> , 2018, 32, 47-56.	2.6	10
97	Randomized comparison of novel biodegradable polymer and durable polymer-coated cobalt-chromium sirolimus-eluting stents: Three-Year Outcomes of the LOVE-IT 2 Trial. <i>Catheterization and Cardiovascular Interventions</i> , 2018, 91, 608-616.	1.7	9
98	A Randomized Trial Comparing the NeoVas Sirolimus-Eluting Bioresorbable Scaffold and Metallic Everolimus-Eluting Stents. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 260-272.	2.9	35
99	In-Hospital Outcomes of Dual Loading Antiplatelet Therapy in Patients 75 Years and Older With Acute Coronary Syndrome Undergoing Percutaneous Coronary Intervention: Findings From the CCCACS (Improving Care for Cardiovascular Disease in China-Acute Coronary Syndrome) Project. <i>Journal of the American Heart Association</i> , 2018, 7, .	3.7	13
100	Prognostic value of the age, creatinine, and ejection fraction score for non-infarct-related chronic total occlusion revascularization after primary percutaneous intervention in acute ST-segment elevation myocardial infarction patients: A retrospective study. <i>Journal of Interventional Cardiology</i> , 2018, 31, 33-40.	1.2	14
101	Pharmacodynamics and pharmacokinetics of ticagrelor vs. clopidogrel in patients with acute coronary syndromes and chronic kidney disease. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 88-96.	2.4	30
102	Prevalence and in-hospital outcomes of diabetes among patients with acute coronary syndrome in China: findings from the Improving Care for Cardiovascular Disease in China-Acute Coronary Syndrome Project. <i>Cardiovascular Diabetology</i> , 2018, 17, 147.	6.8	53
103	Percutaneous coronary intervention in patients with acute coronary syndrome in Chinese Military Hospitals, 2011-2014: a retrospective observational study of a national registry. <i>BMJ Open</i> , 2018, 8, e023133.	1.9	6
104	Transplantation of CREG modified embryonic stem cells improves cardiac function after myocardial infarction in mice. <i>Biochemical and Biophysical Research Communications</i> , 2018, 503, 482-489.	2.1	15
105	Chemokine CC-motif ligand 2 participates in platelet function and arterial thrombosis by regulating PKC β -P38MAPK-HSP27 pathway. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2018, 1864, 2901-2912.	3.8	17
106	Predicting long-term ischemic events using routine clinical parameters in patients with coronary artery disease: The OPT-CAD risk score. <i>Cardiovascular Therapeutics</i> , 2018, 36, e12441.	2.5	14
107	Cellular Repressor of E1A-Stimulated Genes Is a Critical Determinant of Vascular Remodeling in Response to Angiotensin II. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017, 37, 485-494.	2.4	17
108	Effect of postprocedural full-dose infusion of bivalirudin on acute stent thrombosis in patients with ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention: Outcomes in a large real-world population. <i>Cardiovascular Therapeutics</i> , 2017, 35, e12251.	2.5	3

#	ARTICLE	IF	CITATIONS
109	Efficacy and safety of a biodegradable polymer Cobalt-Chromium sirolimus-eluting stent (EXCEL2) in treating de novo coronary artery disease: A pooled analysis of the CREDIT II and CREDIT III trials. Catheterization and Cardiovascular Interventions, 2017, 89, 512-519.	1.7	6
110	Impact of six versus 12 months of dual antiplatelet therapy in patients with drug-eluting stent implantation after risk stratification with the residual SYNTAX score: Results from a secondary analysis of the LOVE 2 trial. Catheterization and Cardiovascular Interventions, 2017, 89, 565-573.	1.7	13
111	A new method for traumatic renal injury in a canine model. Journal of the Chinese Medical Association, 2017, 80, 133-139.	1.4	0
112	Impact of completeness of revascularization in complex coronary artery disease as measured with the SYNTAX revascularization index: An SEEDS Substudy. Catheterization and Cardiovascular Interventions, 2017, 89, 541-548.	1.7	5
113	Bleeding-Related Deaths in Relation to the Duration of Dual-Antiplatelet Therapy After Coronary Stenting. Journal of the American College of Cardiology, 2017, 69, 2011-2022.	2.8	109
114	Different Approaches for Catheter Ablation of Para-Hisian Accessory Pathways. Circulation: Arrhythmia and Electrophysiology, 2017, 10, e004882.	4.8	12
115	Safety and efficacy of 6-month versus 12-month dual antiplatelet therapy in patients after implantation of multiple biodegradable polymer-coated sirolimus-eluting coronary stents: Insight from the LOVE 2 trial. Catheterization and Cardiovascular Interventions, 2017, 89, 555-564.	1.7	8
116	Associations of urinary sodium and sodium to potassium ratio with hypertension prevalence and the risk of cardiovascular events in patients with prehypertension. Journal of Clinical Hypertension, 2017, 19, 1231-1239.	2.0	9
117	Efficacy and Safety of a Pharmacoinvasive Strategy With Half-Dose Alteplase Versus Primary Angioplasty in ST-Segment Elevation Myocardial Infarction. Circulation, 2017, 136, 1462-1473.	1.6	73
118	CREG protects from myocardial ischemia/reperfusion injury by regulating myocardial autophagy and apoptosis. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2017, 1863, 1893-1903.	3.8	44
119	Efficiency and safety of bivalirudin in patients undergoing emergency percutaneous coronary intervention via radial access: A subgroup analysis from the bivalirudin in acute myocardial infarction versus heparin and GPI plus heparin trial. Catheterization and Cardiovascular Interventions, 2017, 89, 1157-1165.	1.7	5
120	Biocompatibility and Effectiveness Evaluation of a New Hemostatic Embolization Agent: Thrombin Loaded Alginate Calcium Microsphere. BioMed Research International, 2017, 2017, 1-10.	1.9	20
121	CREG1 heterozygous mice are susceptible to high fat diet-induced obesity and insulin resistance. PLoS ONE, 2017, 12, e0176873.	2.5	21
122	A randomised comparison of biodegradable polymer- and permanent polymer-coated platinum-chromium everolimus-eluting coronary stents in China: the EVOLVE China study. EuroIntervention, 2017, 13, 1210-1217.	3.2	14
123	Cellular Repressor of E1A-stimulated Genes, A New Potential Therapeutic Target for Atherosclerosis. Current Drug Targets, 2017, 18, 1800-1804.	2.1	1
124	"One-Time" versus Staged Multivessel Intervention in Intermediate to Very High-Risk Patients with Non-ST-Segment Elevation Acute Coronary Syndromes. Korean Circulation Journal, 2016, 46, 774.	1.9	5
125	Short-term rosuvastatin therapy prevents contrast-induced acute kidney injury in female patients with diabetes and chronic kidney disease: a subgroup analysis of the TRACK-D study. Journal of Thoracic Disease, 2016, 8, 1000-1006.	1.4	6
126	NALP3-Inflammasome-Related Gene Polymorphisms in Patients with Prehypertension and Coronary Atherosclerosis. BioMed Research International, 2016, 2016, 1-10.	1.9	16

#	ARTICLE	IF	CITATIONS
127	CREG1 Interacts with Sec8 to Promote Cardiomyogenic Differentiation and Cell-Cell Adhesion. <i>Stem Cells</i> , 2016, 34, 2648-2660.	3.2	17
128	Safety and efficacy of policosanol in patients with high on-treatment platelet reactivity after drug-eluting stent implantation: two-year follow-up results. <i>Cardiovascular Therapeutics</i> , 2016, 34, 337-342.	2.5	11
129	The safety and effectiveness of bivalirudin in female patients with acute myocardial infarction undergoing primary angioplasty: A subgroup analysis of the BRIGHT trial. <i>Catheterization and Cardiovascular Interventions</i> , 2016, 87, 608-615.	1.7	10
130	Six Versus 12 Months of Dual Antiplatelet Therapy After Implantation of Biodegradable Polymer Sirolimus-Eluting Stent. <i>Circulation: Cardiovascular Interventions</i> , 2016, 9, e003145.	3.9	127
131	Up-Regulation of CREG Expression by the Transcription Factor GATA1 Inhibits High Glucose- and High Palmitate-Induced Apoptosis in Human Umbilical Vein Endothelial Cells. <i>PLoS ONE</i> , 2016, 11, e0154861.	2.5	14
132	Left Ventricular Lead Placement Targeted at the Latest Activated Site Guided by Electrophysiological Mapping in Coronary Sinus Branches Improves Response to Cardiac Resynchronization Therapy. <i>Journal of Cardiovascular Electrophysiology</i> , 2015, 26, 1333-1339.	1.7	18
133	First-in-man study evaluating the safety and efficacy of a second generation biodegradable polymer sirolimus-eluting stent in the treatment of patients with de novo coronary lesions: Clinical, Angiographic, and <sc>OCT</sc> outcomes of <sc>CREDIT</sc>. <i>Catheterization and Cardiovascular Interventions</i> , 2015, 85, 744-751.	1.7	10
134	High expression of UBD correlates with epirubicin resistance and indicates poor prognosis in triple-negative breast cancer. <i>OncoTargets and Therapy</i> , 2015, 8, 1643.	2.0	10
135	Prognostic analysis of Chinese patients with metastasis renal cell cancer receiving sorafenib: results from a multicenter long-term follow-up retrospective study. <i>OncoTargets and Therapy</i> , 2015, 8, 1581.	2.0	5
136	Meta-analysis of the association between APC promoter methylation and colorectal cancer. <i>OncoTargets and Therapy</i> , 2015, 8, 211.	2.0	9
137	Cellular repressor of E1A-stimulated gene overexpression in bone mesenchymal stem cells protects against rat myocardial infarction. <i>International Journal of Cardiology</i> , 2015, 183, 232-241.	1.7	16
138	Cellular repressor of E1A-stimulated genes inhibits inflammation to decrease atherosclerosis in ApoE ^{-/-} mice. <i>Journal of Molecular and Cellular Cardiology</i> , 2015, 86, 32-41.	1.9	10
139	Chemokine CX3CL1 and its receptor CX3CR1 are associated with human atherosclerotic lesion vulnerability. <i>Thrombosis Research</i> , 2015, 135, 1147-1153.	1.7	22
140	Rosuvastatin attenuates contrast-induced nephropathy through modulation of nitric oxide, inflammatory responses, oxidative stress and apoptosis in diabetic male rats. <i>Journal of Translational Medicine</i> , 2015, 13, 53.	4.4	49
141	Bivalirudin vs Heparin With or Without Tirofiban During Primary Percutaneous Coronary Intervention in Acute Myocardial Infarction. <i>JAMA - Journal of the American Medical Association</i> , 2015, 313, 1336.	7.4	256
142	A mobile minimally invasive interventional shelter: a new answer to on-spot emergency treatment of large arterial injuries?. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2015, 23, 63.	2.6	0
143	Focal Atrial Tachycardia Surrounding the Anterior Septum. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2015, 8, 575-582.	4.8	33
144	Bioresorbable Vascular Scaffolds Versus Metallic Stents in Patients With Coronary Artery Disease. <i>Journal of the American College of Cardiology</i> , 2015, 66, 2298-2309.	2.8	228

#	ARTICLE	IF	CITATIONS
145	Varying Responses to Antithrombotic Treatment by Race/Ethnicity”Reply. JAMA - Journal of the American Medical Association, 2015, 314, 625.	7.4	0
146	Impact of anemia on long-term ischemic events and bleeding events in patients undergoing percutaneous coronary intervention: a system review and meta-analysis. Journal of Thoracic Disease, 2015, 7, 2041-52.	1.4	14
147	Rosuvastatin attenuated contrast-induced nephropathy in diabetes patients with renal dysfunction. International Journal of Clinical and Experimental Medicine, 2015, 8, 2342-9.	1.3	9
148	Impacts of anemia on 3-year ischemic events in patients undergoing percutaneous coronary intervention: a propensity-matched study. Journal of Thoracic Disease, 2015, 7, 1951-9.	1.4	9
149	CREG promotes vasculogenesis by activation of VEGF/PI3K/Akt pathway. Frontiers in Bioscience - Landmark, 2014, 19, 1215.	3.0	12
150	MTDH mediates trastuzumab resistance in HER2 positive breast cancer by decreasing PTEN expression through an NFÎB-dependent pathway. BMC Cancer, 2014, 14, 869.	2.6	37
151	A Randomized Comparison of Novel Biodegradable Polymer- and Durable Polymer”Coated Cobalt-Chromium Sirolimus-Eluting Stents. JACC: Cardiovascular Interventions, 2014, 7, 1352-1360.	2.9	39
152	Emergency treatment of splenic injury in a novel mobile minimally invasive interventional shelter following disaster: a feasibility study. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2014, 22, 44.	2.6	4
153	Breast cancer metastasis to the stomach confirmed using gastroscopy: A case report. Oncology Letters, 2014, 8, 1205-1207.	1.8	8
154	SU6668 suppresses proliferation of triple negative breast cancer cells through down-regulating MTDH expression. Cancer Cell International, 2013, 13, 88.	4.1	13
155	Glycosylation-independent binding to extracellular domains 11”13 of mannose-6-phosphate/insulin-like growth factor-2 receptor mediates the effects of soluble CREG on the phenotypic modulation of vascular smooth muscle cells. Journal of Molecular and Cellular Cardiology, 2011, 50, 723-730.	1.9	19
156	Overexpression of CREG attenuates atherosclerotic endothelium apoptosis via VEGF/PI3K/AKT pathway. Atherosclerosis, 2011, 218, 543-551.	0.8	27
157	Translational research on novel drug-eluting stents in percutaneous coronary intervention. Frontiers of Medicine, 2011, 5, 395-400.	3.4	2
158	Cellular repressor of E1A-stimulated genes inhibits human vascular smooth muscle cell apoptosis via blocking P38/JNK MAP kinase activation. Journal of Molecular and Cellular Cardiology, 2010, 48, 1225-1235.	1.9	37