# Yuqing Xiong

List of Publications by Year
in descending order



| 22 | 219 | 1040056 9 | 1125743 13 |
|---|---|---|---|
| papers | citations | h-index | g-index |

| 22 | 22 | 22 | 287 |
|---|---|---|---|
| all docs | docs citations | times ranked | citing authors |

| # | Article | IF | Citations |
|---|---|---|---|
| 1 | Interactions of the major effective components in Shengmai formula with breast cancer resistance protein at the cellular and vesicular levels. Biomedicine and Pharmacotherapy, 2021, 133, 110939. | 5.6 | 6 |
| 2 | Evaluation of the Bioequivalence of Acarbose in Healthy Chinese People. Clinical Pharmacology in Drug Development, 2021, 10, 1225-1230. | 1.6 | 2 |
| 3 | TGF-Î²1-activated cancer-associated fibroblasts promote breast cancer invasion, metastasis and epithelial-mesenchymal transition by autophagy or overexpression of FAP-Î±. Biochemical Pharmacology, 2021, 188, 114527. | 4.4 | 43 |
| 4 | Upregulation of UGT1A1 expression by ursolic acid and oleanolic acid via the inhibition of the PKC/NF-ÎºB signaling pathway. Phytomedicine, 2021, 92, 153726. | 5.3 | 5 |
| 5 | Inactivating p53 is essential for nerve growth factor receptor to promote melanoma-initiating cell-stemmed tumorigenesis. Cell Death and Disease, 2020, 11, 550. | 6.3 | 15 |
| 6 | LncRNA HOTAIR modulates the expression of OATP1B1 in HepG2 cells by sponging miR-206/miR-613. Xenobiotica, 2020, 50, 1494-1500. | 1.1 | 7 |
| 7 | Berberine Promotes OATP1B1 Expression and Rosuvastatin Uptake by Inducing Nuclear Translocation of FXR and LXRÎ±. Frontiers in Pharmacology, 2020, 11, 375. | 3.5 | 6 |
| 8 | Modulation of transporter activity of OATP1B1 and OATP1B3 by the major active components of Radix Ophiopogonis. Xenobiotica, 2019, 49, 1221-1228. | 1.1 | 10 |
| 9 | Pharmacokinetic analysis of plasma bicyclol by liquid chromatographyâ€“tandem mass spectrometry. Biomedical Chromatography, 2019, 33, e4654. | 1.7 | 1 |
| 10 | Oleanolic Acid and Ursolic Acid Induce UGT1A1 Expression in HepG2 Cells by Activating PXR Rather Than CAR. Frontiers in Pharmacology, 2019, 10, 1111. | 3.5 | 11 |
| 11 | Effect of panaxytriol on cytochrome P450 3A4 via the pregnane X receptor regulatory pathway. Phytotherapy Research, 2019, 33, 968-975. | 5.8 | 4 |
| 12 | The major effective components in Shengmai Formula interact with sodium taurocholate co-transporting polypeptide. Phytomedicine, 2019, 59, 152916. | 5.3 | 10 |
| 13 | Constitutive androstane receptor weakens the induction of panaxytriol on CYP3A4 by repressing the activation of pregnane X receptor. Biochemical Pharmacology, 2019, 159, 32-39. | 4.4 | 6 |
| 14 | Interaction of deoxyschizandrin and schizandrin B with liver uptake transporters OATP1B1 and OATP1B3. Xenobiotica, 2019, 49, 239-246. | 1.1 | 7 |
| 15 | Interaction of Sulfonylureas with Liver Uptake Transporters OATP1B1 and OATP1B3. Basic and Clinical Pharmacology and Toxicology, 2018, 123, 147-154. | 2.5 | 17 |
| 16 | OATP1B3 (699G>A) and CYP2C9*2, *3 significantly influenced the transport and metabolism of glibenclamide and glipizide. Scientific Reports, 2018, 8, 18063. | 3.3 | 8 |
| 17 | Ginsenoside Rb1 and Rd Remarkably Inhibited the Hepatic Uptake of Ophiopogonin D in Shenmai Injection Mediated by OATPs/oatps. Frontiers in Pharmacology, 2018, 9, 957. | 3.5 | 13 |
| 18 | CYP2C9 and OATP1B1 genetic polymorphisms affect the metabolism and transport of glimepiride and gliclazide. Scientific Reports, 2018, 8, 10994. | 3.3 | 19 |

| # | Article | IF | Citations |
|---|---|---|---|
| 19 | Hepatic Uptake Mechanism of Ophiopogonin D Mediated by Organic Anion Transporting Polypeptides. European Journal of Drug Metabolism and Pharmacokinetics, 2017, 42, 669-676. | 1.6 | 8 |
| 20 | In vitro inhibition of UGT1A3, UGT1A4 by ursolic acid and oleanolic acid and drugâ€“drug interaction risk prediction. Xenobiotica, 2017, 47, 785-792. | 1.1 | 10 |
| 21 | Identification and characterization of human UDP-glucuronosyltransferases responsible for the inÂvitro glucuronidation of ursolic acid. Drug Metabolism and Pharmacokinetics, 2016, 31, 261-268. | 2.2 | 6 |
| 22 | CYP3A5*3 and MDR1 C3435T are influencing factors of inter-subject variability in rupatadine pharmacokinetics in healthy Chinese volunteers. European Journal of Drug Metabolism and Pharmacokinetics, 2016, 41, 117-124. | 1.6 | 5 |