

S J Singh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10534198/publications.pdf>

Version: 2024-02-01

24
papers

3,520
citations

430874

18
h-index

677142

22
g-index

24
all docs

24
docs citations

24
times ranked

2462
citing authors

#	ARTICLE	IF	CITATIONS
1	Development of a shuttle walking test of disability in patients with chronic airways obstruction.. Thorax, 1992, 47, 1019-1024.	5.6	1,152
2	The endurance shuttle walk: a new field test for the assessment of endurance capacity in chronic obstructive pulmonary disease. Thorax, 1999, 54, 213-222.	5.6	365
3	Minimum clinically important improvement for the incremental shuttle walking test. Thorax, 2008, 63, 775-777.	5.6	236
4	An early rehabilitation intervention to enhance recovery during hospital admission for an exacerbation of chronic respiratory disease: randomised controlled trial. BMJ, The, 2014, 349, g4315-g4315.	6.0	235
5	Comparison of oxygen uptake during a conventional treadmill test and the shuttle walking test in chronic airflow limitation. European Respiratory Journal, 1994, 7, 2016-20.	6.7	234
6	Development of a self-reported Chronic Respiratory Questionnaire (CRQ-SR). Thorax, 2001, 56, 954-959.	5.6	222
7	Nutritional enhancement of exercise performance in chronic obstructive pulmonary disease: a randomised controlled trial. Thorax, 2003, 58, 745-751.	5.6	160
8	A randomised controlled trial of four weeks versus seven weeks of pulmonary rehabilitation in chronic obstructive pulmonary disease. Thorax, 2001, 56, 143-145.	5.6	124
9	A short outpatient pulmonary rehabilitation programme: immediate and longer term effects on exercise performance and quality of life. Respiratory Medicine, 1998, 92, 1146-1154.	2.9	114
10	Have we underestimated the efficacy of pulmonary rehabilitation in improving mood?. Respiratory Medicine, 2012, 106, 838-844.	2.9	89
11	How long should outpatient pulmonary rehabilitation be? A randomised controlled trial of 4 weeks versus 7 weeks. Thorax, 2006, 61, 767-771.	5.6	87
12	Pulmonary rehabilitation is successful for COPD irrespective of MRC dyspnoea grade. Respiratory Medicine, 2009, 103, 1070-1075.	2.9	84
13	A comparison of three disease-specific and two generic health-status measures to evaluate the outcome of pulmonary rehabilitation in COPD. Respiratory Medicine, 2001, 95, 71-77.	2.9	80
14	Generic, symptom based, exercise rehabilitation; integrating patients with COPD and heart failure. Respiratory Medicine, 2010, 104, 1473-1481.	2.9	67
15	Can we identify patients with different illness schema following an acute exacerbation of COPD: A cluster analysis. Respiratory Medicine, 2014, 108, 319-328.	2.9	67
16	The incremental shuttle walking test in elderly people with chronic airflow limitation. Thorax, 2002, 57, 34-38.	5.6	61
17	Health status measurement: sensitivity of the self-reported Chronic Respiratory Questionnaire (CRQ-SR) in pulmonary rehabilitation. Thorax, 2003, 58, 515-518.	5.6	53
18	Randomized controlled trial of ambulatory oxygen and an ambulatory ventilator on endurance exercise in COPD. Respiratory Medicine, 2000, 94, 778-783.	2.9	36

#	ARTICLE	IF	CITATIONS
19	Detecting oxygen desaturation in patients with COPD: Incremental versus endurance shuttle walking. <i>Respiratory Medicine</i> , 2008, 102, 1148-1152.	2.9	21
20	Within-day repeatability of the endurance shuttle walk test. <i>Physiotherapy</i> , 2009, 95, 140-143.	0.4	18
21	Assessing the exercise response to a bronchodilator in COPD: time to get off your bike?. <i>Thorax</i> , 2007, 62, 281-283.	5.6	13
22	Rehabilitation for people with chronic lung disease.. <i>Quality and Safety in Health Care</i> , 1995, 4, 284-288.	2.5	2
23	P142 Inflammatory cells in the quadriceps of COPD patients and response to resistance training. <i>Thorax</i> , 2010, 65, A138-A138.	5.6	0
24	S72 The utility of the modified BODE index (incorporating the incremental shuttle walking test) in assessing survival in patients with COPD screened for Pulmonary Rehabilitation (PR). <i>Thorax</i> , 2010, 65, A34-A34.	5.6	0