

Katherine Berg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10538483/publications.pdf>

Version: 2024-02-01

41
papers

4,027
citations

516710

16
h-index

289244

40
g-index

41
all docs

41
docs citations

41
times ranked

4829
citing authors

#	ARTICLE	IF	CITATIONS
1	Examining the Effect of the First Wave of the COVID-19 Pandemic on Home Care Recipients' Instrumental Activities of Daily Living Capacity. <i>Journal of the American Medical Directors Association</i> , 2022, 23, 1609.e1-1609.e5.	2.5	2
2	Validation of a Falls Risk Screening Tool Derived From InterRAI Acute Care Assessment. <i>Journal of Patient Safety</i> , 2021, 17, e1152-e1156.	1.7	7
3	Development and validation of an algorithm to assess risk of first-time falling among home care clients. <i>BMC Geriatrics</i> , 2019, 19, 264.	2.7	9
4	Functional Recovery Within a Formal Home Care Program. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 1001-1006.	2.5	8
5	Quality Changes after Implementation of an Episode of Care Model with Strict Criteria for Physical Therapy in Ontario's Long-Term Care Homes. <i>Health Services Research</i> , 2018, 53, 4863-4885.	2.0	3
6	A Scoping Review of Physical Rehabilitation in Long-Term Care: Interventions, Outcomes, Tools. <i>Canadian Journal on Aging</i> , 2017, 36, 435-452.	1.1	10
7	Strategies to reduce the risk of falling: Cohort study analysis with 1-year follow-up in community dwelling older adults. <i>BMC Geriatrics</i> , 2016, 16, 92.	2.7	17
8	Who Receives Rehabilitation in Canadian Long-Term Care Facilities? A Cross-Sectional Study. <i>Physiotherapy Canada</i> <i>Physiotherapie Canada</i> , 2015, 67, 113-121.	0.6	13
9	Scoping review of physical rehabilitation interventions in long-term care: protocol for tools, models of delivery, outcomes and quality indicators. <i>BMJ Open</i> , 2015, 5, e007528-e007528.	1.9	2
10	Data sharing between home care professionals: a feasibility study using the RAI Home Care instrument. <i>BMC Geriatrics</i> , 2014, 14, 81.	2.7	8
11	Rehabilitation in Home Care Is Associated With Functional Improvement and Preferred Discharge. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013, 94, 1038-1047.	0.9	49
12	Scaling functional status within the interRAI suite of assessment instruments. <i>BMC Geriatrics</i> , 2013, 13, 128.	2.7	77
13	Decision Makers' Allocation of Home-Care Therapy Services: A Process Map. <i>Physiotherapy Canada</i> <i>Physiotherapie Canada</i> , 2013, 65, 125-132.	0.6	7
14	Bridging the Information Divide: Health Information Sharing in Home Care. <i>Canadian Journal of Nursing Research</i> , 2013, 45, 16-35.	1.5	4
15	Predictors of Quality-of-Care Processes in Geriatric Assessment Units: Toward a Better Organizational Framework. <i>Journal of the American Medical Directors Association</i> , 2012, 13, 739-743.	2.5	3
16	Quality-of-Care Processes in Geriatric Assessment Units: Principles, Practice, and Outcomes. <i>Journal of the American Medical Directors Association</i> , 2012, 13, 459-463.	2.5	9
17	The Role of Medications in Predicting Activity Restriction Due to a Fear of Falling. <i>Journal of Aging and Health</i> , 2012, 24, 269-286.	1.7	9
18	Underestimating Physical Function Gains: Comparing FIM Motor Subscale and interRAI Post Acute Care Activities of Daily Living Scale. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 1000-1008.	0.9	9

#	ARTICLE	IF	CITATIONS
19	Modifiable Risk Factors Identify People Who Transition from Non-fallers to Fallers in Community-Dwelling Older Adults: A Prospective Study. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2010, 62, 358-367.	0.6	30
20	Short-term geriatric assessment units: 30 years later. <i>BMC Geriatrics</i> , 2010, 10, 41.	2.7	11
21	Risk Factors for Restriction in Activity Associated With Fear of Falling Among Seniors Within the Community. <i>Journal of Patient Safety</i> , 2010, 6, 187-191.	1.7	63
22	A comparison of two assessment systems in predicting functional outcomes of older rehabilitation patients. <i>Age and Ageing</i> , 2010, 39, 394-399.	1.6	1
23	Balance Impairment as a Risk Factor for Falls in Community-Dwelling Older Adults Who Are High Functioning: A Prospective Study. <i>Physical Therapy</i> , 2010, 90, 338-347.	2.4	131
24	Health Information Use in Home Care: Brainstorming Barriers, Facilitators, and Recommendations. <i>Home Health Care Services Quarterly</i> , 2010, 29, 37-53.	0.7	10
25	Quantifying the magnitude of risk for balance impairment on falls in community-dwelling older adults: a systematic review and meta-analysis. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 389-406.	5.0	197
26	Comparison of the Responsiveness of the FIM and the interRAI Post Acute Care Assessment Instrument in Rehabilitation of Older Adults. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010, 91, 1038-1043.	0.9	13
27	Relationship between interRAI HC and the ICF: opportunity for operationalizing the ICF. <i>BMC Health Services Research</i> , 2009, 9, 47.	2.2	14
28	Sharing clinical information across care settings: the birth of an integrated assessment system. <i>BMC Health Services Research</i> , 2009, 9, 71.	2.2	154
29	Quality of care assessment in geriatric evaluation and management units: construction of a chart review tool for a tracer condition. <i>BMC Geriatrics</i> , 2009, 9, 34.	2.7	10
30	Risk Factors for Falling Among Community-Based Seniors. <i>Journal of Patient Safety</i> , 2009, 5, 61-66.	1.7	46
31	Standardizing Assessment of Elderly People in Acute Care: The interRAI Acute Care Instrument. <i>Journal of the American Geriatrics Society</i> , 2008, 56, 536-541.	2.6	351
32	Use of the Berg Balance Scale for Predicting Multiple Falls in Community-Dwelling Elderly People: A Prospective Study. <i>Physical Therapy</i> , 2008, 88, 449-459.	2.4	299
33	The Quality of Quality Measurement in U.S. Nursing Homes. <i>Gerontologist</i> , The, 2003, 43, 37-46.	3.9	205
34	Identification and evaluation of existing nursing homes quality indicators. <i>Health Care Financing Review</i> , 2002, 23, 19-36.	1.8	39
35	Outcome Measures for Use with Home Care Clients. <i>Canadian Journal on Aging</i> , 2000, 19, 87-105.	1.1	76
36	Postacute Care Following Stroke or Hip Fracture. <i>Journal of Aging and Health</i> , 1999, 11, 27-48.	1.7	25

#	ARTICLE	IF	CITATIONS
37	Benefits of home health care after inpatient rehabilitation for hip fracture: Health service use by medicare beneficiaries, 1987-1992. Archives of Physical Medicine and Rehabilitation, 1998, 79, 1195-1199.	0.9	27
38	Impact of the Medicare Catastrophic Coverage Act on Nursing Homes. Milbank Quarterly, 1997, 75, 203-233.	4.4	13
39	Medicare Nursing Home Residents with a Stroke. Journal of Aging and Health, 1995, 7, 384-401.	1.7	4
40	Measuring balance in the elderly: preliminary development of an instrument. Physiotherapy Canada / Physiotherapie Canada, 1989, 41, 304-311.	0.6	2,062
41	Predicting First Time Falls: Validating a Novel Algorithm in Long Term Care. Physical and Occupational Therapy in Geriatrics, 0, , 1-12.	0.4	0