Shi-Lu Chia

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10547783/publications.pdf

Version: 2024-02-01

394421 454955 53 995 19 30 citations h-index g-index papers 54 54 54 1044 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Similar postoperative outcomes after total knee arthroplasty with measured resection and gap balancing techniques using a contemporary knee system: a randomized controlled trial. Knee Surgery, Sports Traumatology, Arthroscopy, 2021, 29, 3178-3185.	4.2	12
2	Mid-term functional outcomes of patient-specific versus conventional instrumentation total knee arthroplasty: a prospective study. Archives of Orthopaedic and Trauma Surgery, 2021, 141, 669-674.	2.4	6
3	Early postoperative straight leg raise is associated with shorter length of stay after unilateral total knee arthroplasty. Journal of Orthopaedic Surgery, 2021, 29, 230949902110022.	1.0	4
4	Cruciate retaining and posterior stabilized total knee arthroplasty in severe varus osteoarthritis knee: A match-pair comparative study in an Asian population. Journal of Orthopaedic Surgery, 2021, 29, 230949902110552.	1.0	3
5	Increased constraint of rotating hinge knee prosthesis is associated with poorer clinical outcomes as compared to constrained condylar knee prosthesis in total knee arthroplasty. European Journal of Orthopaedic Surgery and Traumatology, 2020, 30, 529-535.	1.4	9
6	Ten year outcomes for the prospective randomised trial comparing unlinked, modular bicompartmental knee arthroplasty and total knee arthroplasty. Knee, 2020, 27, 1914-1922.	1.6	5
7	The long-term impact of preoperative psychological distress on functional outcomes, quality of life, and patient satisfaction after total knee arthroplasty. Bone and Joint Journal, 2020, 102-B, 845-851.	4.4	13
8	Effects of continuing use of aspirin on blood loss in patients who underwent unilateral total knee arthroplasty. Journal of Orthopaedic Surgery, 2020, 28, 230949901989439.	1.0	8
9	Should patients aged 75Âyears or older undergo medial unicompartmental knee arthroplasty? A propensity score-matched study. Archives of Orthopaedic and Trauma Surgery, 2020, 140, 949-956.	2.4	16
10	Clinical outcomes and patient satisfaction following revision of failed unicompartmental knee arthroplasty to total knee arthroplasty are as good as a primary total knee arthroplasty. Knee, 2019, 26, 847-852.	1.6	20
11	Functional outcome and quality of life in patients with hip fracture after total knee arthroplasty. Journal of Orthopaedic Surgery, 2019, 27, 230949901985233.	1.0	4
12	The safest and most efficacious route of tranexamic acid administration in total joint arthroplasty: A systematic review and network meta-analysis. Thrombosis Research, 2019, 176, 61-66.	1.7	50
13	Pre-existing patellofemoral disease does not affect 10-year survivorship in fixed bearing unicompartmental knee arthroplasty. Knee Surgery, Sports Traumatology, Arthroscopy, 2019, 27, 2030-2036.	4.2	26
14	Postoperative fixed flexion deformity greater than 10° lead to poorer functional outcome 10Âyears after unicompartmental knee arthroplasty. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 1723-1727.	4.2	5
15	No Difference in Functional Outcomes after Total Knee Arthroplasty with or without Pinless Navigation. Journal of Knee Surgery, 2018, 31, 649-653.	1.6	10
16	Unicompartmental Knee Arthroplasty Achieves Greater Flexion With No Difference in Functional Outcome, Quality of Life, and Satisfaction vs Total Knee Arthroplasty in Patients Younger Than 55 Years. A Propensity Score–Matched Cohort Analysis. Journal of Arthroplasty, 2018, 33, 355-361.	3.1	47
17	Change in Body Mass Index After Total Knee Arthroplasty and Its Influence on Functional Outcome. Journal of Arthroplasty, 2018, 33, 718-722.	3.1	14
18	Comparison of outcome measures from different pathways following total knee arthroplasty. Singapore Medical Journal, 2018, 59, 476-486.	0.6	9

#	Article	IF	CITATIONS
19	Outcomes following total knee arthroplasty with CT-based patient-specific instrumentation. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 2567-2572.	4.2	26
20	The accuracy of a hand-held navigation system in total knee arthroplasty. Archives of Orthopaedic and Trauma Surgery, 2017, 137, 381-386.	2.4	4
21	Reply to letter to the editor on "Intravenous versus intra-articular tranexamic acid in total knee arthroplasty: A double-blinded randomised controlled noninferiority trial― Knee, 2017, 24, 700-701.	1.6	0
22	Does obesity influence early outcome of fixed-bearing unicompartmental knee arthroplasty?. Journal of Orthopaedic Surgery, 2017, 25, 230949901668429.	1.0	26
23	Clinical outcomes of computer-assisted total knee arthroplasty using pinless navigation. Journal of Orthopaedic Surgery, 2017, 25, 230949901668431.	1.0	0
24	Identifying an Ideal Time Frame for Staged Bilateral Total Knee Arthroplasty to Maximize Functional Outcome. Journal of Knee Surgery, 2017, 30, 682-686.	1.6	12
25	Predictors of Midterm Outcomes after Medial Unicompartmental Knee Arthroplasty in Asians. Clinics in Orthopedic Surgery, 2017, 9, 432.	2,2	6
26	Age and Preoperative Knee Society Score Are Significant Predictors of Outcomes Among Asians Following Total Knee Arthroplasty. Journal of Bone and Joint Surgery - Series A, 2016, 98, 735-741.	3.0	75
27	Preoperative haemoglobin cut-off values for the prediction of post-operative transfusion in total knee arthroplasty. Knee Surgery, Sports Traumatology, Arthroscopy, 2016, 24, 3293-3298.	4.2	26
28	Reply to Letter to the Editor on "Functional Outcome and Quality of Life After Patient-Specific Instrumentation in Total Knee Arthroplasty― Journal of Arthroplasty, 2016, 31, 924-925.	3.1	0
29	Minimally Invasive Computer-Assisted Total Knee Arthroplasty Compared With Conventional Total Knee Arthroplasty: A Prospective 9-Year Follow-Up. Journal of Arthroplasty, 2016, 31, 1000-1004.	3.1	17
30	Early Outcomes of Unicompartmental Knee Arthroplasty in Patients With Preoperative Genu Recurvatum of Non-neurological Origin. Journal of Arthroplasty, 2016, 31, 1204-1207.	3.1	9
31	Intravenous versus intra-articular tranexamic acid in total knee arthroplasty: A double-blinded randomised controlled noninferiority trial. Knee, 2016, 23, 152-156.	1.6	71
32	Fixed Flexion Deformity After Unicompartmental Knee Arthroplasty: How Much Is Too Much. Journal of Arthroplasty, 2016, 31, 1313-1316.	3.1	13
33	Obesity and the absence of trochlear dysplasia increase the risk of revision in patellofemoral arthroplasty. Knee, 2016, 23, 331-337.	1.6	49
34	Intra-Articular Tranexamic Acid Wash during Bilateral Total Knee Arthroplasty. Journal of Orthopaedic Surgery, 2015, 23, 290-293.	1.0	10
35	Gender-Specific Total Knee Arthroplasty in Singaporean Women. Journal of Orthopaedic Surgery, 2015, 23, 190-193.	1.0	2
36	Intra-Articular Administration of Tranexamic Acid in Total Hip Arthroplasty. Journal of Orthopaedic Surgery, 2015, 23, 213-217.	1.0	6

#	Article	IF	Citations
37	Drilling the near Cortex with Elongated Figure-of-8 Holes to Reduce the Stiffness of a Locking Compression Plate Construct. Journal of Orthopaedic Surgery, 2015, 23, 336-340.	1.0	2
38	Radiological outcomes of pinless navigation in total knee arthroplasty: a randomized controlled trial. Knee Surgery, Sports Traumatology, Arthroscopy, 2015, 23, 3556-3562.	4.2	17
39	Prospective randomised trial comparing unlinked, modular bicompartmental knee arthroplasty and total knee arthroplasty: A five years follow-up. Knee, 2015, 22, 321-327.	1.6	31
40	Recovery in knee range of motion reaches a plateau by 12Âmonths after total knee arthroplasty. Knee Surgery, Sports Traumatology, Arthroscopy, 2015, 23, 1729-1733.	4.2	32
41	Cruciate retaining versus posterior stabilized total knee arthroplasty after previous high tibial osteotomy. Knee Surgery, Sports Traumatology, Arthroscopy, 2015, 23, 3607-3613.	4.2	20
42	Functional Outcome and Quality of Life after Patient-Specific Instrumentation in Total Knee Arthroplasty. Journal of Arthroplasty, 2015, 30, 1724-1728.	3.1	34
43	Effects of anesthetic technique on blood loss and complications after simultaneous bilateral total knee arthroplasty. Archives of Orthopaedic and Trauma Surgery, 2015, 135, 565-571.	2.4	21
44	Intra-articular versus intravenous tranexamic acid in primary total knee replacement. Annals of Translational Medicine, 2015, 3, 33.	1.7	8
45	Less outliers in pinless navigation compared with conventional surgery in total knee arthroplasty. Knee Surgery, Sports Traumatology, Arthroscopy, 2014, 22, 1827-1832.	4.2	18
46	The radiological outcomes of patient-specific instrumentation versus conventional total knee arthroplasty. Knee Surgery, Sports Traumatology, Arthroscopy, 2014, 22, 630-635.	4.2	73
47	Can tranexamic acid and hydrogen peroxide reduce blood loss in cemented total knee arthroplasty?. Archives of Orthopaedic and Trauma Surgery, 2014, 134, 997-1002.	2.4	23
48	An atypical presentation of acute pancreatitis after simultaneous bilateral total knee replacement: A case report. Journal of Orthopaedics, 2013, 10, 200-203.	1.3	4
49	Management of Periprosthetic Fracture in Unicompartmental Knee Arthroplasty Patients: A Case Series. Proceedings of Singapore Healthcare, 2013, 22, 267-272.	0.6	5
50	Function and Quality of Life in Patients With Recurvatum Deformity After Primary Total Knee Arthroplasty. Journal of Arthroplasty, 2012, 27, 1106-1110.	3.1	25
51	Intraoperative Morphometric Study of Gender Differences in Asian Femurs. Journal of Arthroplasty, 2011, 26, 984-988.	3.1	37
52	Radiographic features predictive of patellar maltracking during total knee arthroplasty. Knee Surgery, Sports Traumatology, Arthroscopy, 2009, 17, 1217-1224.	4.2	32
53	Finite element analysis of tibioâ€femoral contact mechanics of a customised knee spacer. Biosurface and Biotribology, 0, , .	1.5	0