ElÃ-sabeth Pérez Ruiz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1054906/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-------------------|---------------|
| 1 | Genes Involved in Immune Reinduction May Constitute Biomarkers of Response for Metastatic Melanoma Patients Treated with Targeted Therapy. Biomedicines, 2022, 10, 284. | 1.4 | 2 |
| 2 | Impact of weight loss on cancer patients' quality of life at the beginning of the chemotherapy. Supportive Care in Cancer, 2021, 29, 627-634. | 1.0 | 14 |
| 3 | Incidence of COVID-19 in outpatients with cancer receiving active treatment in the context of a pandemic: An Andalusian cohort study. Seminars in Oncology, 2021, 48, 145-151. | 0.8 | 3 |
| 4 | SEOM clinical guideline for the management of cutaneous melanoma (2020). Clinical and Translational Oncology, 2021, 23, 948-960. | 1.2 | 22 |
| 5 | Cetuximab, docetaxel, and cisplatin versus platinum, fluorouracil, and cetuximab as first-line treatment in patients with recurrent or metastatic head and neck squamous-cell carcinoma (GORTEC) Tj ETQq1 463-475. | 1 0,784314 5.1 | l rgBT /Overl |
| 6 | 1456P Impact of early palliative care in quality at the end of life in small cell lung cancer patients. Annals of Oncology, 2021, 32, S1081. | 0.6 | 0 |
| 7 | 187P Relationship between immune profile and immunophenotype in early breast cancer. Annals of Oncology, 2021, 32, S439. | 0.6 | 0 |
| 8 | Liquid Biopsy as a Tool for the Characterisation and Early Detection of the Field Cancerization Effect in Patients with Oral Cavity Carcinoma. Biomedicines, 2021, 9, 1478. | 1.4 | 3 |
| 9 | Cancer immunotherapy resistance based on immune checkpoints inhibitors: Targets, biomarkers, and remedies. Drug Resistance Updates, 2020, 53, 100718. | 6.5 | 103 |
| 10 | Tipifarnib in recurrent, metastatic HRASâ€mutant salivary gland cancer. Cancer, 2020, 126, 3972-3981. | 2.0 | 34 |
| 11 | Impact of intestinal dysbiosis-related drugs on the efficacy of immune checkpoint inhibitors in clinical practice. Clinical and Translational Oncology, 2020, 22, 1778-1785. | 1.2 | 10 |
| 12 | Monitoring through flow cytometry as a biomarker of early response to checkpoint inhibitor Journal of Clinical Oncology, 2020, 38, e21603-e21603. | 0.8 | 0 |
| 13 | Abstract PO-024: Incidence of SARS-COV-2 infection in cancer patients undergoing active treatment. , 2020, , . | | 0 |
| 14 | Influence of first treatment delay on survival among breast cancer subtypes. Annals of Oncology, 2019, 30, v83-v84. | 0.6 | 0 |
| 15 | Differences in survival between right and left-sided colorectal cancer (CRC) in every stage, a CARESS-CCR group study. Annals of Oncology, 2019, 30, v224. | 0.6 | 0 |
| 16 | Daratumumab in combination with urelumab to potentiate anti-myeloma activity in lymphocyte-deficient mice reconstituted with human NK cells. OncoImmunology, 2019, 8, e1599636. | 2.1 | 20 |
| 17 | Prophylactic TNF blockade uncouples efficacy and toxicity in dual CTLA-4 and PD-1 immunotherapy. Nature, 2019, 569, 428-432. | 13.7 | 313 |
| 18 | Genetic Susceptibility in Head and Neck Squamous Cell Carcinoma in a Spanish Population. Cancers, 2019, 11, 493. | 1.7 | 15 |

ElÃsabeth Pérez Ruiz

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Clinical and sociodemographic factors that may influence the resilience of women surviving breast cancer: cross-sectional study. Supportive Care in Cancer, 2019, 27, 1279-1286. | 1.0 | 15 |
| 20 | SEOM clinicalÂguidelines to primary prevention of cancer (2018). Clinical and Translational Oncology, 2019, 21, 106-113. | 1.2 | 7 |
| 21 | Impact of prophylactic TNF blockade in the dual PD-1 and CTLA-4 immunotherapy efficacy and toxicity. Cell Stress, 2019, 3, 236-239. | 1.4 | 17 |
| 22 | First hospital contact via the Emergency Department is an independent predictor of overall survival and disease-free survival in patients with colorectal cancer. Revista Espanola De Enfermedades Digestivas, 2019, 111, 750-756. | 0.1 | 1 |
| 23 | Interferon gamma, an important marker of response to immune checkpoint blockade in non-small cell lung cancer and melanoma patients. Therapeutic Advances in Medical Oncology, 2018, 10, 175883401774974. | 1.4 | 200 |
| 24 | Co-stimulation Agonists via CD137, OX40, GITR, and CD27 for Immunotherapy of Cancer. , 2018, , 429-446. | | 0 |
| 25 | Expression and Prognostic Value of Oestrogen Receptor Beta in Colorectal Cancer. Pathology and Oncology Research, 2018, 24, 871-879. | 0.9 | 4 |
| 26 | Efficacy of fulvestrant in the treatment of postmenopausal women with endocrine-resistant advanced breast cancer in routine clinical practice. Clinical and Translational Oncology, 2018, 20, 862-869. | 1.2 | 3 |
| 27 | Enhancement of antibody-dependent cellular cytotoxicity of cetuximab by a chimeric protein encompassing interleukin-15. Oncolmmunology, 2018, 7, e1393597. | 2.1 | 20 |
| 28 | Bcl-2 Inhibition to Overcome Resistance to Chemo- and Immunotherapy. International Journal of Molecular Sciences, 2018, 19, 3950. | 1.8 | 106 |
| 29 | International Symposium: Trailblazing in Cancer Immunotherapy, October 29–31, 2017, Pamplona, Spain. Cancer Immunology, Immunotherapy, 2018, 67, 1809-1813. | 2.0 | 0 |
| 30 | Immunotherapy Bridge 2017 and Melanoma Bridge 2017: meeting abstracts. Journal of Translational Medicine, 2018, 16, . | 1.8 | 2 |
| 31 | Association between PD1 mRNA and response to anti-PD1 monotherapy across multiple cancer types. Annals of Oncology, 2018, 29, 2121-2128. | 0.6 | 74 |
| 32 | High serum vascular endothelial growth factor C predicts better relapse-free survival in early clinically node-negative breast cancer. Oncotarget, 2018, 9, 28131-28140. | 0.8 | 6 |
| 33 | Association between PD1 mRNA and response to anti-PD1 monotherapy across multiple cancers Journal of Clinical Oncology, 2018, 36, 3076-3076. | 0.8 | 0 |
| 34 | Abstract LB-151: Prophylactic TNFα blockade unplugs toxicity and efficacy in immunotherapy anti-PD-1 + anti-CTLA-4 combinations. , 2018, , . | | 0 |
| 35 | Antibodyâ€dependent cell cytotoxicity: immunotherapy strategies enhancing effector NK cells. Immunology and Cell Biology, 2017, 95, 347-355. | 1.0 | 160 |
| 36 | Pembrolizumab for advanced melanoma: experience from the Spanish Expanded Access Program. Clinical and Translational Oncology, 2017, 19, 761-768. | 1.2 | 12 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Anti-CD137 and PD-1/PD-L1 Antibodies En Route toward Clinical Synergy. Clinical Cancer Research, 2017, 23, 5326-5328. | 3.2 | 33 |
| 38 | Analysis of autophagy gene polymorphisms in Spanish patients with head and neck squamous cell carcinoma. Scientific Reports, 2017, 7, 6887. | 1.6 | 24 |
| 39 | Prospective Evaluation Of Patient-Centered Care In Short-Term Cancer Survivors, At One And Two Years Post Treatment, Through The Patient Assessment Of Chronic Illness Care Questionnaire. Value in Health, 2017, 20, A519. | 0.1 | 0 |
| 40 | P1.07-015 Interferon-Gamma (INFG) as a Biomarker to Guide Immune Checkpoint Blockade (ICB) in Cancer Therapy. Journal of Thoracic Oncology, 2017, 12, S2001. | 0.5 | 0 |
| 41 | Differences in survival (sv) and clinicopathologic characteristics (cpc) between right and left-sided colorectal cancer (CRC): A CARESS-CCR group study. Annals of Oncology, 2017, 28, v198-v199. | 0.6 | Ο |
| 42 | Interferon-gamma (INFG), an important marker of response to immune checkpoint blockade (ICB) in non-small cell lung cancer (NSCLC) and melanoma patients Journal of Clinical Oncology, 2017, 35, 11504-11504. | 0.8 | 7 |
| 43 | Immunological Landscape and Clinical Management of Rectal Cancer. Frontiers in Immunology, 2016, 7, 61. | 2.2 | 14 |
| 44 | Germline genetic background contribution to metastatic dissemination in breast cancer extreme phenotype patients. Annals of Oncology, 2016, 27, vi546. | 0.6 | 1 |
| 45 | Concordance of KRAS, NRAS and BRAF status between primary colorectal tumors and paired metastasis (mts). Annals of Oncology, 2016, 27, vi176. | 0.6 | Ο |
| 46 | Epidermal growth factor receptor (EGFR) pathway polymorphisms as predictive markers of cetuximab toxicity in locally advanced head and neck squamous cell carcinoma (HNSCC) in a Spanish population. Oral Oncology, 2016, 63, 38-43. | 0.8 | 21 |
| 47 | Epidemiological characteristics of a Spanish cohort of patients diagnosed with squamous cell carcinoma of head and neck: distribution of risk factors by tumor location. Clinical and Translational Oncology, 2016, 18, 1114-1122. | 1.2 | 12 |
| 48 | Clusterin expression (CLU) as a prognostic marker in colorectal carcinoma (CCR) Journal of Clinical Oncology, 2016, 34, 563-563. | 0.8 | 0 |
| 49 | Pembrolizumab expanded access program (EAP) in Spain: clinical activity Journal of Clinical Oncology, 2016, 34, e21029-e21029. | 0.8 | Ο |
| 50 | Evaluation Of Patient-Centered Care In Short-Term Cancer Survivors, Through The Patient Assessment Of Chronic Illness Care Questionnaire. Value in Health, 2015, 18, A491-A492. | 0.1 | 1 |
| 51 | 2304 Polychemotherapy on patients with pancreatic carcinoma: Experience of four hospitals in Spain. European Journal of Cancer, 2015, 51, S433. | 1.3 | Ο |
| 52 | Cross-cultural adaptation, reliability and validity of the Spanish version of the Quality of Life in Adult Cancer Survivors (QLACS) questionnaire: application in a sample of short-term survivors. Health and Quality of Life Outcomes, 2015, 13, 182. | 1.0 | 17 |
| 53 | New cutaneous toxicities with generic docetaxel: are the excipients guilty?. Supportive Care in Cancer, 2015, 23, 1917-1923. | 1.0 | 16 |
| 54 | Correlation between serum levels of vascular endothelial growth factor-C and sentinel lymph node status in early breast cancer. Tumor Biology, 2015, 36, 9285-9293. | 0.8 | 9 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Frequency and Characteristics of Familial Melanoma in Spain: The FAM-GEM-1 Study. PLoS ONE, 2015, 10, e0124239. | 1.1 | 8 |
| 56 | Blinded independent validation of the PAM50-based Chemo-Endocrine Sensitivity Predictor (CESP) in hormone receptor (HR)-positive/HER2-negative (HR+/HER2-) breast cancer following neoadjuvant chemotherapy (NAC) Journal of Clinical Oncology, 2015, 33, 569-569. | 0.8 | 0 |
| 57 | Assessment of Treatment Response with Fulvestrant (F) 500 Mg in Standard Clinical Practice Through a Retrospective Study: Nct01509625. Annals of Oncology, 2014, 25, iv120. | 0.6 | 0 |
| 58 | The FAM-GEM-1 study: Frequency and characteristics of familial melanoma in Spain Journal of Clinical Oncology, 2014, 32, 9039-9039. | 0.8 | 0 |
| 59 | Primary leptomeningeal histiocytic sarcoma in a patient with a good outcome: a case report and review of the literature. Journal of Medical Case Reports, 2013, 7, 127. | 0.4 | 15 |
| 60 | The role and prognostic value of apoptosis in colorectal carcinoma. BMC Clinical Pathology, 2013, 13, 24. | 1.8 | 27 |
| 61 | The role of apoptosis in colorectal carcinogenesis and its prognostic value Journal of Clinical Oncology, 2013, 31, e22131-e22131. | 0.8 | 0 |
| 62 | Assessment of treatment response with fulvestrant (F) 500 mg in standard clinical practice through a retrospective study: NCT01509625 Journal of Clinical Oncology, 2013, 31, e11583-e11583. | 0.8 | 0 |
| 63 | Involvement of K-RAS mutations and amino acid substitutions in the survival of metastatic colorectal cancer patients. Tumor Biology, 2012, 33, 1829-1835. | 0.8 | 9 |
| 64 | Has the time to come leave the "watch-and-wait―strategy in newly diagnosed asymptomatic follicular lymphoma patients?. BMC Cancer, 2012, 12, 210. | 1.1 | 8 |
| 65 | Immunohistochemical expression of cyclooxygenase-2 in patients with advanced cancer of the larynx who have undergone induction chemotherapy with the intention of preserving phonation. Clinical and Translational Oncology, 2012, 14, 682-688. | 1.2 | 6 |
| 66 | Role of estrogen receptor-β as prognostic factor in colorectal cancer Journal of Clinical Oncology, 2012, 30, e14115-e14115. | 0.8 | 0 |
| 67 | Involvement of K-RAS mutations and amino acid substitutions in the survival of metastatic colorectal cancer patients Journal of Clinical Oncology, 2012, 30, e14116-e14116. | 0.8 | Ο |
| 68 | Impact of Epidermal Growth Factor Receptor Expression on Disease-Free Survival and Rate of Pelvic Relapse in Patients With Advanced Cancer of the Cervix Treated With Chemoradiotherapy. American Journal of Clinical Oncology: Cancer Clinical Trials, 2011, 34, 395-400. | 0.6 | 21 |
| 69 | Outcome of Small Invasive Breast Cancer with No Axillary Lymph Node Involvement. Breast Journal, 2011, 17, 32-38. | 0.4 | 10 |
| 70 | Limited impact of palliative chemotherapy on survival in advanced solid tumours in patients with poor performance status. Clinical and Translational Oncology, 2011, 13, 426-429. | 1.2 | 24 |
| 71 | Anti-Angiogenic Treatment (Sunitinib) for Disseminated Malignant Haemangiopericytoma: A Case Study and Review of the Literature. Case Reports in Oncology, 2011, 4, 55-59. | 0.3 | 19 |
| 72 | Prognosis of Microinvasive Breast Carcinoma with Negative Axillary Nodes in Accordance with TNM Classification Criteria. Breast Journal, 2010, 16, 669-671. | 0.4 | 5 |

ElÃsabeth Pérez Ruiz

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Bevacizumab plus Low-Dose Metronomic Oral Cyclophosphamide in Heavily Pretreated Patients with Recurrent Ovarian Cancer. Oncology, 2010, 79, 98-104. | 0.9 | 50 |
| 74 | Bevacizumab plus low-dose metronomic oral cyclophosphamide in heavily pretreated recurrent ovarian cancer Journal of Clinical Oncology, 2010, 28, e15507-e15507. | 0.8 | 2 |
| 75 | Response to paclitaxel in a radiotherapy-induced breast angiosarcoma. Acta Oncológica, 2009, 48, 1078-1079. | 0.8 | 26 |
| 76 | Aromatase Inhibitors As Adjuvant Therapy for Breast Cancer: Overall Survival Versus Disease-Free Survival As a Primary End Point in Clinical Practice. Journal of Clinical Oncology, 2009, 27, e255-e256. | 0.8 | 0 |
| 77 | Second complete remission induced by cyclophosphamide plus bevacizumab in two patients with heavily pre-treated ovarian cancer. Clinical and Translational Oncology, 2009, 11, 329-331. | 1.2 | 6 |
| 78 | Current status of anti-angiogenic agents in the treatment of ovarian carcinoma. Clinical and Translational Oncology, 2009, 11, 589-595. | 1.2 | 19 |
| 79 | Targeted therapy of metastatic breast cancer. Clinical and Translational Oncology, 2009, 11, 643-650. | 1.2 | 31 |
| 80 | Combined oral cyclophosphamide and bevacizumab in heavily pre-treated ovarian cancer. Clinical and Translational Oncology, 2008, 10, 583-586. | 1.2 | 60 |
| 81 | Maintenance treatment in metastatic breast cancer. Expert Review of Anticancer Therapy, 2008, 8, 1907-1912. | 1.1 | 39 |