

Zhongchun Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10549588/publications.pdf>

Version: 2024-02-01

53
papers

11,904
citations

279798

23
h-index

182427

51
g-index

53
all docs

53
docs citations

53
times ranked

16062
citing authors

#	ARTICLE	IF	CITATIONS
1	Factors Associated With Mental Health Outcomes Among Health Care Workers Exposed to Coronavirus Disease 2019. <i>JAMA Network Open</i> , 2020, 3, e203976.	5.9	5,260
2	Online mental health services in China during the COVID-19 outbreak. <i>Lancet Psychiatry</i> , 2020, 7, e17-e18.	7.4	1,391
3	The mental health of medical workers in Wuhan, China dealing with the 2019 novel coronavirus. <i>Lancet Psychiatry</i> , 2020, 7, e14.	7.4	1,360
4	Impact on mental health and perceptions of psychological care among medical and nursing staff in Wuhan during the 2019 novel coronavirus disease outbreak: A cross-sectional study. <i>Brain, Behavior, and Immunity</i> , 2020, 87, 11-17.	4.1	1,068
5	The experiences of health-care providers during the COVID-19 crisis in China: a qualitative study. <i>The Lancet Global Health</i> , 2020, 8, e790-e798.	6.3	1,039
6	Survey of Insomnia and Related Social Psychological Factors Among Medical Staff Involved in the 2019 Novel Coronavirus Disease Outbreak. <i>Frontiers in Psychiatry</i> , 2020, 11, 306.	2.6	519
7	Association of corticotropin-releasing hormone receptor1 gene SNP and haplotype with major depression. <i>Neuroscience Letters</i> , 2006, 404, 358-362.	2.1	130
8	Association study of corticotropin-releasing hormone receptor1 gene polymorphisms and antidepressant response in major depressive disorders. <i>Neuroscience Letters</i> , 2007, 414, 155-158.	2.1	130
9	Workplace factors associated with mental health of healthcare workers during the COVID-19 pandemic: an international cross-sectional study. <i>BMC Health Services Research</i> , 2021, 21, 262.	2.2	71
10	Acute psychological effects of Coronavirus Disease 2019 outbreak among healthcare workers in China: a cross-sectional study. <i>Translational Psychiatry</i> , 2020, 10, 348.	4.8	63
11	Cytoskeletal alterations in rat hippocampus following chronic unpredictable mild stress and re-exposure to acute and chronic unpredictable mild stress. <i>Behavioural Brain Research</i> , 2009, 205, 518-524.	2.2	57
12	Gender differences in mental health problems of healthcare workers during the coronavirus disease 2019 outbreak. <i>Journal of Psychiatric Research</i> , 2021, 137, 393-400.	3.1	57
13	The introduction of population migration to SEIAR for COVID-19 epidemic modeling with an efficient intervention strategy. <i>Information Fusion</i> , 2020, 64, 252-258.	19.1	53
14	Association of the brain-derived neurotrophic factor gene and bipolar disorder with early age of onset in mainland China. <i>Neuroscience Letters</i> , 2008, 433, 98-102.	2.1	48
15	A novel human foamy virus mediated gene transfer of GAD67 reduces neuropathic pain following spinal cord injury. <i>Neuroscience Letters</i> , 2008, 432, 13-18.	2.1	46
16	Syncytin-1, an endogenous retroviral protein, triggers the activation of CRP via TLR3 signal cascade in glial cells. <i>Brain, Behavior, and Immunity</i> , 2018, 67, 324-334.	4.1	45
17	Relationship between eHealth literacy and psychological status during COVID-19 pandemic: A survey of Chinese residents. <i>Journal of Nursing Management</i> , 2021, 29, 805-812.	3.4	43
18	Reduced Prefrontal Activation During the Tower of London and Verbal Fluency Task in Patients With Bipolar Depression: A Multi-Channel NIRS Study. <i>Frontiers in Psychiatry</i> , 2018, 9, 214.	2.6	42

#	ARTICLE	IF	CITATIONS
19	Coxsackievirus A16 Elicits Incomplete Autophagy Involving the mTOR and ERK Pathways. PLoS ONE, 2015, 10, e0122109.	2.5	39
20	Interaction between CRHR1 and BDNF Genes Increases the Risk of Recurrent Major Depressive Disorder in Chinese Population. PLoS ONE, 2011, 6, e28733.	2.5	35
21	Reduced prefrontal activation during Tower of London in first-episode schizophrenia: A multi-channel near-infrared spectroscopy study. Neuroscience Letters, 2010, 478, 136-140.	2.1	31
22	Negative life events and corticotropin-releasing-hormone receptor1 gene in recurrent major depressive disorder. Scientific Reports, 2013, 3, 1548.	3.3	27
23	Attitude Toward Seeking Professional Psychological Help Among Community-Dwelling Population in China. Frontiers in Psychiatry, 2020, 11, 417.	2.6	27
24	The Psychological Pressures of Breast Cancer Patients During the COVID-19 Outbreak in Chinaâ€™A Comparison With Frontline Female Nurses. Frontiers in Psychiatry, 2020, 11, 559701.	2.6	27
25	Development of Viral Vectors for Gene Therapy for Chronic Pain. Pain Research and Treatment, 2011, 2011, 1-8.	1.7	24
26	Differential Regulation of DNA Methylation at the CRMP2 Promoter Region Between the Hippocampus and Prefrontal Cortex in a CUMS Depression Model. Frontiers in Psychiatry, 2020, 11, 141.	2.6	24
27	The Patient Health Questionnaire-9 vs. the Hamilton Rating Scale for Depression in Assessing Major Depressive Disorder. Frontiers in Psychiatry, 2021, 12, 747139.	2.6	23
28	Nonsuicidal self-injury in undergraduate students with major depressive disorder: The role of psychosocial factors. Journal of Affective Disorders, 2021, 290, 102-108.	4.1	20
29	Recombinant Human Foamy Virus, a Novel Vector for Neurological Disorders Gene Therapy, Drives Production of GAD in Cultured Astrocytes. Molecular Therapy, 2007, 15, 1834-1841.	8.2	19
30	Coxsackievirus A16 infection triggers apoptosis in RD cells by inducing ER stress. Biochemical and Biophysical Research Communications, 2013, 441, 856-861.	2.1	19
31	DNA methylation of the Tacr2 gene in a CUMS model of depression. Behavioural Brain Research, 2019, 365, 103-109.	2.2	16
32	The long non-coding RNA expression profile of Coxsackievirus A16 infected RD cells identified by RNA-seq. Virologica Sinica, 2016, 31, 131-141.	3.0	14
33	Discrepancies between self-rated depression and observed depression severity: The effects of personality and dysfunctional attitudes. General Hospital Psychiatry, 2021, 70, 25-30.	2.4	12
34	A major single nucleotide polymorphism of the PDLIM5 gene associated with recurrent major depressive disorder. Journal of Psychiatry and Neuroscience, 2008, 33, 43-6.	2.4	12
35	Prevalence and Risk Factors Associated with Insomnia Symptoms Among the Chinese General Public After the Coronavirus Disease 2019 Epidemic Was Initially Controlled. Nature and Science of Sleep, 2021, Volume 13, 703-712.	2.7	11
36	HERV-W Envelope Triggers Abnormal Dopaminergic Neuron Process through DRD2/PP2A/AKT1/GSK3 for Schizophrenia Risk. Viruses, 2022, 14, 145.	3.3	11

#	ARTICLE	IF	CITATIONS
37	Ethanol inhibits voltage-gated sodium channels in cultured superior cervical ganglion neurons. <i>NeuroReport</i> , 2008, 19, 1773-1776.	1.2	10
38	Mental Health Status of the General Public, Frontline, and Non-frontline Healthcare Providers in the Early Stage of COVID-19. <i>Frontiers in Psychiatry</i> , 2021, 12, 553021.	2.6	10
39	Prefrontal Cortex Activation During Verbal Fluency Task and Tower of London Task in Schizophrenia and Major Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2021, 12, 709875.	2.6	10
40	Suicidal ideation in college students having major depressive disorder: Role of childhood trauma, personality and dysfunctional attitudes. <i>Journal of Affective Disorders</i> , 2022, 311, 311-318.	4.1	10
41	Effects of CRMP2 DNA Methylation in the Hippocampus on Depressive-Like Behaviors and Cytoskeletal Proteins in Rats. <i>Frontiers in Cellular Neuroscience</i> , 2021, 15, 644663.	3.7	9
42	GRP Receptor Regulates Depression Behavior via Interaction With 5-HT _{2a} Receptor. <i>Frontiers in Psychiatry</i> , 2019, 10, 1020.	2.6	6
43	Machine Learning-Based Prediction Models for Depression Symptoms Among Chinese Healthcare Workers During the Early COVID-19 Outbreak in 2020: A Cross-Sectional Study. <i>Frontiers in Psychiatry</i> , 2022, 13, 876995.	2.6	6
44	Psychological Distress and Its Association With Quality of Life in Organ Transplant Recipients During COVID-19 Pandemic. <i>Frontiers in Psychiatry</i> , 2021, 12, 690295.	2.6	5
45	Hypothalamic gastrin-releasing peptide receptor mediates an antidepressant-like effect in a mouse model of stress. <i>American Journal of Translational Research (discontinued)</i> , 2016, 8, 3097-105.	0.0	5
46	Electronic health literacy among older adults in the context of the COVID-19 pandemic: A mixed-methods study. <i>Journal of Nursing Management</i> , 2022, 30, 1949-1959.	3.4	5
47	F-actin may play an important role in IL-1 β -stimulated hippocampal neurons. <i>Behavioural Brain Research</i> , 2013, 243, 165-170.	2.2	4
48	Psychological intervention in Fangcang shelter hospitals for COVID-19 in China. <i>Psychiatry and Clinical Neuroscience</i> , 2020, 74, 618-619.	1.8	3
49	Targeted long-term mental health services in Wuhan dealing with COVID-19. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 397-399.	3.2	3
50	PDLIM5 gene polymorphisms and short term antidepressant response in Chinese major depressive disorders. <i>International Journal of Clinical and Experimental Medicine</i> , 2013, 6, 677-82.	1.3	3
51	Medical-Level Suicide Risk Analysis: A Novel Standard and Evaluation Model. <i>IEEE Internet of Things Journal</i> , 2021, 8, 16825-16834.	8.7	2
52	Self-management of depression among Chinese community individuals: A cross-sectional study using the transtheoretical model. <i>Perspectives in Psychiatric Care</i> , 2022, 58, 256-265.	1.9	0
53	Modulation of nicotinic acetylcholine receptors in native sympathetic neurons by ethanol. <i>International Journal of Physiology, Pathophysiology and Pharmacology</i> , 2013, 5, 161-8.	0.8	0