

Isam Alobid

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1055151/publications.pdf>

Version: 2024-02-01

88
papers

2,272
citations

201658

27
h-index

254170

43
g-index

98
all docs

98
docs citations

98
times ranked

2772
citing authors

#	ARTICLE	IF	CITATIONS
1	Furthering the understanding of olfaction, prevalence of loss of smell and risk factors: a population-based survey (OLFACAT study). <i>BMJ Open</i> , 2012, 2, e001256.	1.9	162
2	The Loss of Smell and Taste in the COVID-19 Outbreak: a Tale of Many Countries. <i>Current Allergy and Asthma Reports</i> , 2020, 20, 61.	5.3	127
3	High-risk human papillomavirus is transcriptionally active in a subset of sinonasal squamous cell carcinomas. <i>Modern Pathology</i> , 2014, 27, 343-351.	5.5	99
4	Impairment of Olfaction and Mucociliary Clearance After Expanded Endonasal Approach Using Vascularized Septal Flap Reconstruction for Skull Base Tumors. <i>Neurosurgery</i> , 2013, 72, 540-546.	1.1	98
5	Nasal juvenile angiofibroma: Current perspectives with emphasis on management. <i>Head and Neck</i> , 2017, 39, 1033-1045.	2.0	91
6	Corticosteroid Treatment in Chronic Rhinosinusitis: The Possibilities and the Limits. <i>Immunology and Allergy Clinics of North America</i> , 2009, 29, 657-668.	1.9	86
7	Endoscopic transorbital route to the cavernous sinus through the meningo-orbital band: a descriptive anatomical study. <i>Journal of Neurosurgery</i> , 2017, 127, 622-629.	1.6	66
8	Solitary Fibrous Tumour of the Nasal Cavity and Paranasal Sinuses. <i>Acta Oto-Laryngologica</i> , 2003, 123, 71-74.	0.9	57
9	Timing, Complications, and Safety of Tracheotomy in Critically Ill Patients With COVID-19. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2021, 147, 41.	2.2	52
10	Persistent asthma has an accumulative impact on the loss of smell in patients with nasal polyposis. <i>Rhinology</i> , 2011, 49, 519-524.	1.3	52
11	The sense of smell in chronic rhinosinusitis. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 145, 773-776.	2.9	49
12	The impact of asthma and aspirin sensitivity on quality of life of patients with nasal polyposis. <i>Quality of Life Research</i> , 2005, 14, 789-793.	3.1	47
13	Expanded Endonasal Approach using Vascularized Septal Flap Reconstruction for Skull Base Tumors has a Negative Impact on Sinonasal Symptoms and Quality of Life. <i>American Journal of Rhinology and Allergy</i> , 2013, 27, 426-431.	2.0	45
14	Real-life assessment of chronic rhinosinusitis patients using mobile technology: The mySinusitisCoach project by EUFOREA. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 2867-2878.	5.7	45
15	Low E-prostanoid 2 receptor levels and deficient induction of the IL-1 β /IL-1 type I receptor/COX-2 pathway: Vicious circle in patients with aspirin-exacerbated respiratory disease. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 137, 99-107.e7.	2.9	44
16	Nasoseptal Perforation: from Etiology to Treatment. <i>Current Allergy and Asthma Reports</i> , 2018, 18, 5.	5.3	44
17	Chemosensory dysfunction in COVID-19 out-patients. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 695-702.	1.6	44
18	Self-reported Taste and Smell Disorders in Patients with COVID-19: Distinct Features in China. <i>Current Medical Science</i> , 2021, 41, 14-23.	1.8	44

#	ARTICLE	IF	CITATIONS
19	Management of Anterior Skull Base Defect Depending on Its Size and Location. <i>BioMed Research International</i> , 2014, 2014, 1-7.	1.9	41
20	Overuse of diagnostic tools and medications in acute rhinosinusitis in Spain: a population-based study (the PROSINUS study). <i>BMJ Open</i> , 2018, 8, e018788.	1.9	40
21	Nasal manifestations of systemic illnesses. <i>Current Allergy and Asthma Reports</i> , 2004, 4, 208-216.	5.3	39
22	Olfactory Training in Post-Traumatic Smell Impairment: Mild Improvement in Threshold Performances: Results from a Randomized Controlled Trial. <i>Journal of Neurotrauma</i> , 2018, 35, 2641-2652.	3.4	36
23	Long-term outcomes of endoscopic endonasal approach for skull base surgery: a prospective study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 1809-1817.	1.6	34
24	Nasal obstructive disorders impair health-related quality of life in adolescents with persistent allergic rhinitis: A real-life study. <i>Pediatric Allergy and Immunology</i> , 2017, 28, 438-445.	2.6	33
25	Treatment of Rhinocerebral Mucormycosis by Combination of Endoscopic Sinus Debridement and Amphotericin B. <i>American Journal of Rhinology & Allergy</i> , 2001, 15, 327-331.	2.2	32
26	The Impact of Atopy, Sinus Opacification, and Nasal Patency on Quality of Life in Patients with Severe Nasal Polyposis. <i>Otolaryngology - Head and Neck Surgery</i> , 2006, 134, 609-612.	1.9	31
27	Reconstituted Human Upper Airway Epithelium as 3-D In Vitro Model for Nasal Polyposis. <i>PLoS ONE</i> , 2014, 9, e100537.	2.5	29
28	A Three-Dimensional Computer-Based Perspective of the Skull Base. <i>World Neurosurgery</i> , 2014, 82, S41-S48.	1.3	28
29	Guía española para el manejo del asma (GEMA) versión 5.1. Aspectos destacados y controversias. <i>Archivos De Bronconeumología</i> , 2022, 58, 150-158.	0.8	28
30	Extended Endoscopic Endonasal Approaches for Cerebral Aneurysms: Anatomical, Virtual Reality and Morphometric Study. <i>BioMed Research International</i> , 2014, 2014, 1-9.	1.9	27
31	Peripheral primitive neuroectodermal tumour of the left maxillary sinus. <i>Acta Oto-Laryngologica</i> , 2003, 123, 776-778.	0.9	26
32	Laryngeal solitary fibrous tumor treated with CO2 laser excision: case report. <i>European Archives of Oto-Rhino-Laryngology</i> , 2005, 262, 286-288.	1.6	25
33	Pedicled lateral nasal wall flap for the reconstruction of the nasal septum perforation. A radio-anatomical study. <i>Rhinology</i> , 2015, 53, 235-241.	1.3	24
34	Allergic rhinitis causes loss of smell in children: The <sc>OLFAPEDRIAL</sc> study. <i>Pediatric Allergy and Immunology</i> , 2016, 27, 867-870.	2.6	23
35	Increased Cardiovascular and Anxiety Outcomes but Not Endocrine Biomarkers of Stress During Performance of Endoscopic Sinus Surgery. <i>JAMA Otolaryngology</i> , 2011, 137, 487.	1.2	22
36	Integrated mRNA and microRNA transcriptome profiling during differentiation of human nasal polyp epithelium reveals an altered ciliogenesis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 2548-2561.	5.7	21

#	ARTICLE	IF	CITATIONS
37	Cirugía endoscópica endonasal en tumores de hipófisis. Resultados en una serie de 121 casos operados en un mismo centro y por un mismo neurocirujano. <i>Endocrinología Y Nutricion: Organo De La Sociedad Espanola De Endocrinología Y Nutricion</i> , 2014, 61, 410-416.	0.8	20
38	Ethyl alcohol threshold test: a fast, reliable and affordable olfactory Assessment tool for COVID-19 patients. <i>European Archives of Oto-Rhino-Laryngology</i> , 2020, 277, 2783-2792.	1.6	20
39	Lack of long-term add-on effect by montelukast in postoperative chronic rhinosinusitis patients with nasal polyps. <i>Laryngoscope</i> , 2018, 128, 1743-1751.	2.0	19
40	Endoscopic approach for management of septal perforation. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019, 276, 2115-2123.	1.6	18
41	Adaptation and validation of the Spanish version of the Nasal Obstruction Symptom Evaluation (NOSE) Scale. <i>Rhinology</i> , 2015, 53, 176-180.	1.3	18
42	Combined Oral and Intranasal Corticosteroid Therapy: An Advance in the Management of Nasal Polyposis?. <i>Annals of Internal Medicine</i> , 2011, 154, 365.	3.9	16
43	Does Low-Field Intraoperative Magnetic Resonance Improve the Results of Endoscopic Pituitary Surgery? Experience of the Implementation of a New Device in a Referral Center. <i>World Neurosurgery</i> , 2017, 102, 102-110.	1.3	16
44	Radioanatomical analysis of the pericranial flap money box approach for ventral skull base reconstruction. <i>Laryngoscope</i> , 2017, 127, 2482-2489.	2.0	16
45	Total septal perforation repair with a pericranial flap: Radioanatomical and clinical findings. <i>Laryngoscope</i> , 2018, 128, 1320-1327.	2.0	16
46	Severe nasal polyposis and its impact on quality of life. The effect of a short course of oral steroids followed by long-term intranasal steroid treatment. <i>Rhinology</i> , 2006, 44, 8-13.	1.3	15
47	Endoscopic superior eyelid transorbital approach: how I do it. <i>Acta Neurochirurgica</i> , 2022, 164, 1953-1959.	1.7	15
48	Olfactory function in an excitotoxic model for secondary neuronal degeneration: Role of dopaminergic interneurons. <i>Neuroscience</i> , 2017, 364, 28-44.	2.3	14
49	Multiple chemical sensitivity worsens quality of life and cognitive and sensorial features of sense of smell. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014, 271, 3203-3208.	1.6	13
50	Smell loss is associated with severe and uncontrolled disease in children and adolescents with persistent allergic rhinitis. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2018, 6, 1752-1755.e3.	3.8	13
51	Prodromal Parkinson disease in patients with idiopathic hyposmia. <i>Journal of Neurology</i> , 2020, 267, 3673-3682.	3.6	12
52	Greater palatine artery pedicled flap for nasal septal perforation repair: radiological study and case series. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 2115-2121.	1.6	12
53	Response to mepolizumab according to disease manifestations in patients with eosinophilic granulomatosis with polyangiitis. <i>European Journal of Internal Medicine</i> , 2022, 95, 61-66.	2.2	12
54	Lower sensitivity of nasal polyp fibroblasts to glucocorticoid anti-proliferative effects. <i>Respiratory Medicine</i> , 2011, 105, 218-225.	2.9	11

#	ARTICLE	IF	CITATIONS
55	Effect of Lipopolysaccharide on Glucocorticoid Receptor Function in Control Nasal Mucosa Fibroblasts and in Fibroblasts from Patients with Chronic Rhinosinusitis with Nasal Polyps and Asthma. PLoS ONE, 2015, 10, e0125443.	2.5	11
56	Technique to Repair Total Septal Perforation With a Pericranial Flap. JAMA Facial Plastic Surgery, 2018, 20, 324-325.	2.1	11
57	Lack of additive benefit of oral steroids on short-term postoperative outcomes in nasal polyposis. Laryngoscope, 2020, 130, 2742-2747.	2.0	11
58	Psychophysical olfactory testing in COVID-19: is smell function really impaired in nearly all patients?. International Forum of Allergy and Rhinology, 2020, 10, 951-952.	2.8	11
59	Evaluación subjetiva de las alteraciones del olfato y del gusto en pacientes con afectación leve por COVID-19 en España. Medicina Clínica, 2021, 156, 61-64.	0.6	11
60	Subjective evaluation of smell and taste dysfunction in patients with mild COVID-19 in Spain. Medicina Clínica (English Edition), 2021, 156, 61-64.	0.2	11
61	Parapharyngeal angiolipoma causing obstructive sleep apnoea syndrome. Acta Oto-Laryngologica, 2004, 124, 210-212.	0.9	9
62	Olfactory dysfunction during COVID-19 pandemic. Medicina Clínica (English Edition), 2020, 155, 403-408.	0.2	8
63	Innovative Surgical Techniques for Nasal Septal Perforations: Management and Treatment. Current Allergy and Asthma Reports, 2021, 21, 17.	5.3	8
64	Long-term radiological findings after endonasal endoscopic approach to the skull base. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2016, 37, 103-107.	1.3	7
65	[Translated article] Spanish Asthma Management Guidelines (GEMA) v.5.1. Highlights and Controversies. Archivos De Bronconeumología, 2022, 58, T150-T158.	0.8	7
66	Neurochemical and behavioral responses to inflammatory immune stressors. Frontiers in Bioscience - Elite, 2009, 1, 275.	1.8	6
67	Abordaje endoscópico transpterigoideo y reparación de base de cráneo tras resección de meningoencefalocele esfenoidal. Nuestra experiencia. Acta Otorrinolaringológica Española, 2015, 66, 1-7.	0.4	6
68	Cierre endoscópico de las perforaciones septales. Acta Otorrinolaringológica Española, 2018, 69, 165-174.	0.4	5
69	Pérdida del sentido del olfato durante la pandemia COVID-19. Medicina Clínica, 2020, 155, 403-408.	0.6	5
70	Extended Anterior Ethmoidal Artery Flap: Novel Endoscopic Technique for Large Septal Perforation. Laryngoscope, 2022, 132, 298-300.	2.0	5
71	Defining appropriateness criteria for endoscopic sinus surgery in the management of adult dental implant patients with incidental maxillary sinus findings on conebeam computed tomography. Clinical Otolaryngology, 2020, 45, 862-869.	1.2	4
72	Multiple spontaneous skull base cerebrospinal fluid leaks: some insights from an international retrospective collaborative study. European Archives of Oto-Rhino-Laryngology, 2020, 277, 3357-3363.	1.6	4

#	ARTICLE	IF	CITATIONS
73	Olfactory Dysfunction in a Mexican Population Outside of COVID-19 Pandemic: Prevalence and Associated Factors (the OLFAMEX Study). <i>Current Allergy and Asthma Reports</i> , 2020, 20, 78.	5.3	4
74	Translation and validation of the short version of the Questionnaire of Olfactory Disordersâ€“Negative Statements to Spanish. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2021, 42, 102775.	1.3	4
75	Peripheral primitive neuroectodermal tumor of the cerebellopontine angle. <i>Acta Oto-Laryngologica</i> , 2005, 125, 426-429.	0.9	3
76	Churg-Strauss Syndrome or Eosinophilic Granulomatosis with Polyangiitis. <i>Sinusitis</i> , 2016, 1, 24-43.	0.2	3
77	Gustatory and olfactory dysfunctions in hospitalised patients with COVID-19 pneumonia: a prospective study. <i>BMJ Open</i> , 2021, 11, e040775.	1.9	3
78	Consenso espaÃ±ol para el tratamiento de los tumores nasosinusales. <i>Acta OtorrinolaringolÃ³gica EspaÃ±ola</i> , 2017, 68, 226-234.	0.4	2
79	Discrepancies Between GEMA and GINA in the Classification of Inhaled Corticosteroids. <i>Archivos De Bronconeumologia</i> , 2020, 56, 472-473.	0.8	2
80	Loss of smell in patients with traumatic brain injury is associated with neuropsychiatric behavioral alterations. <i>Brain Injury</i> , 2021, 35, 1418-1424.	1.2	2
81	Cerebrospinal Fluid Otorrhorrhea. <i>New England Journal of Medicine</i> , 2013, 369, e29.	27.0	1
82	Endoscopic Closure of Septal Perforations. <i>Acta Otorrinolaringologica (English Edition)</i> , 2018, 69, 165-174.	0.2	1
83	Endoscopic maxillectomy: anatomico-radiological description of the â€œdoubleâ€maxillary sinus window. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 3813-3820.	1.6	1
84	Assessing the ability of children and parents to rate their nasal patency. A cross sectional study. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2022, 156, 111094.	1.0	1
85	Seudoaneurisma traumÃ¡tico de la arteria carÃ³tida interna. Una causa rara de parÃ¡lisis de pares craneales. <i>Acta OtorrinolaringolÃ³gica EspaÃ±ola</i> , 2015, 66, e38-e39.	0.4	0
86	AclaraciÃ³n sobre la evaluaciÃ³n de la obstrucciÃ³n nasal mediante rinomanometrÃ¡a y escalas subjetivas y mediciÃ³n del Ã©xito terapÃ©utico mÃ©dico y quirÃºrgico. <i>Acta OtorrinolaringolÃ³gica EspaÃ±ola</i> , 2018, 69, 124.	0.4	0
87	Reply. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 146, 463-464.	2.9	0
88	Anterior Pedicled Lateral Nasal Wall Flap for Endonasal Lining: A Radiologic and Anatomical Study. <i>Laryngoscope</i> , 2021, 131, E1462-E1467.	2.0	0