

# Andrea Achtnich

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10553141/publications.pdf>

Version: 2024-02-01

36  
papers

1,112  
citations

430874

18  
h-index

395702

33  
g-index

45  
all docs

45  
docs citations

45  
times ranked

972  
citing authors

#	ARTICLE	IF	CITATIONS
1	Management after acute rupture of the anterior cruciate ligament (ACL). Part 1: ACL reconstruction has a protective effect on secondary meniscus and cartilage lesions. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2023, 31, 1665-1674.	4.2	11
2	Autologous chondrocyte implantation combined with anterior cruciate ligament reconstruction: similar short-term results in comparison with isolated cartilage repair in ligament intact joints. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 3249-3257.	4.2	5
3	Anterior cruciate ligament autograft maturation on sequential postoperative MRI is not correlated with clinical outcome and anterior knee stability. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 3258-3267.	4.2	12
4	Movement Coordination during Functional Single-Leg Squat Tests in Healthy, Recreational Athletes. <i>Symmetry</i> , 2022, 14, 388.	2.2	4
5	Dynamic Q-angle is increased in patients with chronic patellofemoral instability and correlates positively with femoral torsion. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 1224-1231.	4.2	9
6	Ultrasound-based examination of the medial ligament complex shows gender- and age-related differences in laxity. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 1960-1967.	4.2	5
7	Ultrasound-based evaluation revealed reliable postoperative knee stability after combined acute ACL and MCL injuries. <i>Journal of Experimental Orthopaedics</i> , 2021, 8, 76.	1.8	4
8	Biceps Brachii Alterations Following the Latarjet Procedure: A Prospective Multicenter Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 5487.	2.4	2
9	Varus alignment aggravates tibiofemoral contact pressure rise after sequential medial meniscus resection. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 1055-1063.	4.2	27
10	Varus alignment increases medial meniscus extrusion and peak contact pressure: a biomechanical study. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 1092-1098.	4.2	45
11	Failure Analysis in Patients With Patellar Redislocation After Primary Isolated Medial Patellofemoral Ligament Reconstruction. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712092617.	1.7	29
12	Effectiveness of a home-based re-injury prevention program on motor control, return to sport and recurrence rates after anterior cruciate ligament reconstruction: study protocol for a multicenter, single-blind, randomized controlled trial (PRerP). <i>Trials</i> , 2019, 20, 495.	1.6	14
13	Editorial Commentary: Back to the Past—Anterior Cruciate Ligament Repair Revisited. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019, 35, 2248-2250.	2.7	1
14	Effect of Lower Limb Alignment in Medial Meniscus-Deficient Knees on Tibiofemoral Contact Pressure. <i>Orthopaedic Journal of Sports Medicine</i> , 2019, 7, 232596711882461.	1.7	24
15	The ACL-deficient knee and the prevalence of meniscus and cartilage lesions: a systematic review and meta-analysis (CRD42017076897). <i>Archives of Orthopaedic and Trauma Surgery</i> , 2019, 139, 819-841.	2.4	84
16	No dynamic extrusion of the medial meniscus in ultrasound examination in patients with confirmed root tear lesion. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 3311-3317.	4.2	37
17	Mountain ultramarathon results in temporary meniscus extrusion in healthy athletes. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 2691-2697.	4.2	17
18	High short-term return to sports rate despite an ongoing healing process after acute meniscus repair in young athletes. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 215-222.	4.2	18

#	ARTICLE	IF	CITATIONS
19	Medial meniscus extrusion increases with age and BMI and is depending on different loading conditions. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 2282-2288.	4.2	70
20	High incidence of partially anatomic tunnel placement in primary single-bundle ACL reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 462-467.	4.2	23
21	Arthroscopic arthrolysis provides good clinical outcome in post-traumatic and degenerative elbow stiffness. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 312-317.	4.2	31
22	Operative Versus Conservative Treatment of Anterior Cruciate Ligament Rupture. <i>Deutsches A&amp;#x0308;rzteblatt International</i> , 2018, 115, 855-862.	0.9	55
23	Outcomes after bone grafting in patients with and without ACL revision surgery: a retrospective study. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 246.	1.9	10
24	Septic Arthritis After Anterior Cruciate Ligament Reconstruction: How Important Is Graft Salvage?. <i>American Journal of Sports Medicine</i> , 2018, 46, 2376-2383.	4.2	25
25	Evidence-based concepts for prevention of knee and ACL injuries. 2017 guidelines of the ligament committee of the German Knee Society (DKG). <i>Archives of Orthopaedic and Trauma Surgery</i> , 2018, 138, 51-61.	2.4	76
26	Isolated lesions of the lower subscapularis tendon: diagnosis and management. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 2182-2188.	4.2	4
27	Acromion morphology and bone mineral density distribution suggest favorable fixation points for anatomic acromioclavicular reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 2004-2012.	4.2	16
28	PrÃvention von Knieverletzungen â€œ besteht da Evidenz?. <i>Sports Orthopaedics and Traumatology</i> , 2017, 33, 344-352.	0.1	5
29	Objective quantification of trochlear dysplasia: Assessment of the difference in morphology between control and chronic patellofemoral instability patients. <i>Knee</i> , 2017, 24, 1247-1255.	1.6	16
30	Acute Proximal Anterior Cruciate Ligament Tears: Outcomes After Arthroscopic Suture Anchor Repair Versus Anatomic Single-Bundle Reconstruction. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2016, 32, 2562-2569.	2.7	139
31	The Treatment of Non-Traumatic Meniscus Lesions. <i>Deutsches A&amp;#x0308;rzteblatt International</i> , 2015, 112, 705-13.	0.9	37
32	Different patterns of lateral meniscus root tears in ACL injuries: application of a differentiated classification system. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 112-118.	4.2	105
33	Degradation of poly-d-l-lactide (PDLLA) interference screws (MegafixÂ®). <i>Archives of Orthopaedic and Trauma Surgery</i> , 2014, 134, 1147-1153.	2.4	16
34	Technique of anatomical footprint reconstruction of the ACL with oval tunnels and medial portal aimers. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2013, 133, 827-833.	2.4	42
35	Tunnel Widening After Anatomic Double-Bundle and Mid-Position Single-Bundle Anterior Cruciate Ligament Reconstruction. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2013, 29, 1514-1524.	2.7	33
36	Reconstruction of the Posterior Oblique Ligament and the Posterior Cruciate Ligament in Knees With Posteromedial Instability. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2012, 28, 1283-1289.	2.7	46