

Susannah G Fleming

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1055476/publications.pdf>

Version: 2024-02-01

35
papers

1,726
citations

686830

13
h-index

433756

31
g-index

36
all docs

36
docs citations

36
times ranked

3011
citing authors

#	ARTICLE	IF	CITATIONS
1	Accuracy of parentsâ€™ subjective assessment of paediatric fever with thermometer measured fever in a primary care setting. , 2022, 23, 30.		1
2	Point-of-care NT-proBNP monitoring for heart failure: observational feasibility study in primary care. BJGP Open, 2022, , BJGPO.2022.0005.	0.9	2
3	Parentsâ€™ concerns and beliefs about temperature measurement in children: a qualitative study. BMC Family Practice, 2021, 22, 9.	2.9	3
4	Can party balloons replace autoinflation balloons to treat glue ear? A technical comparison. BJGP Open, 2021, 5, BJGPO.2020.0178.	0.9	1
5	Is current body temperature measurement practice fit-for-purpose?. Journal of Medical Engineering and Technology, 2021, 45, 136-144.	0.8	8
6	Frequency of Renal Monitoring â€” Creatinine and Cystatin C (FORM-2C): an observational cohort study of patients with reduced eGFR in primary care. British Journal of General Practice, 2021, 71, e677-e684.	0.7	3
7	Long-term monitoring in primary care for chronic kidney disease and chronic heart failure: a multi-method research programme. Programme Grants for Applied Research, 2021, 9, 1-218.	0.4	1
8	CASNET2: evaluation of an electronic safety netting cancer toolkit for the primary care electronic health record: protocol for a pragmatic stepped-wedge RCT. BMJ Open, 2020, 10, e038562.	0.8	9
9	Non-contact infrared versus axillary and tympanic thermometers in children attending primary care: a mixed-methods study of accuracy and acceptability. British Journal of General Practice, 2020, 70, e236-e244.	0.7	13
10	Non-contact infrared thermometers compared with current approaches in primary care for children aged 5 years and under: a method comparison study. Health Technology Assessment, 2020, 24, 1-28.	1.3	7
11	Trends of blood pressure and heart rate in normal pregnancies: a systematic review and meta-analysis. BMC Medicine, 2019, 17, 167.	2.3	59
12	Effects of antihypertensives, lipid-modifying drugs, glycaemic control drugs and sodium bicarbonate on the progression of stages 3 and 4 chronic kidney disease in adults: a systematic review and meta-analysis. BMJ Open, 2019, 9, e030596.	0.8	12
13	Mixed-methods feasibility study of blood pressure self-screening for hypertension detection. BMJ Open, 2019, 9, e027986.	0.8	10
14	Patient experience of home and waiting room blood pressure measurement: a qualitative study of patients with recently diagnosed hypertension. British Journal of General Practice, 2018, 68, e835-e843.	0.7	5
15	Patient use of blood pressure self-screening facilities in general practice waiting rooms: a qualitative study in the UK. British Journal of General Practice, 2017, 67, e467-e473.	0.7	9
16	Current and potential providers of blood pressure self-screening: a mixed methods study in Oxfordshire. BMJ Open, 2017, 7, e013938.	0.8	4
17	Accuracy of blood pressure monitors available in high street pharmacies. Blood Pressure Monitoring, 2016, 21, 59-61.	0.4	2
18	Trends of vital signs with gestational age in normal pregnancies: a systematic review protocol. BMJ Open, 2016, 6, e008769.	0.8	5

#	ARTICLE	IF	CITATIONS
19	Capillary refill time in sick children: a clinical guide for general practice. British Journal of General Practice, 2016, 66, 587-588.	0.7	17
20	Respiratory rate estimation during triage of children in hospitals. Journal of Medical Engineering and Technology, 2015, 39, 514-524.	0.8	33
21	The Diagnostic Value of Capillary Refill Time for Detecting Serious Illness in Children: A Systematic Review and Meta-Analysis. PLoS ONE, 2015, 10, e0138155.	1.1	74
22	Self-Screening and Non-Physician Screening for Hypertension in Communities: A Systematic Review. American Journal of Hypertension, 2015, 28, 1316-1324.	1.0	52
23	Validity and reliability of measurement of capillary refill time in children: a systematic review. Archives of Disease in Childhood, 2015, 100, 239-249.	1.0	47
24	Diagnostic accuracy study of three alcohol breathalysers marketed for sale to the public. BMJ Open, 2014, 4, e005811.	0.8	19
25	Performance of pulse wave velocity measured using a brachial cuff in a community setting. Blood Pressure Monitoring, 2014, 19, 315-319.	0.4	29
26	Data fusion for estimating respiratory rate from a single-lead ECG. Biomedical Signal Processing and Control, 2013, 8, 98-105.	3.5	121
27	Track and trigger in an emergency department: an observational evaluation study. Emergency Medicine Journal, 2013, 30, 186-191.	0.4	26
28	Are there enough GPs in England to detect hypertension and maintain access?. British Journal of General Practice, 2013, 63, 346.2-347.	0.7	2
29	The RTI clinical iceberg. British Journal of General Practice, 2013, 63, 461.3-462.	0.7	0
30	Are Treatments More Effective than Placebos? A Systematic Review and Meta-Analysis. PLoS ONE, 2013, 8, e62599.	1.1	101
31	Assessment of central haemodynamics from a brachial cuff in a community setting. BMC Cardiovascular Disorders, 2012, 12, 48.	0.7	46
32	Normal ranges of heart rate and respiratory rate in children from birth to 18 years of age: a systematic review of observational studies. Lancet, The, 2011, 377, 1011-1018.	6.3	981
33	Normal ranges of blood pressure in paediatric resuscitation guidelines – Authors' reply. Lancet, The, 2011, 378, 568.	6.3	0
34	Novelty Detection for Identifying Deterioration in Emergency Department Patients. Lecture Notes in Computer Science, 2011, , 220-227.	1.0	4
35	Non-invasive measurement of respiratory rate in children using the photoplethysmogram. , 2008, 2008, 1886-9.		15