

Hilmar Wisplinghoff

List of Publications by Citations

Source: <https://exaly.com/author-pdf/10554932/hilmar-wisplinghoff-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

56
papers

6,858
citations

31
h-index

56
g-index

56
ext. papers

7,932
ext. citations

8.4
avg, IF

5.37
L-index

#	Paper	IF	Citations
56	Nosocomial bloodstream infections in US hospitals: analysis of 24,179 cases from a prospective nationwide surveillance study. <i>Clinical Infectious Diseases</i> , 2004 , 39, 309-17	11.6	3247
55	Current trends in the epidemiology of nosocomial bloodstream infections in patients with hematological malignancies and solid neoplasms in hospitals in the United States. <i>Clinical Infectious Diseases</i> , 2003 , 36, 1103-10	11.6	463
54	Development of a multilocus sequence typing scheme for characterization of clinical isolates of <i>Acinetobacter baumannii</i> . <i>Journal of Clinical Microbiology</i> , 2005 , 43, 4382-90	9.7	443
53	Nosocomial bloodstream infections in pediatric patients in United States hospitals: epidemiology, clinical features and susceptibilities. <i>Pediatric Infectious Disease Journal</i> , 2003 , 22, 686-91	3.4	274
52	Nosocomial bloodstream infections due to <i>Candida</i> spp. in the USA: species distribution, clinical features and antifungal susceptibilities. <i>International Journal of Antimicrobial Agents</i> , 2014 , 43, 78-81	14.3	192
51	Nosocomial bloodstream infections caused by <i>Acinetobacter</i> species in United States hospitals: clinical features, molecular epidemiology, and antimicrobial susceptibility. <i>Clinical Infectious Diseases</i> , 2000 , 31, 690-7	11.6	180
50	Human Anti-fungal Th17 Immunity and Pathology Rely on Cross-Reactivity against <i>Candida albicans</i> . <i>Cell</i> , 2019 , 176, 1340-1355.e15	56.2	174
49	Related clones containing SCCmec type IV predominate among clinically significant <i>Staphylococcus epidermidis</i> isolates. <i>Antimicrobial Agents and Chemotherapy</i> , 2003 , 47, 3574-9	5.9	159
48	Nosocomial bloodstream infections due to <i>Acinetobacter baumannii</i> , <i>Acinetobacter pittii</i> and <i>Acinetobacter nosocomialis</i> in the United States. <i>Journal of Infection</i> , 2012 , 64, 282-90	18.9	123
47	Risk factors for nosocomial bloodstream infections due to <i>Acinetobacter baumannii</i> : a case-control study of adult burn patients. <i>Clinical Infectious Diseases</i> , 1999 , 28, 59-66	11.6	120
46	<i>gyrB</i> multiplex PCR to differentiate between <i>Acinetobacter calcoaceticus</i> and <i>Acinetobacter genomic species 3</i> . <i>Journal of Clinical Microbiology</i> , 2010 , 48, 4592-4	9.7	104
45	In vitro activities of the beta-lactamase inhibitors clavulanic acid, sulbactam, and tazobactam alone or in combination with beta-lactams against epidemiologically characterized multidrug-resistant <i>Acinetobacter baumannii</i> strains. <i>Antimicrobial Agents and Chemotherapy</i> , 2004 , 48, 1586-92	5.9	103
44	Bloodstream infection in neutropenic cancer patients related to short-term nontunnelled catheters determined by quantitative blood cultures, differential time to positivity, and molecular epidemiological typing with pulsed-field gel electrophoresis. <i>Journal of Clinical Microbiology</i> , 2003 , 41, 118-23	9.7	97
43	Selection of topoisomerase mutations and overexpression of <i>adeB</i> mRNA transcripts during an outbreak of <i>Acinetobacter baumannii</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2004 , 54, 821-3	5.1	82
42	Prevalence of pharyngeal and rectal <i>Chlamydia trachomatis</i> and <i>Neisseria gonorrhoeae</i> infections among men who have sex with men in Germany. <i>Sexually Transmitted Infections</i> , 2014 , 90, 46-51	2.8	73
41	Small colony variants of <i>Staphylococcus aureus</i> and pacemaker-related infection. <i>Emerging Infectious Diseases</i> , 2003 , 9, 1316-8	10.2	69
40	<i>Staphylococcus lugdunensis</i> pacemaker-related infection. <i>Emerging Infectious Diseases</i> , 2005 , 11, 1283-6	10.2	61

39	Invasive infections due to Saprochaete and Geotrichum species: Report of 23 cases from the FungiScope Registry. <i>Mycoses</i> , 2017 , 60, 273-279	5.2	57
38	Outcomes of nosocomial bloodstream infections in adult neutropenic patients: a prospective cohort and matched case-control study. <i>Infection Control and Hospital Epidemiology</i> , 2003 , 24, 905-11	2	57
37	Prognostic factors in 264 adults with invasive Scedosporium spp. and Lomentospora prolificans infection reported in the literature and FungiScope. <i>Critical Reviews in Microbiology</i> , 2019 , 45, 1-21	7.8	56
36	Head-to-Head Comparison of Two Multi-Locus Sequence Typing (MLST) Schemes for Characterization of Acinetobacter baumannii Outbreak and Sporadic Isolates. <i>PLoS ONE</i> , 2016 , 11, e0153014	3.7	51
35	Activity of the investigational fluoroquinolone finafloxacin against ciprofloxacin-sensitive and -resistant Acinetobacter baumannii isolates. <i>Antimicrobial Agents and Chemotherapy</i> , 2010 , 54, 1613-5	5.9	50
34	Lymphogranuloma venereum in men screened for pharyngeal and rectal infection, Germany. <i>Emerging Infectious Diseases</i> , 2013 , 19, 488-92	10.2	44
33	Comparative in vitro activities of tigecycline and 11 other antimicrobial agents against 215 epidemiologically defined multidrug-resistant Acinetobacter baumannii isolates. <i>Journal of Antimicrobial Chemotherapy</i> , 2006 , 58, 1099-100	5.1	44
32	Molecular epidemiology of Acinetobacter baumannii bloodstream isolates obtained in the United States from 1995 to 2004 using rep-PCR and multilocus sequence typing. <i>Journal of Clinical Microbiology</i> , 2012 , 50, 3493-500	9.7	41
31	A cohort study on breakthrough invasive fungal infections in high-risk patients receiving antifungal prophylaxis. <i>Journal of Antimicrobial Chemotherapy</i> , 2016 , 71, 2634-41	5.1	38
30	Intestinal Virome Signature Associated With Severity of Nonalcoholic Fatty Liver Disease. <i>Gastroenterology</i> , 2020 , 159, 1839-1852	13.3	37
29	Clostridium difficile infection in patients with acute myelogenous leukemia and in patients undergoing allogeneic stem cell transplantation: epidemiology and risk factor analysis. <i>Biology of Blood and Marrow Transplantation</i> , 2014 , 20, 823-8	4.7	37
28	Molecular evolution of methicillin-resistant Staphylococcus aureus in the metropolitan area of Cologne, Germany, from 1984 to 1998. <i>Journal of Clinical Microbiology</i> , 2005 , 43, 5445-51	9.7	37
27	FungiScope -Global Emerging Fungal Infection Registry. <i>Mycoses</i> , 2017 , 60, 508-516	5.2	34
26	Comparative activities of ciprofloxacin, clinafloxacin, gatifloxacin, gemifloxacin, levofloxacin, moxifloxacin, and trovafloxacin against epidemiologically defined Acinetobacter baumannii strains. <i>Antimicrobial Agents and Chemotherapy</i> , 2000 , 44, 2211-3	5.9	32
25	Mutations in gyrA and parC associated with resistance to fluoroquinolones in epidemiologically defined clinical strains of Acinetobacter baumannii. <i>Journal of Antimicrobial Chemotherapy</i> , 2003 , 51, 177-80	5.1	26
24	Systemic inflammatory response syndrome in adult patients with nosocomial bloodstream infections due to enterococci. <i>BMC Infectious Diseases</i> , 2006 , 6, 145	4	24
23	Analyzing candidemia guideline adherence identifies opportunities for antifungal stewardship. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2018 , 37, 1563-1571	5.3	22
22	Systemic inflammatory response syndrome in adult patients with nosocomial bloodstream infection due to Staphylococcus aureus. <i>Clinical Infectious Diseases</i> , 2001 , 33, 733-6	11.6	22

21	Prevalence and distribution of Legionella spp in potable water systems in Germany, risk factors associated with contamination, and effectiveness of thermal disinfection. <i>American Journal of Infection Control</i> , 2016 , 44, 470-4	3.8	21
20	Matched-paired analysis of patients treated for invasive mucormycosis: standard treatment versus posaconazole new formulations (MoveOn). <i>Journal of Antimicrobial Chemotherapy</i> , 2019 , 74, 3315-3327	5.1	19
19	Pseudomonas spp., Acinetobacter spp. and Miscellaneous Gram-Negative Bacilli 2017 , 1579-1599.e2		17
18	High Protein Intake Is Associated With Histological Disease Activity in Patients With NAFLD. <i>Hepatology Communications</i> , 2020 , 4, 681-695	6	16
17	Efficacy of two antiseptic regimens on skin colonization of insertion sites for two different catheter types: a randomized, clinical trial. <i>Infection</i> , 2016 , 44, 707-712	5.8	15
16	Feasibility and effectiveness of posaconazole prophylaxis in combination with micafungin bridging for patients undergoing allogeneic stem cell transplantation: a 6-yr analysis from the cologne cohort for neutropenic patients. <i>European Journal of Haematology</i> , 2014 , 93, 400-6	3.8	13
15	-Reactive T Cells for the Diagnosis of Invasive Infection-A Prospective Pilot Study. <i>Frontiers in Microbiology</i> , 2018 , 9, 1381	5.7	11
14	Mould-reactive T cells for the diagnosis of invasive mould infection-A prospective study. <i>Mycoses</i> , 2019 , 62, 562-569	5.2	10
13	Invasive Scedosporium spp. and Lomentospora prolificans infections in pediatric patients: Analysis of 55 cases from FungiScope and the literature. <i>International Journal of Infectious Diseases</i> , 2020 , 92, 114-122	10.5	10
12	Needles in a haystack: Extremely rare invasive fungal infections reported in FungiScope-Global Registry for Emerging Fungal Infections. <i>Journal of Infection</i> , 2020 , 81, 802-815	18.9	9
11	Determining vancomycin Etest MICs in patients with MRSA bloodstream infection does not support switching antimicrobials. <i>Journal of Infection</i> , 2017 , 74, 248-259	18.9	7
10	Candida-reactive T cells for the diagnosis of invasive Candida infection of the lumbar vertebral spine. <i>Mycoses</i> , 2018 , 61, 48-52	5.2	7
9	Establishment of a voluntary electronic Chlamydia trachomatis laboratory surveillance system in Germany, 2008 to 2014. <i>Eurosurveillance</i> , 2017 , 22,	19.8	7
8	Prediction of advanced fibrosis in non-alcoholic fatty liver disease using gut microbiota-based approaches compared with simple non-invasive tools. <i>Scientific Reports</i> , 2020 , 10, 9385	4.9	6
7	A cost and resource utilization analysis of micafungin bridging for hemato-oncological high-risk patients undergoing allogeneic stem cell transplantation. <i>European Journal of Haematology</i> , 2015 , 94, 526-31	3.8	6
6	Bloodstream Infection and Endocarditis		4
5	SARS-CoV-2 Infection in Fully Vaccinated Individuals of Old Age Strongly Boosts the Humoral Immune Response. <i>Frontiers in Medicine</i> , 2021 , 8, 746644	4.9	2
4	Combined analysis of gut microbiota, diet and PNPLA3 polymorphism in biopsy-proven non-alcoholic fatty liver disease. <i>Liver International</i> , 2021 , 41, 1576-1591	7.9	2

- 3 Molecular Epidemiology of Acinetobacter Species. *Infectious Agents and Pathogenesis*, **2008**, 61-83 2
- 2 Pseudomonas spp., Acinetobacter spp. and miscellaneous Gram-negative bacilli **2010**, 1704-1727 1
- 1 Clinical and pharmaco-economic evaluation of antifungal prophylaxis with continuous micafungin in patients undergoing allogeneic stem cell transplantation: A six-year cohort analysis. *Mycoses*, **2021**, 64, 437-444 5.2