

Li-Chung Hsu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1056108/li-chung-hsu-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

40
papers

8,236
citations

24
h-index

40
g-index

40
ext. papers

9,218
ext. citations

11.8
avg, IF

4.65
L-index

#	Paper	IF	Citations
40	K48/K63-linked polyubiquitination of ATG9A by TRAF6 E3 ligase regulates oxidative stress-induced autophagy.. <i>Cell Reports</i> , 2022 , 38, 110354	10.6	1
39	ZNRF1 Mediates Epidermal Growth Factor Receptor Ubiquitination to Control Receptor Lysosomal Trafficking and Degradation. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 642625	5.7	1
38	Terminal uridyltransferase 7 regulates TLR4-triggered inflammation by controlling Regnase-1 mRNA uridylation and degradation. <i>Nature Communications</i> , 2021 , 12, 3878	17.4	1
37	Therapeutic Development Based on the Immunopathogenic Mechanisms of Psoriasis. <i>Pharmaceutics</i> , 2021 , 13,	6.4	3
36	The role of S100A9 in the interaction between pancreatic ductal adenocarcinoma cells and stromal cells. <i>Cancer Immunology, Immunotherapy</i> , 2021 , 1	7.4	0
35	Toll-Like Receptor 21 of Chicken and Duck Recognize a Broad Array of Immunostimulatory CpG-oligodeoxynucleotide Sequences. <i>Vaccines</i> , 2020 , 8,	5.3	2
34	Galectin-3 Enhances Avian H5N1 Influenza A Virus-Induced Pulmonary Inflammation by Promoting NLRP3 Inflammasome Activation. <i>American Journal of Pathology</i> , 2018 , 188, 1031-1042	5.8	56
33	Involvement of M1 Macrophage Polarization in Endosomal Toll-Like Receptors Activated Psoriatic Inflammation. <i>Mediators of Inflammation</i> , 2018 , 2018, 3523642	4.3	28
32	Notch Ligand DLL4 Alleviates Allergic Airway Inflammation via Induction of a Homeostatic Regulatory Pathway. <i>Scientific Reports</i> , 2017 , 7, 43535	4.9	18
31	The ubiquitin ligase ZNRF1 promotes caveolin-1 ubiquitination and degradation to modulate inflammation. <i>Nature Communications</i> , 2017 , 8, 15502	17.4	29
30	Natural Modulators of Endosomal Toll-Like Receptor-Mediated Psoriatic Skin Inflammation. <i>Journal of Immunology Research</i> , 2017 , 2017, 7807313	4.5	45
29	Dectin-2 is a primary receptor for NLRP3 inflammasome activation in dendritic cell response to <i>Histoplasma capsulatum</i> . <i>PLoS Pathogens</i> , 2017 , 13, e1006485	7.6	30
28	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016 , 12, 1-222	10.2	3838
27	The influence of a caveolin-1 mutant on the function of P-glycoprotein. <i>Scientific Reports</i> , 2016 , 6, 204864.9	4.9	13
26	Mycotoxin Patulin Suppresses Innate Immune Responses by Mitochondrial Dysfunction and p62/Sequestosome-1-dependent Mitophagy. <i>Journal of Biological Chemistry</i> , 2016 , 291, 19299-311	5.4	27
25	Association of STAT6 genetic variants with childhood atopic dermatitis in Taiwanese population. <i>Journal of Dermatological Science</i> , 2015 , 79, 222-8	4.3	10
24	Development of CpG-oligodeoxynucleotides for effective activation of rabbit TLR9 mediated immune responses. <i>PLoS ONE</i> , 2014 , 9, e108808	3.7	13

23	TLR-induced PAI-2 expression suppresses IL-1 β processing via increasing autophagy and NLRP3 degradation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 16079-84	11.5	110
22	Transcription of Tnfaip3 is regulated by NF- κ B and p38 via C/EBP β in activated macrophages. <i>PLoS ONE</i> , 2013 , 8, e73153	3.7	21
21	The pore-forming toxin β hemolysin/cytolysin triggers p38 MAPK-dependent IL-10 production in macrophages and inhibits innate immunity. <i>PLoS Pathogens</i> , 2012 , 8, e1002812	7.6	42
20	Functional interaction of heat shock protein 90 and Beclin 1 modulates Toll-like receptor-mediated autophagy. <i>FASEB Journal</i> , 2011 , 25, 2700-10	0.9	70
19	IL-1 β -driven neutrophilia preserves antibacterial defense in the absence of the kinase IKK α . <i>Nature Immunology</i> , 2011 , 12, 144-50	19.1	91
18	A five-amino-acid motif in the undefined region of the TLR8 ectodomain is required for species-specific ligand recognition. <i>Molecular Immunology</i> , 2010 , 47, 1083-90	4.3	74
17	Gene expression of P-glycoprotein and cytochrome P450 3A4 in peripheral blood mononuclear cells and correlation with expression in liver. <i>Transplantation Proceedings</i> , 2010 , 42, 834-6	1.1	6
16	Streptolysin O promotes group A Streptococcus immune evasion by accelerated macrophage apoptosis. <i>Journal of Biological Chemistry</i> , 2009 , 284, 862-71	5.4	117
15	A NOD2-NALP1 complex mediates caspase-1-dependent IL-1 β secretion in response to Bacillus anthracis infection and muramyl dipeptide. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 7803-8	11.5	304
14	NF- κ B is a negative regulator of IL-1 β secretion as revealed by genetic and pharmacological inhibition of IKK β . <i>Cell</i> , 2007 , 130, 918-31	56.2	488
13	TNF α induces ABCA1 through NF- κ B in macrophages and in phagocytes ingesting apoptotic cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 3112-7	11.5	92
12	Specificity in Toll-like receptor signalling through distinct effector functions of TRAF3 and TRAF6. <i>Nature</i> , 2006 , 439, 204-7	50.4	739
11	Nod2 mutation in Crohn's disease potentiates NF- κ B activity and IL-1 β processing. <i>Science</i> , 2005 , 307, 734-8	33.3	638
10	I κ B kinase (IKK) β , but not IKK α , is a critical mediator of osteoclast survival and is required for inflammation-induced bone loss. <i>Journal of Experimental Medicine</i> , 2005 , 201, 1677-87	16.6	215
9	Activation of liver X receptors and retinoid X receptors prevents bacterial-induced macrophage apoptosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 17813-8	11.5	173
8	The protein kinase PKR is required for macrophage apoptosis after activation of Toll-like receptor 4. <i>Nature</i> , 2004 , 428, 341-5	50.4	310
7	Inhibition of NF- κ B in cancer cells converts inflammation-induced tumor growth mediated by TNF α to TRAIL-mediated tumor regression. <i>Cancer Cell</i> , 2004 , 6, 297-305	24.3	501
6	The murine G+C-rich promoter binding protein mGPBP is required for promoter-specific transcription. <i>Molecular and Cellular Biology</i> , 2003 , 23, 8773-85	4.8	8

- 5 PITSLRE p110 protein kinases associate with transcription complexes and affect their activity. *Journal of Biological Chemistry*, **2002**, 277, 2589-96 5.4 67
- 4 Sp1-like proteins function in the transcription of human ferredoxin genes. *Journal of Biomedical Science*, **2000**, 7, 144-51 13.3 2
- 3 Characterization of the consequence of a novel Glu-380 to Asp mutation by expression of functional P450c21 in Escherichia coli. *BBA - Proteins and Proteomics*, **1999**, 1430, 95-102 5
- 2 Function and membrane topology of wild-type and mutated cytochrome P-450c21. *Biochemical Journal*, **1996**, 316 (Pt 1), 325-9 3.8 19
- 1 The common I172N mutation causes conformational change of cytochrome P450c21 revealed by systematic mutation, kinetic, and structural studies. *Journal of Biological Chemistry*, **1996**, 271, 3306-10 5.4 29