

Chi Keong Ching

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10561742/publications.pdf>

Version: 2024-02-01

35
papers

1,030
citations

759233

12
h-index

434195

31
g-index

35
all docs

35
docs citations

35
times ranked

1406
citing authors

#	ARTICLE	IF	CITATIONS
1	Outcomes of supraventricular tachycardia ablation: Results from the Singapore ablation and cardiac devices registry. PACE - Pacing and Clinical Electrophysiology, 2022, 45, 50-58.	1.2	9
2	Initial experience of left bundle branch pacing using the Abbott Agilis HisPro Catheter with stylet-driven leads. PACE - Pacing and Clinical Electrophysiology, 2022, 45, 666-673.	1.2	8
3	Inappropriate subcutaneous implantable cardioverter-defibrillator shocks for bradycardia. HeartRhythm Case Reports, 2021, 7, 237-241.	0.4	3
4	The mortality analysis of primary prevention patients receiving a cardiac resynchronization defibrillator (CRT-D) or implantable cardioverter-defibrillator (ICD) according to guideline indications in the improve SCA study. Journal of Cardiovascular Electrophysiology, 2021, 32, 2285-2294.	1.7	1
5	SRFAC: resuscitation and saving lives in the COVID-19 era and beyond. Singapore Medical Journal, 2021, 62, 369-371.	0.6	0
6	Singapore Advanced Cardiac Life Support Guidelines 2021. Singapore Medical Journal, 2021, 62, 390-403.	0.6	2
7	Prevalence of Brugada Syndrome in a Large Population of Young Singaporean Men. Circulation, 2020, 141, 155-157.	1.6	7
8	A novel three base-pair deletion in domain two of the cardiac sodium channel causes Brugada syndrome. Journal of Electrocardiology, 2018, 51, 667-673.	0.9	1
9	Identifying Warfarin Control With Stroke and Bleed Risk Scores. Heart Lung and Circulation, 2018, 27, 756-759.	0.4	4
10	Mortality outcome and predictive risk factors for death in patients with heart failure and reduced ejection fraction who declined implantable cardioverter defibrillator implantation in Singapore. Journal of Arrhythmia, 2018, 34, 536-540.	1.2	2
11	Long-Term Statin Administration Does Not Affect Warfarin Time in Therapeutic Range in Australia or Singapore. Journal of Clinical Medicine, 2018, 7, 97.	2.4	3
12	Identification of an INa-dependent and Ito-mediated proarrhythmic mechanism in cardiomyocytes derived from pluripotent stem cells of a Brugada syndrome patient. Scientific Reports, 2018, 8, 11246.	3.3	31
13	Remote magnetic catheter navigation versus conventional ablation in atrial fibrillation ablation: Fluoroscopy reduction. Journal of Arrhythmia, 2017, 33, 167-171.	1.2	9
14	Implantation of a dual-chamber permanent pacemaker in a pregnant patient guided by intracardiac echocardiography and electroanatomic mapping. HeartRhythm Case Reports, 2017, 3, 542-545.	0.4	13
15	Factors influencing warfarin control in Australia and Singapore. Thrombosis Research, 2017, 157, 120-125.	1.7	8
16	A High HASBLED Score Identifies Poor Warfarin Control in Patients Treated for Nonvalvular Atrial Fibrillation in Australia and Singapore. Basic and Clinical Pharmacology and Toxicology, 2017, 121, 499-504.	2.5	2
17	The Sex, Age, Medical History, Treatment, Tobacco Use, Race Risk (SAME TT2R2) Score Predicts Warfarin Control in a Singaporean Population. Journal of Stroke and Cerebrovascular Diseases, 2017, 26, 64-69.	1.6	31
18	Advanced Cardiac Life Support: 2016 Singapore Guidelines. Singapore Medical Journal, 2017, 58, 360-372.	0.6	10

#	ARTICLE	IF	CITATIONS
19	Association of Age, Sex, Body Size and Ethnicity with Electrocardiographic Values in Community-based Older Asian Adults. <i>Heart Lung and Circulation</i> , 2016, 25, 705-711.	0.4	12
20	A Narrow QRS Tachycardia—What Is the Diagnosis?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2016, 39, 765-767.	1.2	0
21	A Brugada syndrome proband with compound heterozygote <i>SCN5A</i> mutations identified from a Chinese family in Singapore. <i>Europace</i> , 2016, 18, 897-904.	1.7	16
22	Patient barriers to implantable cardioverter defibrillator implantation for the primary prevention of sudden cardiac death in patients with heart failure and reduced ejection fraction. <i>Singapore Medical Journal</i> , 2016, 57, 182-187.	0.6	14
23	Remote monitoring of patients with cardiac implantable electronic devices: a Southeast Asian, single-centre pilot study. <i>Singapore Medical Journal</i> , 2016, 57, 372-377.	0.6	13
24	Predictors of mortality in acute heart failure: interaction between diabetes and impaired left ventricular ejection fraction. <i>European Journal of Heart Failure</i> , 2014, 16, 1183-1189.	7.1	17
25	Authors' response to the correspondence entitled 'Too ill for an implantable cardioverter defibrillator?'. <i>Europace</i> , 2013, 15, 1226-1227.	1.7	0
26	Coronary Sinus Ostial Atresia and Persistent Left-Sided Superior Vena Cava: Clinical Significance and Strategies for Cardiac Resynchronization Therapy. <i>International Journal of Angiology</i> , 2013, 22, 199-202.	0.6	11
27	Clinical markers of organ dysfunction associated with increased 1-year mortality post-implantable cardioverter defibrillator implantation. <i>Europace</i> , 2013, 15, 508-514.	1.7	16
28	Trends amongst implantable cardioverter defibrillator patients in a tertiary cardiac centre in Singapore from 2002 to 2011. <i>Annals of the Academy of Medicine, Singapore</i> , 2013, 42, 480-2.	0.4	1
29	Prevalence of electrocardiographic abnormalities in an unselected young male multi-ethnic South-East Asian population undergoing pre-participation cardiovascular screening: results of the Singapore Armed Forces Electrocardiogram and Echocardiogram screening protocol. <i>Europace</i> , 2012, 14, 1018-1024.	1.7	31
30	Prevalence of hypertrophic cardiomyopathy on an electrocardiogram-based pre-participation screening programme in a young male South-East Asian population: results from the Singapore Armed Forces Electrocardiogram and Echocardiogram screening protocol. <i>Europace</i> , 2011, 13, 883-888.	1.7	23
31	Atrial fibrillation termination as a procedural endpoint during ablation in long-standing persistent atrial fibrillation. <i>Heart Rhythm</i> , 2010, 7, 1216-1223.	0.7	141
32	Relationship Between Catheter Forces, Lesion Characteristics, "Popping," and Char Formation: Experience with Robotic Navigation System. <i>Journal of Cardiovascular Electrophysiology</i> , 2009, 20, 436-440.	1.7	150
33	Ablation for longstanding permanent atrial fibrillation: Results from a randomized study comparing three different strategies. <i>Heart Rhythm</i> , 2008, 5, 1658-1664.	0.7	293
34	Remote Magnetic Navigation. <i>Journal of the American College of Cardiology</i> , 2007, 50, 868-874.	2.8	148
35	Clinicopathological correlates of out-of-hospital cardiac arrests. <i>Journal of Arrhythmia</i> , 0, , .	1.2	0