

Dalane W Kitzman

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/10562683/dalane-w-kitzman-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

320
papers

26,216
citations

83
h-index

155
g-index

358
ext. papers

31,605
ext. citations

7.5
avg, IF

6.88
L-index

#	Paper	IF	Citations
320	Race- and Gender-Based Differences in Cardiac Structure and Function and Risk of Heart Failure.. <i>Journal of the American College of Cardiology</i> , 2022 , 79, 355-368	15.1	1
319	Evaluation of a blood-based geroscience biomarker index in a randomized trial of caloric restriction and exercise in older adults with heart failure with preserved ejection fraction.. <i>GeroScience</i> , 2022 , 1	8.9	0
318	The geriatrics research instrument library: A resource for guiding instrument selection for researchers studying older adults with multiple chronic conditions.. <i>Journal of Multimorbidity and Comorbidity</i> , 2022 , 12, 26335565221081200		
317	Estimating heterogeneity of physical function treatment response to caloric restriction among older adults with obesity.. <i>PLoS ONE</i> , 2022 , 17, e0267779	3.7	0
316	Incidence and Outcomes of Acute Heart Failure With Preserved Versus Reduced Ejection Fraction in SPRINT. <i>Circulation: Heart Failure</i> , 2021 , CIRCHEARTFAILURE121008322	7.6	2
315	The Effect of Atrasentan on Kidney and Heart Failure Outcomes by Baseline Albuminuria and Kidney Function: A Analysis of the SONAR Randomized Trial. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021 ,	6.9	1
314	ECG-AI: electrocardiographic artificial intelligence model for prediction of heart failure.. <i>European Heart Journal Digital Health</i> , 2021 , 2, 626-634	2.3	1
313	The SGLT2 inhibitor dapagliflozin in heart failure with preserved ejection fraction: a multicenter randomized trial. <i>Nature Medicine</i> , 2021 , 27, 1954-1960	50.5	29
312	Determinants and consequences of heart rate and stroke volume response to exercise in patients with heart failure and preserved ejection fraction. <i>European Journal of Heart Failure</i> , 2021 , 23, 754-764	12.3	3
311	Relationship of physical function with quality of life in older patients with acute heart failure. <i>Journal of the American Geriatrics Society</i> , 2021 , 69, 1836-1845	5.6	1
310	Left ventricular diastolic dysfunction and exercise intolerance in obese heart failure with preserved ejection fraction. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2021 , 320, H1535-H1542	5.2	2
309	Association of Left Ventricular Systolic Function With Incident Heart Failure in Late Life. <i>JAMA Cardiology</i> , 2021 , 6, 509-520	16.2	7
308	Effect of Intensive Blood Pressure Control on Aortic Stiffness in the SPRINT-HEART. <i>Hypertension</i> , 2021 , 77, 1571-1580	8.5	4
307	Final Report of a Trial of Intensive versus Standard Blood-Pressure Control. <i>New England Journal of Medicine</i> , 2021 , 384, 1921-1930	59.2	49
306	Comparison of the Relation of Carotid Intima-Media Thickness With Incident Heart Failure With Reduced Versus Preserved Ejection Fraction (from the Multi-Ethnic Study of Atherosclerosis [MESA]). <i>American Journal of Cardiology</i> , 2021 , 148, 102-109	3	0
305	Older Patients With Acute Decompensated Heart Failure Who Live Alone: An Analysis From the REHAB-HF Trial. <i>Journal of Cardiac Failure</i> , 2021 ,	3.3	0
304	Relationships Between Objectively Measured Physical Activity, Exercise Capacity, and Quality of Life in Older Patients With Obese Heart Failure and Preserved Ejection Fraction. <i>Journal of Cardiac Failure</i> , 2021 , 27, 635-641	3.3	3

303	Left atrial structure and function of the amyloidogenic V122I transthyretin variant in elderly African Americans. <i>European Journal of Heart Failure</i> , 2021 , 23, 1290-1295	12.3	5
302	Physical Rehabilitation for Older Patients Hospitalized for Heart Failure. <i>New England Journal of Medicine</i> , 2021 , 385, 203-216	59.2	70
301	Associations of Cardiac Mechanics With Exercise Capacity: The Multi-Ethnic Study of Atherosclerosis. <i>Journal of the American College of Cardiology</i> , 2021 , 78, 245-257	15.1	6
300	Estimated GFR Variability and Risk of Cardiovascular Events and Mortality in SPRINT (Systolic Blood Pressure Intervention Trial). <i>American Journal of Kidney Diseases</i> , 2021 , 78, 48-56	7.4	2
299	Cognition, Physical Function, and Quality of Life in Older Patients With Acute Decompensated Heart Failure. <i>Journal of Cardiac Failure</i> , 2021 , 27, 286-294	3.3	1
298	Individual Atrasentan Exposure is Associated With Long-term Kidney and Heart Failure Outcomes in Patients With Type 2 Diabetes and Chronic Kidney Disease. <i>Clinical Pharmacology and Therapeutics</i> , 2021 , 109, 1631-1638	6.1	0
297	Inter-individual variability in atrasentan exposure partly explains variability in kidney protection and fluid retention responses: A post hoc analysis of the SONAR trial. <i>Diabetes, Obesity and Metabolism</i> , 2021 , 23, 561-568	6.7	6
296	Aging with Alcohol: Uncle Buck's Dust-Covered Jug of Wine. <i>Journal of the American Geriatrics Society</i> , 2021 , 69, 835-836	5.6	
295	Temporal Trends and Factors Associated With Cardiac Rehabilitation Participation Among Medicare Beneficiaries With Heart Failure. <i>JACC: Heart Failure</i> , 2021 , 9, 471-481	7.9	5
294	Measured Versus Estimated Resting Metabolic Rate in Heart Failure With Preserved Ejection Fraction. <i>Circulation: Heart Failure</i> , 2021 , 14, e007962	7.6	
293	Associations of High-Sensitivity Troponin and Natriuretic Peptide Levels With Outcomes After Intensive Blood Pressure Lowering: Findings From the SPRINT Randomized Clinical Trial. <i>JAMA Cardiology</i> , 2021 ,	16.2	1
292	Early Response in Albuminuria and Long-Term Kidney Protection during Treatment with an Endothelin Receptor Antagonist: A Prespecified Analysis from the SONAR Trial. <i>Journal of the American Society of Nephrology: JASN</i> , 2021 , 32, 2900-2911	12.7	1
291	Rehabilitation Intervention in Older Patients With Acute Heart Failure With Preserved Versus Reduced Ejection Fraction. <i>JACC: Heart Failure</i> , 2021 , 9, 747-757	7.9	5
290	Echocardiographic measures and subsequent decline in kidney function in older adults: the Atherosclerosis Risk in Communities Study. <i>European Heart Journal Cardiovascular Imaging</i> , 2021 ,	4.1	1
289	Association of Baseline and Longitudinal Changes in Body Composition Measures With Risk of Heart Failure and Myocardial Infarction in Type 2 Diabetes: Findings From the Look AHEAD Trial. <i>Circulation</i> , 2020 , 142, 2420-2430	16.7	8
288	It Takes a Grandparent. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 2136	5.6	
287	Application of Diagnostic Algorithms for Heart Failure With Preserved Ejection Fraction to the Community. <i>JACC: Heart Failure</i> , 2020 , 8, 640-653	7.9	23
286	Research Priorities for Heart Failure With Preserved Ejection Fraction: National Heart, Lung, and Blood Institute Working Group Summary. <i>Circulation</i> , 2020 , 141, 1001-1026	16.7	95

285	Beta-Blockers for Primary Therapy of Heart Failure With Preserved Ejection Fraction: An Idea Whose Time Has Gone?. <i>Journal of Cardiac Failure</i> , 2020 , 26, 283-284	3.3	2
284	Exercise in Specific Diseases: Heart Failure with Preserved Ejection Fraction 2020 , 927-955		
283	Healthy Aging and Cardiovascular Function: Invasive Hemodynamics During Rest and Exercise in 104 Healthy Volunteers. <i>JACC: Heart Failure</i> , 2020 , 8, 111-121	7.9	9
282	Heart failure with preserved ejection fraction: New approaches to diagnosis and management. <i>Clinical Cardiology</i> , 2020 , 43, 145-155	3.3	29
281	Impact of β -Blockers on Heart Rate and Oxygen Uptake During Exercise and Recovery in Older Patients With Heart Failure With Preserved Ejection Fraction. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2020 , 40, 174-177	3.6	3
280	Intensive vs Standard Blood Pressure Control in Adults 80 Years or Older: A Secondary Analysis of the Systolic Blood Pressure Intervention Trial. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 496-504	5.6	27
279	Lipoteichoic acid from the cell wall of a heat killed <i>Lactobacillus paracasei</i> D3-5 ameliorates aging-related leaky gut, inflammation and improves physical and cognitive functions: from <i>C. elegans</i> to mice. <i>GeroScience</i> , 2020 , 42, 333-352	8.9	44
278	The Doctor and the Dragonfly. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 215	5.6	
277	Conduct of Clinical Trials in the Era of COVID-19: JACC Scientific Expert Panel. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 2368-2378	15.1	16
276	Exercise Training Effects on the Relationship of Physical Function and Health-Related Quality of Life Among Older Heart Failure Patients With Preserved Ejection Fraction. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2020 , 40, 427-433	3.6	8
275	A Centenarian's Advice and a Physician's Regret. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 2463-6	3.6	
274	Association of Sex or Race With the Effect of Weight Loss on Physical Function: A Secondary Analysis of 8 Randomized Clinical Trials. <i>JAMA Network Open</i> , 2020 , 3, e2014631	10.4	3
273	Prebiotics from acorn and sago prevent high-fat-diet-induced insulin resistance via microbiome-gut-brain axis modulation. <i>Journal of Nutritional Biochemistry</i> , 2019 , 67, 1-13	6.3	52
272	Preventing Heart Failure by Treating Systolic Hypertension: What Does the SPRINT Add?. <i>Current Hypertension Reports</i> , 2019 , 21, 9	4.7	3
271	Association of Undifferentiated Dyspnea in Late Life With Cardiovascular and Noncardiovascular Dysfunction: A Cross-sectional Analysis From the ARIC Study. <i>JAMA Network Open</i> , 2019 , 2, e195321	10.4	8
270	Effect of Neladenoson Bialanate on Exercise Capacity Among Patients With Heart Failure With Preserved Ejection Fraction: A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 321, 2101-2112	27.4	29
269	Home-Based Cardiac Rehabilitation: A Scientific Statement From the American Association of Cardiovascular and Pulmonary Rehabilitation, the American Heart Association, and the American College of Cardiology. <i>Circulation</i> , 2019 , 140, e69-e89	16.7	103
268	Home-Based Cardiac Rehabilitation: A Scientific Statement From the American Association of Cardiovascular and Pulmonary Rehabilitation, the American Heart Association, and the American College of Cardiology. <i>Journal of the American College of Cardiology</i> , 2019 , 74, 133-153	15.1	87

267	Increased skeletal intermuscular fat is associated with reduced exercise capacity in cancer survivors: a cross-sectional study. <i>Cardio-Oncology</i> , 2019 , 5, 3	2.8	13
266	Central and Peripheral Determinants of Exercise Capacity in Heart Failure Patients With Preserved Ejection Fraction. <i>JACC: Heart Failure</i> , 2019 , 7, 321-332	7.9	22
265	Long-Term Effects of Randomization to a Weight Loss Intervention in Older Adults: A Pilot Study. <i>Journal of Nutrition in Gerontology and Geriatrics</i> , 2019 , 38, 83-99	2.1	13
264	Atrasentan and renal events in patients with type 2 diabetes and chronic kidney disease (SONAR): a double-blind, randomised, placebo-controlled trial. <i>Lancet, The</i> , 2019 , 393, 1937-1947	4.0	209
263	Female Heart Health: Is GPER the Missing Link?. <i>Frontiers in Endocrinology</i> , 2019 , 10, 919	5.7	21
262	Effect of Intensive Blood Pressure Reduction on Left Ventricular Mass, Structure, Function, and Fibrosis in the SPRINT-HEART. <i>Hypertension</i> , 2019 , HYPERTENSIONAHA11913073	8.5	15
261	Reply: Heart Failure With Preserved Ejection Fraction: Types 1 and 2?. <i>JACC: Heart Failure</i> , 2019 , 7, 632-633		
260	Heart failure with preserved ejection fraction in older adults 2019 , 422-441		
259	Heart Failure Prevention in Older Patients Using Intensive Blood Pressure Reduction: Potential Role of Diuretics. <i>JACC: Heart Failure</i> , 2019 , 7, 1032-1041	7.9	7
258	Impact of Age on Comorbidities and Outcomes in Heart Failure With Reduced Ejection Fraction. <i>JACC: Heart Failure</i> , 2019 , 7, 1056-1065	7.9	10
257	Home-Based Cardiac Rehabilitation: A SCIENTIFIC STATEMENT FROM THE AMERICAN ASSOCIATION OF CARDIOVASCULAR AND PULMONARY REHABILITATION, THE AMERICAN HEART ASSOCIATION, AND THE AMERICAN COLLEGE OF CARDIOLOGY. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2019 , 39, 208-225	3.6	45
256	A Sister's Sacrifice. <i>Journal of the American Geriatrics Society</i> , 2019 , 67, 618-619	5.6	
255	Baseline characteristics and enrichment results from the SONAR trial. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 1829-1835	6.7	22
254	Relative Impairments in Hemodynamic Exercise Reserve Parameters in Heart Failure With Preserved Ejection Fraction: A Study-Level Pooled Analysis. <i>JACC: Heart Failure</i> , 2018 , 6, 117-126	7.9	23
253	Evaluation of an individualized dose titration regimen of patiromer to prevent hyperkalaemia in patients with heart failure and chronic kidney disease. <i>ESC Heart Failure</i> , 2018 , 5, 257-266	3.7	34
252	Rationale and protocol of the Study Of diabetic Nephropathy with AtRasentan (SONAR) trial: A clinical trial design novel to diabetic nephropathy. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 1369-1376	6.7	49
251	Silent Myocardial Infarction and Long-Term Risk of Heart Failure: The ARIC Study. <i>Journal of the American College of Cardiology</i> , 2018 , 71, 1-8	15.1	46
250	A Gift From Mary. <i>Journal of the American Geriatrics Society</i> , 2018 , 66, 1040-1041	5.6	

249	Obesity-Related Heart Failure With a Preserved Ejection Fraction: The Mechanistic Rationale for Combining Inhibitors of Aldosterone, Neprilysin, and Sodium-Glucose Cotransporter-2. <i>JACC: Heart Failure</i> , 2018 , 6, 633-639	7.9	80
248	Strategies for supporting intervention fidelity in the rehabilitation therapy in older acute heart failure patients (REHAB-HF) trial. <i>Contemporary Clinical Trials</i> , 2018 , 64, 118-127	2.3	11
247	Resting and exercise haemodynamics in relation to six-minute walk test in patients with heart failure and preserved ejection fraction. <i>European Journal of Heart Failure</i> , 2018 , 20, 715-722	12.3	26
246	Vitamin D Status and Exercise Capacity in Older Patients with Heart Failure with Preserved Ejection Fraction. <i>American Journal of Medicine</i> , 2018 , 131, 1515.e11-1515.e19	2.4	6
245	Regional Adipose Distribution and its Relationship to Exercise Intolerance in Older Obese Patients Who Have Heart Failure With Preserved Ejection Fraction. <i>JACC: Heart Failure</i> , 2018 , 6, 640-649	7.9	53
244	Left Ventricular Mass Change After Anthracycline Chemotherapy. <i>Circulation: Heart Failure</i> , 2018 , 11, e004560	7.6	45
243	Human-origin probiotic cocktail increases short-chain fatty acid production via modulation of mice and human gut microbiome. <i>Scientific Reports</i> , 2018 , 8, 12649	4.9	124
242	Impact of a Multidomain Intensive Lifestyle Intervention on Complaints About Memory, Problem-Solving, and Decision-Making Abilities: The Action for Health in Diabetes Randomized Controlled Clinical Trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018 , 73, 1568-1567	6.4	7
241	Therapy for heart failure with preserved ejection fraction: current status, unique challenges, and future directions. <i>Heart Failure Reviews</i> , 2018 , 23, 609-629	5	19
240	Gut microbiome and aging: Physiological and mechanistic insights. <i>Nutrition and Healthy Aging</i> , 2018 , 4, 267-285	1.3	284
239	The effect of Aliskiren on exercise capacity in older patients with heart failure and preserved ejection fraction: A randomized, placebo-controlled, double-blind trial. <i>American Heart Journal</i> , 2018 , 201, 164-167	4.9	4
238	Asymptomatic myocardial ischemia forecasts adverse events in cardiovascular magnetic resonance dobutamine stress testing of high-risk middle-aged and elderly individuals. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2018 , 20, 75	6.9	10
237	Frequency of Transition From Stage A to Stage B Heart Failure After Initiating Potentially Cardiotoxic Chemotherapy. <i>JACC: Heart Failure</i> , 2018 , 6, 1023-1032	7.9	9
236	Physical Function, Frailty, Cognition, Depression, and Quality of Life in Hospitalized Adults ≥80 Years With Acute Decompensated Heart Failure With Preserved Versus Reduced Ejection Fraction. <i>Circulation: Heart Failure</i> , 2018 , 11, e005254	7.6	64
235	Estradiol Treatment Initiated Early After Ovariectomy Regulates Myocardial Gene Expression and Inhibits Diastolic Dysfunction in Female Cynomolgus Monkeys: Potential Roles for Calcium Homeostasis and Extracellular Matrix Remodeling. <i>Journal of the American Heart Association</i> , 2018 , 7, e009769	6	17
234	Sprinting Toward the Optimal Blood Pressure Target for Hypertensive Patients. <i>Circulation Research</i> , 2018 , 123, 531-534	15.7	3
233	Rationale and design of the phase 2b clinical trials to study the effects of the partial adenosine A1-receptor agonist neladenoson bialanate in patients with chronic heart failure with reduced (PANTHEON) and preserved (PANACHE) ejection fraction. <i>European Journal of Heart Failure</i> , 2018 , 20, 1601-1610	12.3	20
232	Race-Related Differences in Left Ventricular Structural and Functional Remodeling in Response to Increased Afterload: The ARIC Study. <i>JACC: Heart Failure</i> , 2017 , 5, 157-165	7.9	24

231	Cellular basis of angiotensin-(1-7)-induced augmentation of left ventricular functional performance in heart failure. <i>International Journal of Cardiology</i> , 2017 , 236, 405-412	3.2	22
230	A Novel Rehabilitation Intervention for Older Patients With Acute Decompensated Heart Failure: The REHAB-HF Pilot Study. <i>JACC: Heart Failure</i> , 2017 , 5, 359-366	7.9	74
229	Racial differences in circulating levels of the soluble receptor for advanced glycation endproducts in middle-aged and older adults. <i>Metabolism: Clinical and Experimental</i> , 2017 , 70, 98-106	12.7	7
228	Effect of Intensive Blood Pressure Control on Gait Speed and Mobility Limitation in Adults 75 Years or Older: A Randomized Clinical Trial. <i>JAMA Internal Medicine</i> , 2017 , 177, 500-507	11.5	28
227	Physical function and exercise training in older patients with heart failure. <i>Nature Reviews Cardiology</i> , 2017 , 14, 550-559	14.8	23
226	Effect of Spironolactone on Exercise Tolerance and Arterial Function in Older Adults with Heart Failure with Preserved Ejection Fraction. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 2374-2382	5.6	24
225	Effects of supervised exercise and dietary nitrate in older adults with controlled hypertension and/or heart failure with preserved ejection fraction. <i>Nitric Oxide - Biology and Chemistry</i> , 2017 , 69, 78-90	5	34
224	Research Priorities to Advance the Health and Health Care of Older Adults with Multiple Chronic Conditions. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 1549-1553	5.6	23
223	Heart Failure with Preserved Ejection Fraction in Older Adults. <i>Heart Failure Clinics</i> , 2017 , 13, 485-502	3.3	38
222	Effect of Intensive Blood Pressure Treatment on Heart Failure Events in the Systolic Blood Pressure Reduction Intervention Trial. <i>Circulation: Heart Failure</i> , 2017 , 10,	7.6	67
221	Management of Heart Failure with Preserved Ejection Fraction: Current Challenges and Future Directions. <i>American Journal of Cardiovascular Drugs</i> , 2017 , 17, 283-298	4	6
220	Prioritizing Functional Capacity as a Principal End Point for Therapies Oriented to Older Adults With Cardiovascular Disease: A Scientific Statement for Healthcare Professionals From the American Heart Association. <i>Circulation</i> , 2017 , 135, e894-e918	16.7	119
219	Response to Endurance Exercise Training in Older Adults with Heart Failure with Preserved or Reduced Ejection Fraction. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 1698-1704	5.6	28
218	Exercise Training in Patients With Chronic Heart Failure and Atrial Fibrillation. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 1683-1691	15.1	27
217	Reassessing Phase II Heart Failure Clinical Trials: Consensus Recommendations. <i>Circulation: Heart Failure</i> , 2017 , 10,	7.6	11
216	Understanding the Journey. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 443	5.6	
215	Rehabilitation Therapy in Older Acute Heart Failure Patients (REHAB-HF) trial: Design and rationale. <i>American Heart Journal</i> , 2017 , 185, 130-139	4.9	45
214	Utility of Growth Differentiation Factor-15, A Marker of Oxidative Stress and Inflammation, in Chronic Heart Failure: Insights From the HF-ACTION Study. <i>JACC: Heart Failure</i> , 2017 , 5, 724-734	7.9	49

213	Objectively Assessed Physical Activity and Weight Loss Maintenance among Individuals Enrolled in a Lifestyle Intervention. <i>Obesity</i> , 2017 , 25, 1903-1909	8	23
212	Subclinical Atherosclerosis, Cardiac and Kidney Function, Heart Failure, and Dementia in the Very Elderly. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	6
211	Young Dads and Old Men. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 1362-1363	5.6	
210	Evolution of a Geriatric Syndrome: Pathophysiology and Treatment of Heart Failure with Preserved Ejection Fraction. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 2431-2440	5.6	38
209	Association Between 6-Minute Walk Test Distance and Objective Variables of Functional Capacity After Exercise Training in Elderly Heart Failure Patients With Preserved Ejection Fraction: A Randomized Exercise Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017 , 98, 600-603	2.8	19
208	Association of Weight and Body Composition on Cardiac Structure and Function in the ARIC Study (Atherosclerosis Risk in Communities). <i>Circulation: Heart Failure</i> , 2016 , 9,	7.6	43
207	Smoking and Cardiac Structure and Function in the Elderly: The ARIC Study (Atherosclerosis Risk in Communities). <i>Circulation: Cardiovascular Imaging</i> , 2016 , 9, e004950	3.9	38
206	Heart Failure: Exercise-Based Cardiac Rehabilitation: Who, When, and How Intense?. <i>Canadian Journal of Cardiology</i> , 2016 , 32, S382-S387	3.8	38
205	Diet and Exercise for Obese Patients With Heart Failure--Reply. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 315, 2619-20	27.4	3
204	Precious Memory. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 640	5.6	
203	Phenotype-Specific Treatment of Heart Failure With Preserved Ejection Fraction: A Multiorgan Roadmap. <i>Circulation</i> , 2016 , 134, 73-90	16.7	485
202	Prediction of the effect of atrasentan on renal and heart failure outcomes based on short-term changes in multiple risk markers. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 758-68	3.9	26
201	Response to Exercise Training and Outcomes in Patients With Heart Failure and Diabetes Mellitus: Insights From the HF-ACTION Trial. <i>Journal of Cardiac Failure</i> , 2016 , 22, 485-91	3.3	25
200	One Week of Daily Dosing With Beetroot Juice Improves Submaximal Endurance and Blood Pressure in Older Patients With Heart Failure and Preserved Ejection Fraction. <i>JACC: Heart Failure</i> , 2016 , 4, 428-37	7.9	113
199	Left Atrial Structure and Function Across the Spectrum of Cardiovascular Risk in the Elderly: The Atherosclerosis Risk in Communities Study. <i>Circulation: Cardiovascular Imaging</i> , 2016 , 9, e004010	3.9	18
198	Effect of Caloric Restriction or Aerobic Exercise Training on Peak Oxygen Consumption and Quality of Life in Obese Older Patients With Heart Failure With Preserved Ejection Fraction: A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 315, 36-46	27.4	366
197	Heart failure in older adults: embracing complexity. <i>Journal of Geriatric Cardiology</i> , 2016 , 13, 8-14	1.7	3
196	Prognostic Importance of Dyspnea for Cardiovascular Outcomes and Mortality in Persons without Prevalent Cardiopulmonary Disease: The Atherosclerosis Risk in Communities Study. <i>PLoS ONE</i> , 2016 , 11, e0165111	3.7	20

195	Differential Responses of Post-Exercise Recovery of Leg Blood Flow and Oxygen Uptake Kinetics in HFpEF versus HFrEF. <i>PLoS ONE</i> , 2016 , 11, e0163513	3.7	7
194	Impact of Exercise Training on Peak Oxygen Uptake and its Determinants in Heart Failure with Preserved Ejection Fraction. <i>Cardiac Failure Review</i> , 2016 , 2, 95-101	4.2	20
193	Statins and Exercise Training Response in Heart Failure Patients: Insights From HF-ACTION. <i>JACC: Heart Failure</i> , 2016 , 4, 617-24	7.9	7
192	Skeletal Muscle Mitochondrial Content, Oxidative Capacity, and Mfn2 Expression Are Reduced in Older Patients With Heart Failure and Preserved Ejection Fraction and Are Related to Exercise Intolerance. <i>JACC: Heart Failure</i> , 2016 , 4, 636-45	7.9	87
191	Intensive vs Standard Blood Pressure Control and Cardiovascular Disease Outcomes in Adults Aged 75 Years: A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 315, 2673-82	27.4	637
190	Burden of Systolic and Diastolic Left Ventricular Dysfunction Among Hispanics in the United States: Insights From the Echocardiographic Study of Latinos. <i>Circulation: Heart Failure</i> , 2016 , 9, e002733	7.6	29
189	Knowledge Gaps in Cardiovascular Care of the Older Adult Population: A Scientific Statement From the American Heart Association, American College of Cardiology, and American Geriatrics Society. <i>Circulation</i> , 2016 , 133, 2103-22	16.7	104
188	Comparison of Frequency of Frailty and Severely Impaired Physical Function in Patients 80 Years Hospitalized With Acute Decompensated Heart Failure Versus Chronic Stable Heart Failure With Reduced and Preserved Left Ventricular Ejection Fraction. <i>American Journal of Cardiology</i> , 2016 , 117, 1653-9	3	60
187	Knowledge Gaps in Cardiovascular Care of Older Adults: A Scientific Statement from the American Heart Association, American College of Cardiology, and American Geriatrics Society: Executive Summary. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 2185-2192	5.6	37
186	Evaluation of the Incremental Prognostic Utility of Increasingly Complex Testing in Chronic Heart Failure. <i>Circulation: Heart Failure</i> , 2015 , 8, 709-16	7.6	7
185	Role of Diastolic Function in Preserved Exercise Capacity in Patients with Reduced Ejection Fractions. <i>Journal of the American Society of Echocardiography</i> , 2015 , 28, 1184-93	5.8	6
184	Burden of Comorbidities and Functional and Cognitive Impairments in Elderly Patients at the Initial Diagnosis of Heart Failure and Their Impact on Total Mortality: The Cardiovascular Health Study. <i>JACC: Heart Failure</i> , 2015 , 3, 542-550	7.9	118
183	Relationship between alcohol consumption and cardiac structure and function in the elderly: the Atherosclerosis Risk In Communities Study. <i>Circulation: Cardiovascular Imaging</i> , 2015 , 8,	3.9	28
182	Heart failure with preserved ejection fraction in the elderly: scope of the problem. <i>Journal of Molecular and Cellular Cardiology</i> , 2015 , 83, 73-87	5.8	94
181	Increased cardiovascular stiffness and impaired age-related functional status. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015 , 70, 545-53	6.4	8
180	Authorship in a multicenter clinical trial: The Heart Failure-A Controlled Trial Investigating Outcomes of Exercise Training (HF-ACTION) Authorship and Publication (HAP) scoring system results. <i>American Heart Journal</i> , 2015 , 169, 457-63.e6	4.9	8
179	Sarcopenic obesity and the pathogenesis of exercise intolerance in heart failure with preserved ejection fraction. <i>Current Heart Failure Reports</i> , 2015 , 12, 205-14	2.8	44
178	Determinants of exercise intolerance in patients with heart failure and reduced or preserved ejection fraction. <i>Journal of Applied Physiology</i> , 2015 , 119, 739-44	3.7	107

177	Exercise training and pacing status in patients with heart failure: results from HF-ACTION. <i>Journal of Cardiac Failure</i> , 2015 , 21, 60-7	3.3	21
176	Doris® List. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 1467-8	5.6	
175	Intentional weight loss and all-cause mortality: a meta-analysis of randomized clinical trials. <i>PLoS ONE</i> , 2015 , 10, e0121993	3.7	108
174	The amyloidogenic V122I transthyretin variant in elderly black Americans. <i>New England Journal of Medicine</i> , 2015 , 372, 21-9	59.2	136
173	Exercise training as therapy for heart failure: current status and future directions. <i>Circulation: Heart Failure</i> , 2015 , 8, 209-20	7.6	101
172	Exercise intolerance in heart failure with preserved ejection fraction: more than a heart problem. <i>Journal of Geriatric Cardiology</i> , 2015 , 12, 294-304	1.7	60
171	The effects of exercise on cardiovascular biomarkers in patients with chronic heart failure. <i>American Heart Journal</i> , 2014 , 167, 193-202.e1	4.9	40
170	Clinical implications of chronic heart failure phenotypes defined by cluster analysis. <i>Journal of the American College of Cardiology</i> , 2014 , 64, 1765-74	15.1	132
169	Papillary fibroelastoma of the mitral valve chordae with systemic embolization. <i>Journal of Cardiology Cases</i> , 2014 , 10, 125-128	0.6	4
168	Skeletal muscle abnormalities and exercise intolerance in older patients with heart failure and preserved ejection fraction. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2014 , 306, H1364-70	5.2	187
167	Skeletal muscle composition and its relation to exercise intolerance in older patients with heart failure and preserved ejection fraction. <i>American Journal of Cardiology</i> , 2014 , 113, 1211-6	3	127
166	Biomarkers of myocardial stress and fibrosis as predictors of mode of death in patients with chronic heart failure. <i>JACC: Heart Failure</i> , 2014 , 2, 260-8	7.9	79
165	Exercise physiology in heart failure and preserved ejection fraction. <i>Heart Failure Clinics</i> , 2014 , 10, 445-53	3.3	36
164	Longitudinal assessment of concurrent changes in left ventricular ejection fraction and left ventricular myocardial tissue characteristics after administration of cardiotoxic chemotherapies using T1-weighted and T2-weighted cardiovascular magnetic resonance. <i>Circulation: Cardiovascular Imaging</i> , 2014 , 7, 872-9	3.9	60
163	Beta-blockers in older patients with heart failure and preserved ejection fraction: class, dosage, and outcomes. <i>International Journal of Cardiology</i> , 2014 , 173, 393-401	3.2	35
162	Clinical characteristics, response to exercise training, and outcomes in patients with heart failure and chronic obstructive pulmonary disease: findings from Heart Failure and A Controlled Trial Investigating Outcomes of Exercise TraiNing (HF-ACTION). <i>American Heart Journal</i> , 2013 , 165, 193-9	4.9	55
161	Update on heart failure with preserved ejection fraction. <i>Current Cardiovascular Risk Reports</i> , 2013 , 7, 495-502	0.9	15
160	Impaired aerobic capacity and physical functional performance in older heart failure patients with preserved ejection fraction: role of lean body mass. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2013 , 68, 968-75	6.4	105

159	Reply: To PMID 23177293. <i>Journal of the American College of Cardiology</i> , 2013 , 61, 2113	15.1	3
158	Cardiac rehabilitation exercise and self-care for chronic heart failure. <i>JACC: Heart Failure</i> , 2013 , 1, 540-7	7.9	120
157	Angiotensin-converting enzyme inhibitors and outcomes in heart failure and preserved ejection fraction. <i>American Journal of Medicine</i> , 2013 , 126, 401-10	2.4	30
156	Prevention of heart failure in older adults may require higher levels of physical activity than needed for other cardiovascular events. <i>International Journal of Cardiology</i> , 2013 , 168, 1905-9	3.2	27
155	Heart failure with preserved ejection fraction in African Americans: The ARIC (Atherosclerosis Risk In Communities) study. <i>JACC: Heart Failure</i> , 2013 , 1, 156-63	7.9	48
154	Association between resting heart rate, chronotropic index, and long-term outcomes in patients with heart failure receiving β -blocker therapy: data from the HF-ACTION trial. <i>European Heart Journal</i> , 2013 , 34, 2271-80	9.5	44
153	Carotid arterial stiffness and its relationship to exercise intolerance in older patients with heart failure and preserved ejection fraction. <i>Hypertension</i> , 2013 , 61, 112-9	8.5	76
152	Aldosterone antagonists and outcomes in real-world older patients with heart failure and preserved ejection fraction. <i>JACC: Heart Failure</i> , 2013 , 1, 40-7	7.9	36
151	Effect of endurance exercise training on endothelial function and arterial stiffness in older patients with heart failure and preserved ejection fraction: a randomized, controlled, single-blind trial. <i>Journal of the American College of Cardiology</i> , 2013 , 62, 584-92	15.1	221
150	Soluble ST2 in ambulatory patients with heart failure: Association with functional capacity and long-term outcomes. <i>Circulation: Heart Failure</i> , 2013 , 6, 1172-9	7.6	95
149	Relationship of flow-mediated arterial dilation and exercise capacity in older patients with heart failure and preserved ejection fraction. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2013 , 68, 161-7	6.4	53
148	Anemia and associated clinical outcomes in patients with heart failure due to reduced left ventricular systolic function. <i>Clinical Cardiology</i> , 2013 , 36, 611-20	3.3	16
147	Secondary prevention of atherosclerotic cardiovascular disease in older adults: a scientific statement from the American Heart Association. <i>Circulation</i> , 2013 , 128, 2422-46	16.7	130
146	Exercise training improves heart rate variability in older patients with heart failure: a randomized, controlled, single-blinded trial. <i>Congestive Heart Failure</i> , 2012 , 18, 192-7		32
145	Impact of the look AHEAD intervention on NT-pro brain natriuretic peptide in overweight and obese adults with diabetes. <i>Obesity</i> , 2012 , 20, 1511-8	8	22
144	6-min walk test provides prognostic utility comparable to cardiopulmonary exercise testing in ambulatory outpatients with systolic heart failure. <i>Journal of the American College of Cardiology</i> , 2012 , 60, 2653-61	15.1	125
143	Usefulness of Doppler echocardiographic left ventricular diastolic function and peak exercise oxygen consumption to predict cardiovascular outcomes in patients with systolic heart failure (from HF-ACTION). <i>American Journal of Cardiology</i> , 2012 , 110, 862-9	3	7
142	Effect of endurance training on the determinants of peak exercise oxygen consumption in elderly patients with stable compensated heart failure and preserved ejection fraction. <i>Journal of the American College of Cardiology</i> , 2012 , 60, 120-8	15.1	194

141	Reliability of peak exercise testing in patients with heart failure with preserved ejection fraction. <i>American Journal of Cardiology</i> , 2012 , 110, 1809-13	3	24
140	Relation between volume of exercise and clinical outcomes in patients with heart failure. <i>Journal of the American College of Cardiology</i> , 2012 , 60, 1899-905	15.1	120
139	Frailty and multiple comorbidities in the elderly patient with heart failure: implications for management. <i>Heart Failure Reviews</i> , 2012 , 17, 581-8	5	113
138	EACPR/AHA Scientific Statement. Clinical recommendations for cardiopulmonary exercise testing data assessment in specific patient populations. <i>Circulation</i> , 2012 , 126, 2261-74	16.7	396
137	Galectin-3 in ambulatory patients with heart failure: results from the HF-ACTION study. <i>Circulation: Heart Failure</i> , 2012 , 5, 72-8	7.6	173
136	Sex differences in clinical characteristics and outcomes in elderly patients with heart failure and preserved ejection fraction: the Irbesartan in Heart Failure with Preserved Ejection Fraction (I-PRESERVE) trial. <i>Circulation: Heart Failure</i> , 2012 , 5, 571-8	7.6	129
135	Airflow obstruction, lung function, and risk of incident heart failure: the Atherosclerosis Risk in Communities (ARIC) study. <i>European Journal of Heart Failure</i> , 2012 , 14, 414-22	12.3	73
134	Factors related to morbidity and mortality in patients with chronic heart failure with systolic dysfunction: the HF-ACTION predictive risk score model. <i>Circulation: Heart Failure</i> , 2012 , 5, 63-71	7.6	153
133	Lipopolysaccharide-binding protein, a surrogate marker of microbial translocation, is associated with physical function in healthy older adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2012 , 67, 1212-8	6.4	57
132	Heart rate response to a timed walk and cardiovascular outcomes in older adults: the cardiovascular health study. <i>Cardiology</i> , 2012 , 122, 69-75	1.6	4
131	Subclinical, hemodynamic, and echocardiographic abnormalities of high pulse pressure in hypertensive and non-hypertensive adults. <i>American Journal of Cardiovascular Disease</i> , 2012 , 2, 309-17	0.9	5
130	Exercise intolerance. <i>Cardiology Clinics</i> , 2011 , 29, 461-77	2.5	18
129	Understanding results of trials in heart failure with preserved ejection fraction: remembering forgotten lessons and enduring principles. <i>Journal of the American College of Cardiology</i> , 2011 , 57, 1687-9	15.1	12
128	Determinants of exercise intolerance in elderly heart failure patients with preserved ejection fraction. <i>Journal of the American College of Cardiology</i> , 2011 , 58, 265-74	15.1	263
127	The relationship between serum markers of collagen turnover and cardiovascular outcome in the elderly: the Cardiovascular Health Study. <i>Circulation: Heart Failure</i> , 2011 , 4, 733-9	7.6	48
126	Relationship of technetium-99m tetrofosmin-gated rest single-photon emission computed tomography myocardial perfusion imaging to death and hospitalization in heart failure patients: results from the nuclear ancillary study of the HF-ACTION trial. <i>American Heart Journal</i> , 2011 , 161, 1038-45	4.9	6
125	Relation among body mass index, exercise training, and outcomes in chronic systolic heart failure. <i>American Journal of Cardiology</i> , 2011 , 108, 1754-9	3	34
124	Evaluation of the efficacy and safety of RLY5016, a polymeric potassium binder, in a double-blind, placebo-controlled study in patients with chronic heart failure (the PEARL-HF) trial. <i>European Heart Journal</i> , 2011 , 32, 820-8	9.5	259

123	Body mass index and adverse cardiovascular outcomes in heart failure patients with preserved ejection fraction: results from the Irbesartan in Heart Failure with Preserved Ejection Fraction (I-PRESERVE) trial. <i>Circulation: Heart Failure</i> , 2011 , 4, 324-31	7.6	168
122	Chronotropic incompetence: causes, consequences, and management. <i>Circulation</i> , 2011 , 123, 1010-20	16.7	365
121	The effect of intentional weight loss on all-cause mortality in older adults: results of a randomized controlled weight-loss trial. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 839-46	7	55
120	Age disparities in heart failure research. <i>JAMA - Journal of the American Medical Association</i> , 2010 , 304, 1950-1	27.4	44
119	Exercise training in older patients with heart failure and preserved ejection fraction: a randomized, controlled, single-blind trial. <i>Circulation: Heart Failure</i> , 2010 , 3, 659-67	7.6	256
118	A randomized double-blind trial of enalapril in older patients with heart failure and preserved ejection fraction: effects on exercise tolerance and arterial distensibility. <i>Circulation: Heart Failure</i> , 2010 , 3, 477-85	7.6	103
117	The effect of randomization to weight loss on total mortality in older overweight and obese adults: the ADAPT Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2010 , 65, 519-25	6.4	81
116	The restoration of chronotropic competence in heart failure patients with normal ejection fraction (RESET) study: rationale and design. <i>Journal of Cardiac Failure</i> , 2010 , 16, 17-24	3.3	36
115	Decreased left ventricular distensibility in response to postural change in older patients with heart failure and preserved ejection fraction. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010 , 299, H883-9	5.2	20
114	Diastolic function: a barometer for cardiovascular risk?. <i>Anesthesiology</i> , 2010 , 112, 1303-6	4.3	17
113	Association between elevated fibrosis markers and heart failure in the elderly: the cardiovascular health study. <i>Circulation: Heart Failure</i> , 2009 , 2, 303-10	7.6	100
112	Effects of exercise training on health status in patients with chronic heart failure: HF-ACTION randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2009 , 301, 1451-9	27.4	493
111	Efficacy and safety of exercise training in patients with chronic heart failure: HF-ACTION randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2009 , 301, 1439-50	27.4	1259
110	Effect of aldosterone antagonism on exercise tolerance, Doppler diastolic function, and quality of life in older women with diastolic heart failure. <i>Congestive Heart Failure</i> , 2009 , 15, 68-74		25
109	Adverse effect of increased left ventricular wall thickness on five year outcomes of patients with negative dobutamine stress. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009 , 11, 25	6.9	12
108	Reduced peripheral arterial blood flow with preserved cardiac output during submaximal bicycle exercise in elderly heart failure. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009 , 11, 48	6.9	25
107	Endurance exercise training in older patients with heart failure: results from a randomized, controlled, single-blind trial. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 1982-9	5.6	47
106	Myocardial perfusion, function, and dyssynchrony in patients with heart failure: baseline results from the single-photon emission computed tomography imaging ancillary study of the Heart Failure and A Controlled Trial Investigating Outcomes of Exercise TraiNing (HF-ACTION) Trial. <i>American Heart Journal</i> , 2009 , 158, 653-63	4.9	16

105	Relationship of Doppler-Echocardiographic left ventricular diastolic function to exercise performance in systolic heart failure: the HF-ACTION study. <i>American Heart Journal</i> , 2009 , 158, S45-52	4.9	46
104	Relationship of age and exercise performance in patients with heart failure: the HF-ACTION study. <i>American Heart Journal</i> , 2009 , 158, S6-S15	4.9	24
103	Method for establishing authorship in a multicenter clinical trial. <i>Annals of Internal Medicine</i> , 2009 , 151, 414-20	8	19
102	Reproducibility of peak oxygen uptake and other cardiopulmonary exercise testing parameters in patients with heart failure (from the Heart Failure and A Controlled Trial Investigating Outcomes of exercise training). <i>American Journal of Cardiology</i> , 2008 , 102, 712-7	3	84
101	American Society of Echocardiography Consensus Statement on the Clinical Applications of Ultrasonic Contrast Agents in Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2008 , 21, 1179-201; quiz 1281	5.8	343
100	Exercise intolerance. <i>Heart Failure Clinics</i> , 2008 , 4, 99-115	3.3	38
99	Relationship of physical function to vastus lateralis capillary density and metabolic enzyme activity in elderly men and women. <i>Aging Clinical and Experimental Research</i> , 2008 , 20, 302-9	4.8	18
98	Exercise Intolerance in Diastolic Heart Failure 2008 , 203-213		
97	Progressive diastolic dysfunction in the female mRen(2). Lewis rat: influence of salt and ovarian hormones. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2008 , 63, 3-11	6.4	37
96	Diastolic dysfunction: one piece of the heart failure with normal ejection fraction puzzle. <i>Circulation</i> , 2008 , 117, 2044-6	16.7	14
95	Diastolic heart failure in the elderly. <i>Clinics in Geriatric Medicine</i> , 2007 , 23, 83-106	3.8	17
94	Ventricular structure and function in hypertensive participants with heart failure and a normal ejection fraction: the Cardiovascular Health Study. <i>Journal of the American College of Cardiology</i> , 2007 , 49, 972-81	15.1	143
93	Leg flow-mediated arterial dilation in elderly patients with heart failure and normal left ventricular ejection fraction. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007 , 292, H1427-34	5.2	66
92	Hospitalizations due to unstable angina pectoris in diastolic and systolic heart failure. <i>American Journal of Cardiology</i> , 2007 , 99, 460-4	3	26
91	Prevalence and management of chronotropic incompetence in heart failure. <i>Current Cardiology Reports</i> , 2007 , 9, 229-35	4.2	39
90	Genome-wide linkage mapping for valve calcification susceptibility loci in hypertensive sibships: the Hypertension Genetic Epidemiology Network Study. <i>Hypertension</i> , 2007 , 49, 453-60	8.5	31
89	Assessment of the interaction of heritability of volume load and left ventricular mass: the HyperGEN offspring study. <i>Journal of Hypertension</i> , 2007 , 25, 1397-402	1.9	11
88	Heart failure and a controlled trial investigating outcomes of exercise training (HF-ACTION): design and rationale. <i>American Heart Journal</i> , 2007 , 153, 201-11	4.9	174

87	Long-term costs and resource use in elderly participants with congestive heart failure in the Cardiovascular Health Study. <i>American Heart Journal</i> , 2007 , 153, 245-52	4.9	78
86	VE/VCO ₂ slope in older heart failure patients with normal versus reduced ejection fraction compared with age-matched healthy controls. <i>Journal of Cardiac Failure</i> , 2007 , 13, 259-62	3.3	28
85	Diastolic heart failure in the elderly. <i>Heart Failure Clinics</i> , 2007 , 3, 437-53	3.3	14
84	Heart failure: a rose by any other name?. <i>Congestive Heart Failure</i> , 2006 , 12, 166-8		8
83	Left atrial volume, geometry, and function in systolic and diastolic heart failure of persons > or =65 years of age (the cardiovascular health study). <i>American Journal of Cardiology</i> , 2006 , 97, 83-9	3	249
82	Effect of losartan and hydrochlorothiazide on exercise tolerance in exertional hypertension and left ventricular diastolic dysfunction. <i>American Journal of Cardiology</i> , 2006 , 98, 383-5	3	40
81	Growth hormone replacement attenuates diastolic dysfunction and cardiac angiotensin II expression in senescent rats. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2006 , 61, 28-35	6.4	67
80	Costs for heart failure with normal vs reduced ejection fraction. <i>Archives of Internal Medicine</i> , 2006 , 166, 112-8		93
79	Effects of digoxin on morbidity and mortality in diastolic heart failure: the ancillary digitalis investigation group trial. <i>Circulation</i> , 2006 , 114, 397-403	16.7	437
78	The association of alcohol consumption and incident heart failure: the Cardiovascular Health Study. <i>Journal of the American College of Cardiology</i> , 2006 , 48, 305-11	15.1	97
77	Outcomes in ambulatory chronic systolic and diastolic heart failure: a propensity score analysis. <i>American Heart Journal</i> , 2006 , 152, 956-66	4.9	57
76	Congestive heart failure incidence and prognosis: case identification using central adjudication versus hospital discharge diagnoses. <i>Annals of Epidemiology</i> , 2006 , 16, 115-22	6.4	46
75	Chronotropic incompetence and its contribution to exercise intolerance in older heart failure patients. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2006 , 26, 86-9		110
74	The relationship of a 6-min walk to VO ₂ peak and VT in older heart failure patients. <i>Medicine and Science in Sports and Exercise</i> , 2006 , 38, 1047-53	1.2	24
73	Abdominal obesity is an independent risk factor for chronic heart failure in older people. <i>Journal of the American Geriatrics Society</i> , 2006 , 54, 413-20	5.6	142
72	Left ventricular concentric geometry is associated with impaired relaxation in hypertension: the HyperGEN study. <i>European Heart Journal</i> , 2005 , 26, 1039-45	9.5	83
71	The effect of alagebrium chloride (ALT-711), a novel glucose cross-link breaker, in the treatment of elderly patients with diastolic heart failure. <i>Journal of Cardiac Failure</i> , 2005 , 11, 191-5	3.3	245
70	A genome scan for linkage with aortic root diameter in hypertensive African Americans and whites in the Hypertension Genetic Epidemiology Network (HyperGEN) study. <i>American Journal of Hypertension</i> , 2005 , 18, 627-32	2.3	4

69	Aortic valve sclerosis is associated with preclinical cardiovascular disease in hypertensive adults: the Hypertension Genetic Epidemiology Network study. <i>Journal of Hypertension</i> , 2005 , 23, 867-73	1.9	23
68	Contribution of left ventricular diastolic dysfunction to heart failure regardless of ejection fraction. <i>American Journal of Cardiology</i> , 2005 , 95, 603-6	3	97
67	Exercise intolerance. <i>Progress in Cardiovascular Diseases</i> , 2005 , 47, 367-79	8.5	28
66	Body composition and fat distribution influence systemic hemodynamics in the absence of obesity: the HyperGEN Study. <i>American Journal of Clinical Nutrition</i> , 2005 , 81, 757-61	7	31
65	Survival associated with two sets of diagnostic criteria for congestive heart failure. <i>American Journal of Epidemiology</i> , 2004 , 160, 628-35	3.8	62
64	Differences in left ventricular structure between black and white hypertensive adults: the Hypertension Genetic Epidemiology Network study. <i>Hypertension</i> , 2004 , 43, 1182-8	8.5	155
63	Effect of candesartan and verapamil on exercise tolerance in diastolic dysfunction. <i>Journal of Cardiovascular Pharmacology</i> , 2004 , 43, 288-93	3.1	47
62	Association of inappropriate left ventricular mass with systolic and diastolic dysfunctionThe HyperGEN study. <i>American Journal of Hypertension</i> , 2004 , 17, 828-833	2.3	35
61	Increased left ventricular mass is a risk factor for the development of a depressed left ventricular ejection fraction within five years: the Cardiovascular Health Study. <i>Journal of the American College of Cardiology</i> , 2004 , 43, 2207-15	15.1	257
60	Association of inappropriate left ventricular mass with systolic and diastolic dysfunction: the HyperGEN study. <i>American Journal of Hypertension</i> , 2004 , 17, 828-33	2.3	15
59	Exercise responses of elderly patients with diastolic versus systolic heart failure. <i>Medicine and Science in Sports and Exercise</i> , 2003 , 35, 1477-85	1.2	28
58	Influence of fat-free mass on detection of appropriateness of left ventricular mass: the HyperGEN Study. <i>Journal of Hypertension</i> , 2003 , 21, 1747-52	1.9	7
57	Associations of aortic and mitral regurgitation with body composition and myocardial energy expenditure in adults with hypertension: the Hypertension Genetic Epidemiology Network study. <i>American Heart Journal</i> , 2003 , 145, 1071-7	4.9	20
56	Challenges and controversies in the prevention and treatment of cardiovascular disease in very elderly patients. <i>The American Journal of Geriatric Cardiology</i> , 2003 , 12, 343		
55	President's message. I recall a moment about 16 years ago. <i>The American Journal of Geriatric Cardiology</i> , 2003 , 12, 335-6		
54	Blood pressure responses to acute stress and left ventricular mass (The Hypertension Genetic Epidemiology Network Study). <i>American Journal of Cardiology</i> , 2002 , 89, 536-40	3	18
53	Gender difference in diastolic function in hypertension (the HyperGEN study). <i>American Journal of Cardiology</i> , 2002 , 89, 1052-6	3	54
52	Relation of aortic distensibility determined by magnetic resonance imaging in patients > or =60 years of age to systolic heart failure and exercise capacity. <i>American Journal of Cardiology</i> , 2002 , 90, 1221-5	3	80

51	Diastolic heart failure in the elderly. <i>Heart Failure Reviews</i> , 2002 , 7, 17-27	5	77
50	Sibling resemblance for left ventricular structure, contractility, and diastolic filling. <i>Hypertension</i> , 2002 , 40, 233-8	8.5	16
49	Pathophysiological characterization of isolated diastolic heart failure in comparison to systolic heart failure. <i>JAMA - Journal of the American Medical Association</i> , 2002 , 288, 2144-50	27.4	621
48	Outcome of congestive heart failure in elderly persons: influence of left ventricular systolic function. The Cardiovascular Health Study. <i>Annals of Internal Medicine</i> , 2002 , 137, 631-9	8	346
47	Association of left ventricular hypertrophy with metabolic risk factors: the HyperGEN study. <i>Journal of Hypertension</i> , 2002 , 20, 323-31	1.9	128
46	Appetite suppressants and valvular heart disease in a population-based sample: the HyperGEN study. <i>American Journal of Medicine</i> , 2002 , 112, 710-5	2.4	26
45	Linkage of left ventricular early diastolic peak filling velocity to chromosome 5 in hypertensive African Americans: the HyperGEN echocardiography study. <i>American Journal of Hypertension</i> , 2002 , 15, 621-7	2.3	12
44	Relation of insulin to left ventricular geometry and function in African American and white hypertensive adults: the HyperGEN study. <i>American Journal of Hypertension</i> , 2002 , 15, 1029-35	2.3	20
43	Review: angiotensin-receptor blockers do not reduce mortality or hospitalization rates in heart failure. <i>ACP Journal Club</i> , 2002 , 137, 48		
42	Review: Angiotensin-receptor blockers do not reduce mortality or hospitalization rates in heart failure. <i>ACP Journal Club</i> , 2002 , 137, 48		
41	Importance of heart failure with preserved systolic function in patients > or = 65 years of age. CHS Research Group. Cardiovascular Health Study. <i>American Journal of Cardiology</i> , 2001 , 87, 413-9	3	492
40	Determination of femoral artery endothelial function by phase contrast magnetic resonance imaging. <i>American Journal of Cardiology</i> , 2001 , 88, 1070-4	3	8
39	Relation of various degrees of body mass index in patients with systemic hypertension to left ventricular mass, cardiac output, and peripheral resistance (The Hypertension Genetic Epidemiology Network Study). <i>American Journal of Cardiology</i> , 2001 , 88, 1163-8	3	98
38	Left ventricular diastolic filling response to stationary bicycle exercise during pregnancy and the postpartum period. <i>American Journal of Obstetrics and Gynecology</i> , 2001 , 185, 822-7	6.4	8
37	Left ventricular systolic dysfunction in a biracial sample of hypertensive adults: The Hypertension Genetic Epidemiology Network (HyperGEN) Study. <i>Hypertension</i> , 2001 , 38, 417-23	8.5	59
36	Aortic root dilatation at sinuses of valsalva and aortic regurgitation in hypertensive and normotensive subjects: The Hypertension Genetic Epidemiology Network Study. <i>Hypertension</i> , 2001 , 37, 1229-35	8.5	112
35	Relationship between left ventricular diastolic relaxation and systolic function in hypertension: The Hypertension Genetic Epidemiology Network (HyperGEN) Study. <i>Hypertension</i> , 2001 , 38, 424-8	8.5	44
34	Effect of type 2 diabetes mellitus on left ventricular geometry and systolic function in hypertensive subjects: Hypertension Genetic Epidemiology Network (HyperGEN) study. <i>Circulation</i> , 2001 , 103, 102-7	16.7	255

33	Therapy for diastolic heart failure: on the road from myths to multicenter trials. <i>Journal of Cardiac Failure</i> , 2001 , 7, 229-31	3.3	15
32	Cardiac cycle-dependent changes in aortic area and distensibility are reduced in older patients with isolated diastolic heart failure and correlate with exercise intolerance. <i>Journal of the American College of Cardiology</i> , 2001 , 38, 796-802	15.1	309
31	The pathogenesis of acute pulmonary edema associated with hypertension. <i>New England Journal of Medicine</i> , 2001 , 344, 17-22	59.2	548
30	A technique for performing transesophageal echocardiography in patients with Zenker® diverticulum. <i>Echocardiography</i> , 2000 , 17, 447-9	1.5	7
29	Prediction of peak oxygen uptake from cycle exercise test work level in heart failure patients ≥ 65 years of age. <i>American Journal of Cardiology</i> , 2000 , 85, 1385-7	3	4
28	Efficacy and safety of the novel ultrasound contrast agent perflutren (definity) in patients with suboptimal baseline left ventricular echocardiographic images. <i>American Journal of Cardiology</i> , 2000 , 86, 669-74	3	134
27	Diastolic dysfunction as a cause of exercise intolerance. <i>Heart Failure Reviews</i> , 2000 , 5, 301-6	5	67
26	Normal Age-Related Changes in the Heart: Relevance to Echocardiography in the Elderly. <i>The American Journal of Geriatric Cardiology</i> , 2000 , 9, 311-320		5
25	Infusion versus bolus contrast echocardiography: a multicenter, open-label, crossover trial. <i>American Heart Journal</i> , 2000 , 139, 399-404	4.9	46
24	Safety assessment of perflenenapent emulsion for echocardiographic contrast enhancement in patients with congestive heart failure or chronic obstructive pulmonary disease. <i>American Heart Journal</i> , 2000 , 139, 1077-80	4.9	10
23	Diastolic dysfunction in the elderly. Genesis and diagnostic and therapeutic implications. <i>Cardiology Clinics</i> , 2000 , 18, 597-617, x	2.5	40
22	Heart failure with normal systolic function. <i>Clinics in Geriatric Medicine</i> , 2000 , 16, 489-512	3.8	28
21	Predictors of congestive heart failure in the elderly: the Cardiovascular Health Study. <i>Journal of the American College of Cardiology</i> , 2000 , 35, 1628-37	15.1	704
20	Utility of fast cine magnetic resonance imaging and display for the detection of myocardial ischemia in patients not well suited for second harmonic stress echocardiography. <i>Circulation</i> , 1999 , 100, 1697-702	16.7	270
19	Association of aortic-valve sclerosis with cardiovascular mortality and morbidity in the elderly. <i>New England Journal of Medicine</i> , 1999 , 341, 142-7	59.2	938
18	Aerobic exercise training can reverse age-related peripheral circulatory changes in healthy older men. <i>Circulation</i> , 1999 , 100, 1085-94	16.7	157
17	Losartan improves exercise tolerance in patients with diastolic dysfunction and a hypertensive response to exercise. <i>Journal of the American College of Cardiology</i> , 1999 , 33, 1567-72	15.1	190
16	Evaluation of left ventricular diastolic function from the pattern of left ventricular filling. <i>Clinical Cardiology</i> , 1998 , 21, 5-9	3.3	36

15	Left ventricular diastolic filling in the elderly: the cardiovascular health study. <i>American Journal of Cardiology</i> , 1998 , 82, 345-51	3	124
14	Phase III multicenter trial comparing the efficacy of 2% dodecafluoropentane emulsion (EchoGen) and sonicated 5% human albumin (Albunex) as ultrasound contrast agents in patients with suboptimal echocardiograms. <i>Journal of the American College of Cardiology</i> , 1998 , 32, 230-6	15.1	92
13	Clinical factors associated with calcific aortic valve disease. Cardiovascular Health Study. <i>Journal of the American College of Cardiology</i> , 1997 , 29, 630-4	15.1	1431
12	Doppler assessment of diastolic function comes of age. <i>Journal of the American Geriatrics Society</i> , 1996 , 44, 729-32	5.6	16
11	Heart Failure in the Elderly: Systolic and Diastolic Dysfunction. <i>The American Journal of Geriatric Cardiology</i> , 1996 , 5, 20-26		2
10	Determination of left ventricular chamber stiffness from the time for deceleration of early left ventricular filling. <i>Circulation</i> , 1995 , 92, 1933-9	16.7	236
9	American Heart Association 67th Annual Scientific Sessions Abstract Reviews, Dallas, Texas, November, 1994. <i>The American Journal of Geriatric Cardiology</i> , 1995 , 4, 49-54		
8	Exercise Intolerance in Patients with Heart Failure: Role of Diastolic Dysfunction 1994 , 295-302		
7	Clinical Utility of Echocardiography in Neurologic Disorders. <i>Neurologic Clinics</i> , 1993 , 11, 353-374	4.5	3
6	Age-related alterations of Doppler left ventricular filling indexes in normal subjects are independent of left ventricular mass, heart rate, contractility and loading conditions. <i>Journal of the American College of Cardiology</i> , 1991 , 18, 1243-50	15.1	169
5	Exercise intolerance in patients with heart failure and preserved left ventricular systolic function: failure of the Frank-Starling mechanism. <i>Journal of the American College of Cardiology</i> , 1991 , 17, 1065-72 ^{15.1}		563
4	Doppler left ventricular diastolic filling abnormalities in aortic stenosis and their relation to hemodynamic parameters. <i>American Journal of Cardiology</i> , 1989 , 63, 1360-8	3	34
3	Evaluation of a supervised exercise program in a geriatric population. <i>Journal of the American Geriatrics Society</i> , 1989 , 37, 348-54	5.6	46
2	Age-related changes in normal human hearts during the first 10 decades of life. Part II (Maturity): A quantitative anatomic study of 765 specimens from subjects 20 to 99 years old. <i>Mayo Clinic Proceedings</i> , 1988 , 63, 137-46	6.4	344
1	Age-related changes in normal human hearts during the first 10 decades of life. Part I (Growth): A quantitative anatomic study of 200 specimens from subjects from birth to 19 years old. <i>Mayo Clinic Proceedings</i> , 1988 , 63, 126-36	6.4	128