

Guillermo Rein

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1056467/publications.pdf>

Version: 2024-02-01

174
papers

7,346
citations

47006

47
h-index

71685

76
g-index

180
all docs

180
docs citations

180
times ranked

4914
citing authors

#	ARTICLE	IF	CITATIONS
1	Fire dynamics inside a large and open-plan compartment with exposed timber ceiling and columns: CodeRed #01 . <i>Fire and Materials</i> , 2023, 47, 542-568.	2.0	11
2	Impact of ventilation on the fire dynamics of an open-plan compartment with exposed timber ceiling and columns: CodeRed #02 . <i>Fire and Materials</i> , 2023, 47, 569-596.	2.0	6
3	Fire Experiment Inside a Very Large and Open-Plan Compartment: x-ONE. <i>Fire Technology</i> , 2022, 58, 905-939.	3.0	14
4	Smouldering and its transition to flaming combustion of polyurethane foam: An experimental study. <i>Fuel</i> , 2022, 309, 122249.	6.4	9
5	Heat transfer effects on accelerating rate calorimetry of the thermal runaway of Lithium-ion batteries. <i>Chemical Engineering Research and Design</i> , 2022, 162, 684-693.	5.6	23
6	Experimental study of the effect of the state of charge on self-heating ignition of large ensembles of lithium-ion batteries in storage. <i>Applied Thermal Engineering</i> , 2022, 212, 118621.	6.0	7
7	Thermal Response of Timber Slabs Exposed to Travelling Fires and Traditional Design Fires. <i>Fire Technology</i> , 2021, 57, 393-414.	3.0	14
8	Influence of wind and slope on multidimensional smouldering peat fires. <i>Proceedings of the Combustion Institute</i> , 2021, 38, 5033-5041.	3.9	3
9	Experimental and computational study of smoke dynamics from multiple fire sources inside a large-volume building. <i>Building Simulation</i> , 2021, 14, 1147-1161.	5.6	10
10	Using cellular automata to simulate field-scale flaming and smouldering wildfires in tropical peatlands. <i>Proceedings of the Combustion Institute</i> , 2021, 38, 5119-5127.	3.9	8
11	A multi-step reaction scheme to simulate self-heating ignition of coal: Effects of oxygen adsorption and smouldering combustion. <i>Proceedings of the Combustion Institute</i> , 2021, 38, 4717-4725.	3.9	12
12	Ignition and Burning of Fibreboard Exposed to Transient Irradiation. <i>Fire Technology</i> , 2021, 57, 1095-1113.	3.0	6
13	Spontaneous ignition of soils: a multi-step reaction scheme to simulate self-heating ignition of smouldering peat fires. <i>International Journal of Wildland Fire</i> , 2021, 30, 440-453.	2.4	9
14	Laboratory study on the suppression of smouldering peat wildfires: effects of flow rate and wetting agent. <i>International Journal of Wildland Fire</i> , 2021, 30, 378-390.	2.4	15
15	Propensity to self-heating ignition of open-circuit pouch lithium-ion battery pile on a hot boundary. <i>Fire Safety Journal</i> , 2021, 120, 103081.	3.1	11
16	Numerical study of scale effects on self-heating ignition of lithium-ion batteries stored in boxes, shelves and racks. <i>Applied Thermal Engineering</i> , 2021, 190, 116780.	6.0	14
17	Anisotropic and homogeneous model of heat transfer for self-heating ignition of large ensembles of lithium-ion batteries during storage. <i>Applied Thermal Engineering</i> , 2021, 197, 117301.	6.0	10
18	Self-heating ignition of large ensembles of Lithium-ion batteries during storage with different states of charge and cathodes. <i>Applied Thermal Engineering</i> , 2021, 197, 117349.	6.0	14

#	ARTICLE	IF	CITATIONS
19	Smouldering wildfires in peatlands, forests and the arctic: Challenges and perspectives. <i>Current Opinion in Environmental Science and Health</i> , 2021, 24, 100296.	4.1	29
20	Effect of oxygen on the burning rate of wood. <i>Combustion and Flame</i> , 2021, 234, 111591.	5.2	26
21	Analysis of the Thermomechanical Response of Structural Cables Subject to Fire. <i>Fire Technology</i> , 2020, 56, 515-543.	3.0	21
22	Haze emissions from smouldering peat: The roles of inorganic content and bulk density. <i>Fire Safety Journal</i> , 2020, 113, 102940.	3.1	8
23	Thermal and oxidative decomposition of bitumen at the Microscale: Kinetic inverse modelling. <i>Fuel</i> , 2020, 264, 116704.	6.4	22
24	Role of optimisation method on kinetic inverse modelling of biomass pyrolysis at the microscale. <i>Fuel</i> , 2020, 262, 116251.	6.4	34
25	Flame extension and the near field under the ceiling for travelling fires inside large compartments. <i>Fire and Materials</i> , 2020, 44, 423-436.	2.0	14
26	Reduced chemical kinetics for microscale pyrolysis of softwood and hardwood. <i>Bioresource Technology</i> , 2020, 301, 122619.	9.6	19
27	Acceptance Criteria for Unbonded Post-Tensioned Concrete Exposed to Travelling and Traditional Design Fires. <i>Fire Technology</i> , 2020, 56, 1229-1252.	3.0	2
28	Smoldering propensity in upholstered furniture: Effects of mock-up configuration and foam thickness. <i>Applied Thermal Engineering</i> , 2020, 181, 115873.	6.0	7
29	Spatially resolved horizontal spread in smouldering peat combining infrared and visual diagnostics. <i>Combustion and Flame</i> , 2020, 220, 328-336.	5.2	7
30	Experimental Study of Self-heating Ignition of Lithium-Ion Batteries During Storage: Effect of the Number of Cells. <i>Fire Technology</i> , 2020, 56, 2649-2669.	3.0	33
31	A multiscale model of wood pyrolysis in fire to study the roles of chemistry and heat transfer at the mesoscale. <i>Combustion and Flame</i> , 2020, 216, 316-325.	5.2	51
32	Numerical Study of Self-Heating Ignition of a Box of Lithium-Ion Batteries During Storage. <i>Fire Technology</i> , 2020, 56, 2603-2621.	3.0	14
33	Unexpected Oscillations in Fire Modelling Inside a Long Tunnel. <i>Fire Technology</i> , 2020, 56, 1937-1941.	3.0	2
34	Influence of soil conditions on the multidimensional spread of smouldering combustion in shallow layers. <i>Combustion and Flame</i> , 2020, 214, 361-370.	5.2	22
35	Computational study on self-heating ignition and smouldering spread of coal layers in flat and wedge hot plate configurations. <i>Combustion and Flame</i> , 2020, 214, 346-357.	5.2	13
36	Reviewâ€™Meta-Review of Fire Safety of Lithium-Ion Batteries: Industry Challenges and Research Contributions. <i>Journal of the Electrochemical Society</i> , 2020, 167, 090559.	2.9	92

#	ARTICLE	IF	CITATIONS
37	Transient gas and particle emissions from smouldering combustion of peat. Proceedings of the Combustion Institute, 2019, 37, 4035-4042.	3.9	38
38	Convective ignition of polymers: New apparatus and application to a thermoplastic polymer. Proceedings of the Combustion Institute, 2019, 37, 4193-4200.	3.9	8
39	Upward-and-downward spread of smoldering peat fire. Proceedings of the Combustion Institute, 2019, 37, 4025-4033.	3.9	78
40	Probabilistic Study of the Resistance of a Simply-Supported Reinforced Concrete Slab According to Eurocode Parametric Fire. Fire Technology, 2019, 55, 1377-1404.	3.0	15
41	Review of the Transition From Smouldering to Flaming Combustion in Wildfires. Frontiers in Mechanical Engineering, 2019, 5, .	1.8	61
42	Experimental study of moisture content effects on the transient gas and particle emissions from peat fires. Combustion and Flame, 2019, 209, 408-417.	5.2	28
43	Experimental measurement of particle size effects on the self-heating ignition of biomass piles: Homogeneous samples of dust and pellets. Fuel, 2019, 256, 115838.	6.4	29
44	Computational study of how inert additives affect the flammability of a polymer. Fire Safety Journal, 2019, 106, 189-196.	3.1	7
45	Simulation of fingering behavior in smoldering combustion using a cellular automaton. Physical Review E, 2019, 99, 023314.	2.1	3
46	Quantifying self-heating ignition of biochar as a function of feedstock and the pyrolysis reactor temperature. Fuel, 2019, 236, 201-213.	6.4	32
47	Review and Validation of the Current Smoke Plume Entrainment Models for Large-Volume Buildings. Fire Technology, 2019, 55, 789-816.	3.0	12
48	Heterogeneous kinetics of timber charring at the microscale. Journal of Analytical and Applied Pyrolysis, 2019, 138, 1-9.	5.5	29
49	The effect of chemical composition on the charring of wood across scales. Proceedings of the Combustion Institute, 2019, 37, 4053-4061.	3.9	72
50	Computational analysis of thermal and structural failure criteria of a multi-storey steel frame exposed to fire. Engineering Structures, 2019, 180, 524-543.	5.3	24
51	Computer simulation of sunlight concentration due to façade shape: application to the 2013 Death Ray at Fenchurch Street, London. Journal of Building Performance Simulation, 2019, 12, 378-387.	2.0	4
52	A computational model to simulate self-heating ignition across scales, configurations, and coal origins. Fuel, 2019, 236, 1100-1109.	6.4	31
53	Fine Particle Emissions From Tropical Peat Fires Decrease Rapidly With Time Since Ignition. Journal of Geophysical Research D: Atmospheres, 2018, 123, 5607-5617.	3.3	21
54	Carbon Monoxide Diffusion Through Porous Walls: Evidence Found in Incidents and Experimental Studies. Frontiers in Built Environment, 2018, 4, .	2.3	2

#	ARTICLE	IF	CITATIONS
55	The Role of Heat Transfer Limitations in Polymer Pyrolysis at the Microscale. <i>Frontiers in Mechanical Engineering</i> , 2018, 4, .	1.8	27
56	Review of emissions from smouldering peat fires and their contribution to regional haze episodes. <i>International Journal of Wildland Fire</i> , 2018, 27, 293.	2.4	133
57	Flammability hazards of typical fuels used in wind turbine nacelle. <i>Fire and Materials</i> , 2018, 42, 770-781.	2.0	8
58	Factors Affecting the Make-Up Air and Their Influence on the Dynamics of Atrium Fires. <i>Fire Technology</i> , 2018, 54, 1067-1091.	3.0	10
59	Self-heating behavior and ignition of shale rock. <i>Combustion and Flame</i> , 2017, 176, 213-219.	5.2	42
60	Reducing the computational requirements for simulating tunnel fires by combining multiscale modelling and multiple processor calculation. <i>Tunnelling and Underground Space Technology</i> , 2017, 64, 146-153.	6.2	25
61	Simultaneous improvements in flammability and mechanical toughening of epoxy resins through nano-silica addition. <i>Fire Safety Journal</i> , 2017, 91, 200-207.	3.1	17
62	Model parameter sensitivity and benchmarking of the explicit dynamic solver of LS-DYNA for structural analysis in case of fire. <i>Fire Safety Journal</i> , 2017, 90, 123-138.	3.1	32
63	Self-ignition of natural fuels: Can wildfires of carbon-rich soil start by self-heating?. <i>Fire Safety Journal</i> , 2017, 91, 828-834.	3.1	43
64	Structural response of a steel-frame building to horizontal and vertical travelling fires in multiple floors. <i>Fire Safety Journal</i> , 2017, 91, 542-552.	3.1	41
65	Pyrolysis kinetics and multi-objective inverse modelling of cellulose at the microscale. <i>Fire Safety Journal</i> , 2017, 91, 191-199.	3.1	49
66	Detection of landmines in peat soils by controlled smouldering combustion: Experimental proof of concept of O-Revealer. <i>Experimental Thermal and Fluid Science</i> , 2017, 88, 632-638.	2.7	4
67	Structural analysis of multi-storey steel frames exposed to travelling fires and traditional design fires. <i>Engineering Structures</i> , 2017, 150, 271-287.	5.3	42
68	Downward spread of smouldering peat fire: the role of moisture, density and oxygen supply. <i>International Journal of Wildland Fire</i> , 2017, 26, 907.	2.4	93
69	Pyrolysis and spontaneous ignition of wood under transient irradiation: Experiments and a-priori predictions. <i>Fire Safety Journal</i> , 2017, 91, 218-225.	3.1	49
70	Two-dimensional model of smouldering combustion using multi-layer cellular automaton: The role of ignition location and direction of airflow. <i>Fire Safety Journal</i> , 2017, 91, 243-251.	3.1	14
71	Fires: fund research for citizen safety. <i>Nature</i> , 2017, 551, 300-300.	27.8	10
72	IMPROVED TRAVELLING FIRES METHODOLOGY - iTFM. <i>Applications of Structural Fire Engineering</i> , 2016, , .	0.3	5

#	ARTICLE	IF	CITATIONS
73	Past and Present Post-Fire Environments. <i>Science of the Total Environment</i> , 2016, 573, 1275-1277.	8.0	25
74	Propagation probability and spread rates of self-sustained smouldering fires under controlled moisture content and bulk density conditions. <i>International Journal of Wildland Fire</i> , 2016, 25, 456.	2.4	55
75	Pyrolysis and ignition of a polymer by transient irradiation. <i>Combustion and Flame</i> , 2016, 163, 31-41.	5.2	70
76	Thermochemical conversion of biomass in smouldering combustion across scales: The roles of heterogeneous kinetics, oxygen and transport phenomena. <i>Bioresource Technology</i> , 2016, 207, 409-421.	9.6	72
77	Effects of spatial heterogeneity in moisture content on the horizontal spread of peat fires. <i>Science of the Total Environment</i> , 2016, 572, 1422-1430.	8.0	38
78	Experimental study of the formation and collapse of an overhang in the lateral spread of smouldering peat fires. <i>Combustion and Flame</i> , 2016, 168, 393-402.	5.2	78
79	Interactions of Earth's atmospheric oxygen and fuel moisture in smouldering wildfires. <i>Science of the Total Environment</i> , 2016, 572, 1440-1446.	8.0	36
80	Special Issue on Fire Model Validation. <i>Fire Technology</i> , 2016, 52, 1-4.	3.0	16
81	Biomass offsets little or none of permafrost carbon release from soils, streams, and wildfire: an expert assessment. <i>Environmental Research Letters</i> , 2016, 11, 034014.	5.2	199
82	Experimental study on the burning behaviour of <i>Pinus halepensis</i> needles using small-scale fire calorimetry of live, aged and dead samples. <i>Fire and Materials</i> , 2016, 40, 385-395.	2.0	35
83	Special Issue in Fire Hazards in Energy Systems. <i>Fire Technology</i> , 2016, 52, 285-287.	3.0	0
84	Simulating longitudinal ventilation flows in long tunnels: Comparison of full CFD and multi-scale modelling approaches in FDS6. <i>Tunnelling and Underground Space Technology</i> , 2016, 52, 119-126.	6.2	54
85	Fire Experiments and Simulations in a Full-scale Atrium Under Transient and Asymmetric Venting Conditions. <i>Fire Technology</i> , 2016, 52, 51-78.	3.0	25
86	Smoldering Combustion. , 2016, , 581-603.		62
87	Computational study of critical moisture and depth of burn in peat fires. <i>International Journal of Wildland Fire</i> , 2015, 24, 798.	2.4	61
88	On the effect of inverse modelling and compensation effects in computational pyrolysis for fire scenarios. <i>Fire Safety Journal</i> , 2015, 72, 68-76.	3.1	30
89	An experimental assessment of the ignition of forest fuels by the thermal pulse generated by the Cretaceous-Palaeogene impact at Chicxulub. <i>Journal of the Geological Society</i> , 2015, 172, 175-185.	2.1	26
90	Breakthrough in the understanding of flaming wildfires. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 9795-9796.	7.1	1

#	ARTICLE	IF	CITATIONS
91	Numerical investigation of downward smoldering combustion in an organic soil column. International Journal of Heat and Mass Transfer, 2015, 84, 253-261.	4.8	20
92	Self-sustaining smoldering combustion of coal tar for the remediation of contaminated sand: Two-dimensional experiments and computational simulations. Fuel, 2015, 150, 288-297.	6.4	29
93	Improved Formulation of Travelling Fires and Application to Concrete and Steel Structures. Structures, 2015, 3, 250-260.	3.6	60
94	Ignition of low-density expandable polystyrene foam by a hot particle. Combustion and Flame, 2015, 162, 4112-4118.	5.2	42
95	Global vulnerability of peatlands to fire and carbon loss. Nature Geoscience, 2015, 8, 11-14.	12.9	547
96	Computational smoldering combustion: Predicting the roles of moisture and inert contents in peat wildfires. Proceedings of the Combustion Institute, 2015, 35, 2673-2681.	3.9	98
97	Preface to Volume 4. , 2015, , xiii.		0
98	Forecasting wind-driven wildfires using an inverse modelling approach. Natural Hazards and Earth System Sciences, 2014, 14, 1491-1503.	3.6	21
99	Smoldering combustion of peat in wildfires: Inverse modelling of the drying and the thermal and oxidative decomposition kinetics. Combustion and Flame, 2014, 161, 1633-1644.	5.2	129
100	Even Greater than the Sum of Its Parts. Fire Technology, 2014, 50, 1-1.	3.0	8
101	Radiant Ignition of Polyurethane Foam: The Effect of Sample Size. Fire Technology, 2014, 50, 673-691.	3.0	40
102	Pyrolysis of Medium-Density Fiberboard: Optimized Search for Kinetics Scheme and Parameters via a Genetic Algorithm Driven by Kissinger's Method. Energy & Fuels, 2014, 28, 6130-6139.	5.1	165
103	Radiation emission from a heating coil or a halogen lamp on a semitransparent sample. International Journal of Thermal Sciences, 2014, 77, 223-232.	4.9	28
104	Volumetric scale-up of smoldering remediation of contaminated materials. Journal of Hazardous Materials, 2014, 268, 51-60.	12.4	57
105	Smoldering fire signatures in peat and their implications for palaeoenvironmental reconstructions. Geochimica Et Cosmochimica Acta, 2014, 137, 134-146.	3.9	58
106	Overview of Problems and Solutions in Fire Protection Engineering of Wind Turbines. Fire Safety Science, 2014, 11, 983-995.	0.3	24
107	Experimental study of radiative heat transfer in a translucent fuel sample exposed to different spectral sources. International Journal of Heat and Mass Transfer, 2013, 61, 742-748.	4.8	27
108	Influence of atrium roof geometries on the numerical predictions of fire tests under natural ventilation conditions. Energy and Buildings, 2013, 65, 382-390.	6.7	34

#	ARTICLE	IF	CITATIONS
109	Numerical Investigation of Thermal Responses of a Composite Structure in Horizontally Travelling fires Using OpenSees. <i>Procedia Engineering</i> , 2013, 62, 736-744.	1.2	7
110	Study of the competing chemical reactions in the initiation and spread of smouldering combustion in peat. <i>Proceedings of the Combustion Institute</i> , 2013, 34, 2547-2553.	3.9	90
111	9/11 World Trade Center Attacks: Lessons in Fire Safety Engineering After the Collapse of the Towers. <i>Fire Technology</i> , 2013, 49, 583-585.	3.0	4
112	Peat consumption and carbon loss due to smouldering wildfire in a temperate peatland. <i>Forest Ecology and Management</i> , 2013, 308, 169-177.	3.2	104
113	Modeling fire-induced radiative heat transfer in smoke-filled structural cavities. <i>International Journal of Thermal Sciences</i> , 2013, 66, 24-33.	4.9	4
114	Relevant model complexity for non-charring polymer pyrolysis. <i>Fire Safety Journal</i> , 2013, 61, 36-44.	3.1	52
115	Self-Sustained Smoldering Combustion of a Coal-Waste Heap in Central Scotland. , 2013, , 395-405.		0
116	Editorial: Knowing is Not Enough, We Must Apply. <i>Fire Technology</i> , 2013, 49, 3-3.	3.0	0
117	Using active systems to control tunnel fire events. <i>Proceedings of the Institution of Civil Engineers: Engineering and Computational Mechanics</i> , 2012, 165, 245-252.	0.4	0
118	Travelling fires for structural design—Part I: Literature review. <i>Fire Safety Journal</i> , 2012, 54, 74-85.	3.1	111
119	Travelling fires for structural design-Part II: Design methodology. <i>Fire Safety Journal</i> , 2012, 54, 96-112.	3.1	108
120	Comparative Study To Evaluate the Drying Kinetics of Boreal Peats from Micro to Macro Scales. <i>Energy & Fuels</i> , 2012, 26, 349-356.	5.1	12
121	Forecasting fire dynamics using inverse computational fluid dynamics and tangent linearisation. <i>Advances in Engineering Software</i> , 2012, 47, 114-126.	3.8	36
122	Kinetic investigation on the smouldering combustion of boreal peat. <i>Fuel</i> , 2012, 93, 479-485.	6.4	34
123	A novel method for simulating smoldering propagation and its application to STAR (Self-sustaining) Tj ETQq1 1 0.784314 rgBT /Overl	4.5	16
124	Self-Sustaining Smoldering Combustion for NAPL Remediation: Laboratory Evaluation of Process Sensitivity to Key Parameters. <i>Environmental Science & Technology</i> , 2011, 45, 2980-2986.	10.0	72
125	Development of the Thermal Decomposition Mechanism of Polyether Polyurethane Foam Using Both Condensed and Gas-Phase Release Data. <i>Combustion Science and Technology</i> , 2011, 183, 627-644.	2.3	30
126	Multiscale modeling of transient flows from fire and ventilation in long tunnels. <i>Computers and Fluids</i> , 2011, 51, 16-29.	2.5	52

#	ARTICLE	IF	CITATIONS
127	A Novel Multiscale Methodology for Simulating Tunnel Ventilation Flows During Fires. Fire Technology, 2011, 47, 221-253.	3.0	38
128	Guest Editorial: Wildfires, Fire Science and Fire Safety Engineering. Fire Technology, 2011, 47, 293-294.	3.0	0
129	Small-scale experiments of self-sustaining decomposition of NPK fertilizer and application to events aboard the Ostedijk in 2007. Journal of Hazardous Materials, 2011, 186, 731-737.	12.4	12
130	The influence of travelling fires on a concrete frame. Engineering Structures, 2011, 33, 1635-1642.	5.3	50
131	A posteriori modelling of the growth phase of Dalmarnock Fire Test One. Building and Environment, 2011, 46, 1065-1073.	6.9	32
132	Forecasting fire growth using an inverse zone modelling approach. Fire Safety Journal, 2011, 46, 81-88.	3.1	45
133	Numerical investigation of the ignition delay time of a translucent solid at high radiant heat fluxes. Combustion and Flame, 2011, 158, 1109-1116.	5.2	65
134	Determination of the flammability properties of polymeric materials: A novel method. Polymer Degradation and Stability, 2011, 96, 314-319.	5.8	40
135	Smoldering Combustion Phenomena and Coal Fires. , 2011, , 307-315.		9
136	Burning and Water Suppression of Smoldering Coal Fires in Small-Scale Laboratory Experiments. , 2011, , 317-326.		14
137	Forecasting Fire Growth using an Inverse CFD Modelling Approach in a Real-Scale Fire Test. Fire Safety Science, 2011, 10, 1349-1358.	0.3	6
138	Structural Engineering and Fire Dynamics: Advances at the Interface. Fire Safety Science, 2011, 10, 1563-1576.	0.3	4
139	Time-dependent Multiscale Simulations of Fire Emergencies in Longitudinally Ventilated Tunnels. Fire Safety Science, 2011, 10, 359-372.	0.3	3
140	Comparison of Pyrolysis Behavior Results between the Cone Calorimeter and the Fire Propagation Apparatus Heat Sources. Fire Safety Science, 2011, 10, 889-901.	0.3	23
141	Sensor Assisted Fire Fighting. Fire Technology, 2010, 46, 719-741.	3.0	58
142	Experimental review of the homogeneous temperature assumption in post-flashover compartment fires. Fire Safety Journal, 2010, 45, 249-261.	3.1	71
143	Analysis of the ventilation systems in the Dartford tunnels using a multi-scale modelling approach. Tunnelling and Underground Space Technology, 2010, 25, 423-432.	6.2	34
144	Increased fire activity at the Triassic/Jurassic boundary in Greenland due to climate-driven floral change. Nature Geoscience, 2010, 3, 426-429.	12.9	156

#	ARTICLE	IF	CITATIONS
145	Baseline intrinsic flammability of Earth's ecosystems estimated from paleoatmospheric oxygen over the past 350 million years. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 22448-22453.	7.1	158
146	Self-Sustaining Smoldering Combustion: A Novel Remediation Process for Non-Aqueous-Phase Liquids in Porous Media. Environmental Science & Technology, 2009, 43, 5871-5877.	10.0	89
147	Small-scale forward smoldering experiments for remediation of coal tar in inert media. Proceedings of the Combustion Institute, 2009, 32, 1957-1964.	3.9	95
148	On physical and mathematical modeling of the initiation and propagation of peat fires. Journal of Engineering Physics and Thermophysics, 2009, 82, 1235-1243.	0.6	9
149	Carbon emissions from smoldering peat in shallow and strong fronts. Proceedings of the Combustion Institute, 2009, 32, 2489-2496.	3.9	86
150	Round-robin study of a priori modelling predictions of the Dalmarnock Fire Test One. Fire Safety Journal, 2009, 44, 590-602.	3.1	84
151	Analysis of principal gas products during combustion of polyether polyurethane foam at different irradiance levels. Fire Safety Journal, 2009, 44, 933-940.	3.1	56
152	Experimental data and numerical modelling of 1.3 and 2.3MW fires in a 20m cubic atrium. Building and Environment, 2009, 44, 1827-1839.	6.9	66
153	Calculation and design of tunnel ventilation systems using a two-scale modelling approach. Building and Environment, 2009, 44, 2357-2367.	6.9	73
154	Effects of Fire Retardants and Nanofillers on the Fire Toxicity. ACS Symposium Series, 2009, , 342-366.	0.5	7
155	Forensic Analysis of Fire Induced Structural Failure. , 2009, , 363-371.		0
156	The piloted transition to flaming in smoldering fire retarded and non-fire retarded polyurethane foam. Fire and Materials, 2008, 32, 485-499.	2.0	24
157	Characterisation of Dalmarnock fire Test One. Experimental Thermal and Fluid Science, 2008, 32, 1334-1343.	2.7	61
158	The severity of smoldering peat fires and damage to the forest soil. Catena, 2008, 74, 304-309.	5.0	262
159	Study of wildfire in-draft flows for counter fire operations. WIT Transactions on Ecology and the Environment, 2008, , .	0.0	7
160	Smoldering natural fires: comparison of burning dynamics in boreal peat and Mediterranean humus. , 2008, , .		25
161	Investigation of the Fertilizer Fire aboard the Ostedijk. Fire Safety Science, 2008, 9, 1091-1101.	0.3	4
162	The Effect of Model Parameters on the Simulation of Fire Dynamics. Fire Safety Science, 2008, 9, 1341-1352.	0.3	42

#	ARTICLE	IF	CITATIONS
163	The role of secondary char oxidation in the transition from smoldering to flaming. Proceedings of the Combustion Institute, 2007, 31, 2669-2676.	3.9	32
164	Computational model of forward and opposed smoldering combustion in microgravity. Proceedings of the Combustion Institute, 2007, 31, 2677-2684.	3.9	59
165	Piloted Ignition to Flaming in Smoldering Polyurethane Foam. , 2006, , .		1
166	The application of a genetic algorithm to estimate material properties for fire modeling from bench-scale fire test data. Fire Safety Journal, 2006, 41, 204-214.	3.1	143
167	Application of genetic algorithms and thermogravimetry to determine the kinetics of polyurethane foam in smoldering combustion. Combustion and Flame, 2006, 146, 95-108.	5.2	200
168	A Comparison of Three Models for the Simulation of Accidental Fires. Journal of Fire Protection Engineering, 2006, 16, 183-209.	0.8	20
169	Modeling of one-dimensional smoldering of polyurethane in microgravity conditions. Proceedings of the Combustion Institute, 2005, 30, 2327-2334.	3.9	27
170	Transition from forward smoldering to flaming in small polyurethane foam samples. Proceedings of the Combustion Institute, 2005, 30, 2295-2302.	3.9	40
171	Forced forward smoldering experiments in microgravity. Experimental Thermal and Fluid Science, 2004, 28, 743-751.	2.7	54
172	THE EFFECT OF BUOYANCY ON OPPOSED SMOLDERING. Combustion Science and Technology, 2004, 176, 2027-2055.	2.3	41
173	Microgravity Forward Smolder Experiments in the Space Shuttle. , 2003, , .		0
174	Kinetic and fuel property effects on forward smoldering combustion. Combustion and Flame, 2000, 120, 346-358.	5.2	80