

Frank Lehner

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1056864/publications.pdf>

Version: 2024-02-01

49
papers

730
citations

567281

15
h-index

610901

24
g-index

49
all docs

49
docs citations

49
times ranked

1594
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of everolimus-based drug regimens on CMV-specific T-cell functionality after renal transplantation: 12-month ATHENA subcohort study results. <i>European Journal of Immunology</i> , 2021, 51, 943-955.	2.9	9
2	Long-term, Prolonged-release Tacrolimus-based Immunosuppression in De Novo Liver Transplant Recipients: 5-year Prospective Follow-up of Patients in the DIAMOND Study. <i>Transplantation Direct</i> , 2021, 7, e722.	1.6	1
3	Long-term, prolonged-release tacrolimus-based immunosuppression in de novo kidney transplant recipients: 5-year prospective follow-up of the ADHERE study patients. <i>Transplant International</i> , 2020, 33, 161-173.	1.6	5
4	Outcomes with Tacrolimus-Based Immunosuppression After Kidney Transplantation from Standard- and Extended-Criteria Donors – A Post Hoc Analysis of the Prospective OSAKA Study. <i>Annals of Transplantation</i> , 2020, 25, e920041.	0.9	1
5	Outcome of liver transplantation for hepatopulmonary syndrome: a Eurotransplant experience. <i>European Respiratory Journal</i> , 2019, 53, 1801096.	6.7	16
6	Treatment of cyclosporine induced hypertension: Results from a long-term observational study using different antihypertensive medications. <i>Vascular Pharmacology</i> , 2019, 115, 69-83.	2.1	15
7	Dilatation Therapy and Demographic Characteristics Significantly Influence the Amount of Propofol for Therapeutic Endoscopic Retrograde Cholangiography. <i>International Journal of Hepatology</i> , 2019, 2019, 1-6.	1.1	0
8	Everolimus in de novo kidney transplant recipients participating in the Eurotransplant senior program: Results of a prospective randomized multicenter study (SENATOR). <i>PLoS ONE</i> , 2019, 14, e0222730.	2.5	7
9	Kidney graft survival of >25 years: a single center report including associated graft biopsy results. <i>Transplant International</i> , 2019, 32, 1277-1285.	1.6	3
10	Accuracy of Pretransplant Imaging Diagnostic for Hepatocellular Carcinoma: A Retrospective German Multicenter Study. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2019, 2019, 1-9.	1.9	5
11	Psychosocial outcome and resilience after paediatric liver transplantation in young adults. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2019, 43, 155-160.	1.5	5
12	Hepatocyte-induced CD4+ T cell alloresponse is associated with major histocompatibility complex class II up-regulation on hepatocytes and suppressible by regulatory T cells. <i>Liver Transplantation</i> , 2018, 24, 407-419.	2.4	7
13	Assessment of liver ischemia reperfusion injury in mice using hepatic T ₂ mapping: Comparison with histopathology. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 48, 1586-1594.	3.4	11
14	Five-year outcomes in kidney transplant patients randomized to everolimus with cyclosporine withdrawal or low-exposure cyclosporine versus standard therapy. <i>American Journal of Transplantation</i> , 2018, 18, 2965-2976.	4.7	11
15	Identifying risk profiles in liver transplant candidates and implications for induction immunosuppression. <i>Transplantation Reviews</i> , 2018, 32, 142-150.	2.9	10
16	Assessment of acute kidney injury with T1 mapping MRI following solid organ transplantation. <i>European Radiology</i> , 2018, 28, 44-50.	4.5	35
17	Onset and progression of diabetes in kidney transplant patients receiving everolimus or cyclosporine therapy: an analysis of two randomized, multicenter trials. <i>BMC Nephrology</i> , 2018, 19, 237.	1.8	14
18	Side effects and efficacy of renal sparing immunosuppression in pediatric liver transplantation – A single center matched cohort study. <i>Pediatric Transplantation</i> , 2018, 22, e13207.	1.0	6

#	ARTICLE	IF	CITATIONS
19	Renal cell cancer after kidney transplantation. <i>Langenbeck's Archives of Surgery</i> , 2018, 403, 631-641.	1.9	10
20	Donor Dopamine Does Not Affect Liver Graft Survival: Evidence of Safety From a Randomized Controlled Trial. <i>Liver Transplantation</i> , 2018, 24, 1336-1345.	2.4	11
21	Histological findings to five years after early conversion of kidney transplant patients from cyclosporine to everolimus: an analysis from the randomized ZEUS study. <i>BMC Nephrology</i> , 2018, 19, 154.	1.8	3
22	The liver-first approach for combined lung and liver transplantation. <i>European Journal of Cardio-thoracic Surgery</i> , 2018, 54, 1122-1127.	1.4	9
23	Proposal of Two Prognostic Models for the Prediction of 10-Year Survival after Liver Resection for Colorectal Metastases. <i>HPB Surgery</i> , 2018, 2018, 1-9.	2.2	8
24	Short- and long-term effects of the use of RAAS blockers immediately after renal transplantation. <i>Blood Pressure</i> , 2017, 26, 30-38.	1.5	6
25	Patterns and challenges of treatment sequencing in patients with hepatocellular carcinoma: Experience from a German referral center. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017, 32, 1730-1738.	2.8	17
26	Everolimus with cyclosporine withdrawal or low-exposure cyclosporine in kidney transplantation from Month 3: a multicentre, randomized trial. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, 1060-1070.	0.7	31
27	The effect of adjuvant chemotherapy in patients with intrahepatic cholangiocarcinoma: a matched pair analysis. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 1347-1355.	2.5	28
28	Introduction of the resection severity index as independent risk factor limiting survival after resection of colorectal liver metastases. <i>Surgical Oncology</i> , 2017, 26, 382-388.	1.6	9
29	ADHERE: randomized controlled trial comparing ADRENAL function in <i>de novo</i> kidney transplant recipients receiving prolonged-release tacrolimus plus mycophenolate mofetil or sirolimus. <i>Transplant International</i> , 2017, 30, 83-95.	1.6	18
30	Risk Balancing of Cold Ischemic Time against Night Shift Surgery Possibly Reduces Rates of Reoperation and Perioperative Graft Loss. <i>Journal of Transplantation</i> , 2017, 2017, 1-16.	0.5	7
31	Long-term results after transplantation of pediatric liver grafts from donation after circulatory death donors. <i>PLoS ONE</i> , 2017, 12, e0175097.	2.5	22
32	Liver Transplantation for Hepatocellular Carcinoma: A Single Center Resume Overlooking Four Decades of Experience. <i>Journal of Transplantation</i> , 2016, 2016, 1-22.	0.5	3
33	Application of the Liver Maximum Function Capacity Test in Acute Liver Failure: A Helpful Tool for Decision-Making in Liver Transplantation?. <i>Case Reports in Transplantation</i> , 2016, 2016, 1-5.	0.3	1
34	Preferential accumulation of T helper cells but not cytotoxic T cells characterizes benign subclinical rejection of human liver allografts. <i>Liver Transplantation</i> , 2016, 22, 943-955.	2.4	25
35	Diffusion-Weighted imaging and diffusion tensor imaging detect delayed graft function and correlate with allograft fibrosis in patients early after kidney transplantation. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 44, 112-121.	3.4	86
36	Matched-pair analysis: identification of factors with independent influence on the development of PTLN after kidney or liver transplantation. <i>Transplantation Research</i> , 2016, 5, 6.	1.5	14

#	ARTICLE	IF	CITATIONS
37	Prognostic relevance of hematological profile before resection for colorectal liver metastases. <i>Journal of Surgical Research</i> , 2016, 206, 498-506.	1.6	10
38	High-urgency kidney transplantation in the Eurotransplant Kidney Allocation System: success or waste of organs? The Eurotransplant 15-year all-centre survey. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 1515-1522.	0.7	14
39	Liver transplantation for critically ill patients with secondary sclerosing cholangitis: Outcome and complications. <i>Liver Transplantation</i> , 2015, 21, 1295-1299.	2.4	18
40	NK Cells of Kidney Transplant Recipients Display an Activated Phenotype that Is Influenced by Immunosuppression and Pathological Staging. <i>PLoS ONE</i> , 2015, 10, e0132484.	2.5	42
41	Risk-Adjusted Analysis of Relevant Outcome Drivers for Patients after More Than Two Kidney Transplants. <i>Journal of Transplantation</i> , 2015, 2015, 1-9.	0.5	17
42	Liver Resection for Non-Colorectal Liver Metastases - Standards and Extended Indications. <i>Visceral Medicine</i> , 2015, 31, 394-398.	1.3	1
43	Functional MRI detects perfusion impairment in renal allografts with delayed graft function. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 308, F1444-F1451.	2.7	38
44	Risk Factors for Short- and Long-Term Mortality in Liver Transplant Recipients with MELD Score ≥ 30 . <i>Annals of Transplantation</i> , 2015, 20, 59-69.	0.9	25
45	Model of End-Stage Liver Disease Score and Derived Variants Lack Prognostic Ability after Liver Transplantation. <i>Annals of Transplantation</i> , 2015, 20, 441-448.	0.9	6
46	Explanted Diseased Livers – A Possible Source of Metabolic Competent Primary Human Hepatocytes. <i>PLoS ONE</i> , 2014, 9, e101386.	2.5	55
47	Efficacy and safety of conversion from cyclosporine to everolimus in living-donor kidney transplant recipients: an analysis from the ZEUS study. <i>Transplant International</i> , 2014, 27, 1192-1204.	1.6	6
48	Inhibition of the Liver Enriched Protein FOXA2 Recovers HNF6 Activity in Human Colon Carcinoma and Liver Hepatoma Cells. <i>PLoS ONE</i> , 2010, 5, e13344.	2.5	16
49	Gender-incompatible liver transplantation is not a risk factor for patient survival. <i>Liver International</i> , 2009, 29, 196-202.	3.9	13