

Brigitta Derendinger

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1056904/publications.pdf>

Version: 2024-02-01

8
papers

107
citations

1684188

5
h-index

1720034

7
g-index

9
all docs

9
docs citations

9
times ranked

115
citing authors

#	ARTICLE	IF	CITATIONS
1	An All-Oral 6-Month Regimen for Multidrug-Resistant Tuberculosis: A Multicenter, Randomized Controlled Clinical Trial (the NExT Study). <i>American Journal of Respiratory and Critical Care Medicine</i> , 2022, 205, 1214-1227.	5.6	38
2	Diagnostic Accuracy and Utility of FluoroType MTBDR, a New Molecular Assay for Multidrug-Resistant Tuberculosis. <i>Journal of Clinical Microbiology</i> , 2018, 56, .	3.9	33
3	Mycobacterial genomic DNA from used Xpert MTB/RIF cartridges can be utilised for accurate second-line genotypic drug susceptibility testing and spoligotyping. <i>Scientific Reports</i> , 2017, 7, 14854.	3.3	11
4	Detection of Second Line Drug Resistance among Drug Resistant Mycobacterium Tuberculosis Isolates in Botswana. <i>Pathogens</i> , 2019, 8, 208.	2.8	9
5	Extract from used Xpert MTB/RIF Ultra cartridges is useful for accurate second-line drug-resistant tuberculosis diagnosis with minimal rpoB-amplicon cross-contamination risk. <i>Scientific Reports</i> , 2020, 10, 2633.	3.3	6
6	Diagnostic accuracy of the FluoroType MTB and MTBDR VER 2.0 assays for the centralized high-throughput detection of Mycobacterium tuberculosis complex DNA and isoniazid and rifampicin resistance. <i>Clinical Microbiology and Infection</i> , 2021, 27, 1351.e1-1351.e4.	6.0	6
7	Frequent Suboptimal Thermocycler Ramp Rate Usage Negatively Impacts GenoType MTBDRsl VER 2.0 Performance for Second-Line Drug-Resistant Tuberculosis Diagnosis. <i>Journal of Molecular Diagnostics</i> , 2022, 24, 494-502.	2.8	4
8	Melting the <i>eis</i> : Nondetection of Kanamycin Resistance Markers by Routine Diagnostic Tests and Identification of New <i>eis</i> Promoter Variants. <i>Antimicrobial Agents and Chemotherapy</i> , 2021, 65, e0250220.	3.2	0