

Anne E Kiltie

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1056939/anne-e-kiltie-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71
papers

3,578
citations

28
h-index

59
g-index

76
ext. papers

4,163
ext. citations

7.6
avg, IF

4.28
L-index

#	Paper	IF	Citations
71	Immunofluorescence microscopy-based detection of ssDNA foci by BrdU in mammalian cells. <i>STAR Protocols</i> , 2021 , 2, 100978	1.4	
70	Ultrasound-Mediated Gemcitabine Delivery Reduces the Normal-Tissue Toxicity of Chemoradiation Therapy in a Muscle-Invasive Bladder Cancer Model. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021 , 109, 1472-1482	4	2
69	p97/VCP inhibition causes excessive MRE11-dependent DNA end resection promoting cell killing after ionizing radiation. <i>Cell Reports</i> , 2021 , 35, 109153	10.6	5
68	Evaluation of Loading Strategies to Improve Tumor Uptake of Gemcitabine in a Murine Orthotopic Bladder Cancer Model Using Ultrasound and Microbubbles. <i>Ultrasound in Medicine and Biology</i> , 2021 , 47, 1596-1615	3.5	2
67	Trimodal Therapy 2021 , 257-280		
66	SPRTN protease-cleaved MRE11 decreases DNA repair and radiosensitises cancer cells. <i>Cell Death and Disease</i> , 2021 , 12, 165	9.8	2
65	The role of dietary supplements, including biotics, glutamine, polyunsaturated fatty acids and polyphenols, in reducing gastrointestinal side effects in patients undergoing pelvic radiotherapy: A systematic review and meta-analysis. <i>Clinical and Translational Radiation Oncology</i> , 2021 , 29, 11-19	4.6	1
64	Irradiation at Ultra-High (FLASH) Dose Rates Reduces Acute Normal Tissue Toxicity in the Mouse Gastrointestinal System. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021 , 111, 1250-1261	4	11
63	The protease SPRTN and SUMOylation coordinate DNA-protein crosslink repair to prevent genome instability. <i>Cell Reports</i> , 2021 , 37, 110080	10.6	3
62	Greater utility of molecular subtype rather than epithelial-to-mesenchymal transition (EMT) markers for prognosis in high-risk non-muscle-invasive (HGT1) bladder cancer. <i>Journal of Pathology: Clinical Research</i> , 2020 , 6, 238-251	5.3	4
61	The Histone Deacetylase Inhibitor Romidepsin Spares Normal Tissues While Acting as an Effective Radiosensitizer in Bladder Tumors In Vivo. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020 , 107, 212-221	4	13
60	EAU-ESMO Consensus Statements on the Management of Advanced and Variant Bladder Cancer-An International Collaborative Multistakeholder Effort: Under the Auspices of the EAU-ESMO Guidelines Committees. <i>European Urology</i> , 2020 , 77, 223-250	10.2	60
59	Association of <i>Bacteroides acidifaciens</i> relative abundance with high-fibre diet-associated radiosensitisation. <i>BMC Biology</i> , 2020 , 18, 102	7.3	11
58	MRE11 as a Predictive Biomarker of Outcome After Radiation Therapy in Bladder Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019 , 104, 809-818	4	17
57	Isoform Expression Associated with Outcome Following Radiotherapy in Muscle-Invasive Bladder Cancer does not Alter Cell Survival and DNA Double-Strand Break Repair Following Ionising Radiation. <i>Bladder Cancer</i> , 2019 , 5, 147-157	1	1
56	The p97-Ataxin 3 complex regulates homeostasis of the DNA damage response E3 ubiquitin ligase RNF8. <i>EMBO Journal</i> , 2019 , 38, e102361	13	18
55	Mouse Models of Muscle-invasive Bladder Cancer: Key Considerations for Clinical Translation Based on Molecular Subtypes. <i>European Urology Oncology</i> , 2019 , 2, 239-247	6.7	2

54	Utility of Bladder-Sparing Therapy vs Radical Cystectomy for Muscle-Invasive Bladder Cancer. <i>JAMA Surgery</i> , 2019 , 154, 184-185	5.4	1
53	Recommendations for follow-up of muscle-invasive bladder cancer patients: A consensus by the international bladder cancer network. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 423-431	2.8	7
52	Contemporary Patterns of Multidisciplinary Care in Patients With Muscle-invasive Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2018 , 16, 213-218	3.3	10
51	Radiosensitization by Histone Deacetylase Inhibition with No Increase in Early Normal Tissue Radiation Toxicity. <i>Molecular Cancer Therapeutics</i> , 2018 , 17, 381-392	6.1	23
50	Harnessing citizen science through mobile phone technology to screen for immunohistochemical biomarkers in bladder cancer. <i>British Journal of Cancer</i> , 2018 , 119, 220-229	8.7	4
49	Neoadjuvant treatment for muscle-invasive bladder cancer: The past, the present, and the future. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 413-422	2.8	16
48	Genetic Alterations in the Molecular Subtypes of Bladder Cancer: Illustration in the Cancer Genome Atlas Dataset. <i>European Urology</i> , 2017 , 72, 354-365	10.2	126
47	E3 Ligase cIAP2 Mediates Downregulation of MRE11 and Radiosensitization in Response to HDAC Inhibition in Bladder Cancer. <i>Cancer Research</i> , 2017 , 77, 3027-3039	10.1	28
46	Crowdsourcing for translational research: analysis of biomarker expression using cancer microarrays. <i>British Journal of Cancer</i> , 2017 , 116, 237-245	8.7	9
45	No additional prognostic value for MRE11 in squamous cell carcinomas of the anus treated with chemo-radiotherapy. <i>British Journal of Cancer</i> , 2017 , 117, 322-325	8.7	5
44	Identification of a novel susceptibility locus at 13q34 and refinement of the 20p12.2 region as a multi-signal locus associated with bladder cancer risk in individuals of European ancestry. <i>Human Molecular Genetics</i> , 2016 , 25, 1203-14	5.6	20
43	Exploring multidisciplinary practice patterns in the management of muscle invasive bladder cancer (MIBC) across the U.S. and Canada in 2015.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 368-368	2.2	1
42	High-throughput DNA Sequencing Identifies Novel Variants in Muscle-invasive Bladder Cancer Patients. <i>Bladder Cancer</i> , 2015 , 1, 31-44	1	1
41	Bladder-sparing strategies for invasive bladder cancer 2015 , 158-173		
40	Words of wisdom. Re: Critical analysis of bladder sparing with trimodal therapy in muscle-invasive bladder cancer: a systematic review. <i>European Urology</i> , 2014 , 66, 597-8	10.2	1
39	Genome-wide association study yields variants at 20p12.2 that associate with urinary bladder cancer. <i>Human Molecular Genetics</i> , 2014 , 23, 5545-57	5.6	29
38	Next-generation sequencing identifies germline MRE11A variants as markers of radiotherapy outcomes in muscle-invasive bladder cancer. <i>Annals of Oncology</i> , 2014 , 25, 877-883	10.3	32
37	Deoxycytidine kinase expression underpins response to gemcitabine in bladder cancer. <i>Clinical Cancer Research</i> , 2014 , 20, 5435-45	12.9	17

36	Post-transcriptional regulation of MRE11 expression in muscle-invasive bladder tumours. <i>Oncotarget</i> , 2014 , 5, 993-1003	3.3	9
35	Radiosensitisation of bladder cancer cells by panobinostat is modulated by Ku80 expression. <i>Radiotherapy and Oncology</i> , 2013 , 108, 429-33	5.3	32
34	Imatinib radiosensitizes bladder cancer by targeting homologous recombination. <i>Cancer Research</i> , 2013 , 73, 1611-20	10.1	29
33	The emerging role of histone deacetylase (HDAC) inhibitors in urological cancers. <i>BJU International</i> , 2013 , 111, 537-42	5.6	32
32	The role of microRNA-binding site polymorphisms in DNA repair genes as risk factors for bladder cancer and breast cancer and their impact on radiotherapy outcomes. <i>Carcinogenesis</i> , 2012 , 33, 581-6	4.6	87
31	Functional assays to determine the significance of two common XPC 3ΨTR variants found in bladder cancer patients. <i>BMC Medical Genetics</i> , 2011 , 12, 84	2.1	3
30	Phase II study of conformal hypofractionated radiotherapy with concurrent gemcitabine in muscle-invasive bladder cancer. <i>Journal of Clinical Oncology</i> , 2011 , 29, 733-8	2.2	123
29	In vitro functional effects of XPC gene rare variants from bladder cancer patients. <i>Carcinogenesis</i> , 2011 , 32, 516-21	4.6	8
28	European genome-wide association study identifies SLC14A1 as a new urinary bladder cancer susceptibility gene. <i>Human Molecular Genetics</i> , 2011 , 20, 4268-81	5.6	105
27	A sequence variant at 4p16.3 confers susceptibility to urinary bladder cancer. <i>Nature Genetics</i> , 2010 , 42, 415-9	36.3	138
26	A multi-stage genome-wide association study of bladder cancer identifies multiple susceptibility loci. <i>Nature Genetics</i> , 2010 , 42, 978-84	36.3	408
25	MRE11 expression is predictive of cause-specific survival following radical radiotherapy for muscle-invasive bladder cancer. <i>Cancer Research</i> , 2010 , 70, 7017-26	10.1	148
24	Common predisposition alleles for moderately common cancers: bladder cancer. <i>Current Opinion in Genetics and Development</i> , 2010 , 20, 218-24	4.9	14
23	Targeting homologous recombination using imatinib results in enhanced tumor cell chemosensitivity and radiosensitivity. <i>Molecular Cancer Therapeutics</i> , 2009 , 8, 203-13	6.1	87
22	Polymorphisms in DNA repair genes, smoking, and bladder cancer risk: findings from the international consortium of bladder cancer. <i>Cancer Research</i> , 2009 , 69, 6857-64	10.1	94
21	Papillary and muscle invasive bladder tumors with distinct genomic stability profiles have different DNA repair fidelity and KU DNA-binding activities. <i>Genes Chromosomes and Cancer</i> , 2009 , 48, 310-21	5	18
20	Sequence variants at the TERT-CLPTM1L locus associate with many cancer types. <i>Nature Genetics</i> , 2009 , 41, 221-7	36.3	509
19	Genetic variation in the prostate stem cell antigen gene PSCA confers susceptibility to urinary bladder cancer. <i>Nature Genetics</i> , 2009 , 41, 991-5	36.3	270

18	Molecular epidemiology of DNA repair genes in bladder cancer. <i>Methods in Molecular Biology</i> , 2009 , 472, 281-306	1.4	8
17	Cancer Biomarkers Associated with Damage Response Genes 2009 , 307-330		
16	Sequence variant on 8q24 confers susceptibility to urinary bladder cancer. <i>Nature Genetics</i> , 2008 , 40, 1307-12	36.3	332
15	Analysis of variants in DNA damage signalling genes in bladder cancer. <i>BMC Medical Genetics</i> , 2008 , 9, 69	2.1	34
14	Similar treatment outcomes for radical cystectomy and radical radiotherapy in invasive bladder cancer treated at a United Kingdom specialist treatment center. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008 , 70, 456-63	4	103
13	DNA repair gene XRCC1 polymorphisms and bladder cancer risk. <i>BMC Genetics</i> , 2007 , 8, 13	2.6	30
12	Comprehensive analysis of 22 XPC polymorphisms and bladder cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 2537-41	4	39
11	APE1 and XRCC1 protein expression levels predict cancer-specific survival following radical radiotherapy in bladder cancer. <i>Clinical Cancer Research</i> , 2005 , 11, 6205-11	12.9	63
10	DNA double strand break repair in human bladder cancer is error prone and involves microhomology-associated end-joining. <i>Nucleic Acids Research</i> , 2004 , 32, 5249-59	20.1	95
9	Development of a rapid, small-scale DNA repair assay for use on clinical samples. <i>Nucleic Acids Research</i> , 2003 , 31, e83	20.1	36
8	Relationship between in vitro chromosomal radiosensitivity of peripheral blood lymphocytes and the expression of normal tissue damage following radiotherapy for breast cancer. <i>Radiotherapy and Oncology</i> , 2000 , 55, 179-86	5.3	98
7	Training to treat cancer: future developments. <i>British Journal of Hospital Medicine</i> , 1999 , 60, 519-21		3
6	Lack of correlation between residual radiation-induced DNA damage, in keratinocytes assayed directly from skin, and late radiotherapy reactions in breast cancer patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 1999 , 43, 481-7	4	13
5	A correlation between residual radiation-induced DNA double-strand breaks in cultured fibroblasts and late radiotherapy reactions in breast cancer patients. <i>Radiotherapy and Oncology</i> , 1999 , 51, 55-65	5.3	46
4	A correlation between residual DNA double-strand breaks and clonogenic measurements of radiosensitivity in fibroblasts from preradiotherapy cervix cancer patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 1997 , 39, 1137-44	4	27
3	Survival and quality of life of paediatric intracranial germ cell tumour patients treated at the Christie Hospital, 1972-1993. <i>Medical and Pediatric Oncology</i> , 1995 , 25, 450-6		45
2	Systematic review and meta-analysis of interventions with dietary supplements, including pre-, pro- and synbiotics, to reduce acute and late gastrointestinal side effects in patients undergoing pelvic radiotherapy ²		
1	Association of <i>Bacteroides acidifaciens</i> relative abundance with high-fibre diet-associated radiosensitisation		1

