

# Ger J M Pruijn

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1057076/publications.pdf>

Version: 2024-02-01

102  
papers

6,705  
citations

66343

42  
h-index

66911

78  
g-index

103  
all docs

103  
docs citations

103  
times ranked

7650  
citing authors

#	ARTICLE	IF	CITATIONS
1	Proteogenomic analysis of the autoreactive B cell repertoire in blood and tissues of patients with Sjögren's syndrome. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 644-652.	0.9	15
2	Surface Ig variable domain glycosylation affects autoantigen binding and acts as threshold for human autoreactive B cell activation. <i>Science Advances</i> , 2022, 8, eabm1759.	10.3	30
3	Anti-Cytosolic 5'-Nucleotidase 1A Autoantibodies Are Absent in Juvenile Dermatomyositis. <i>Arthritis and Rheumatology</i> , 2021, 73, 1329-1333.	5.6	2
4	Profiling Serum Antibodies Against Muscle Antigens in Facioscapulohumeral Muscular Dystrophy Finds No Disease-Specific Autoantibodies. <i>Journal of Neuromuscular Diseases</i> , 2021, 8, 801-814.	2.6	6
5	BCG Vaccination Induces Long-Term Functional Reprogramming of Human Neutrophils. <i>Cell Reports</i> , 2020, 33, 108387.	6.4	152
6	Autoantibodies to neutrophil extracellular traps represent a potential serological biomarker in rheumatoid arthritis. <i>Journal of Autoimmunity</i> , 2020, 113, 102484.	6.5	42
7	Mechanism of biomolecular recognition of trimethyllysine by the fluorinated aromatic cage of KDM5A PHD3 finger. <i>Communications Chemistry</i> , 2020, 3, .	4.5	13
8	Low molecular weight silicones induce cell death in cultured cells. <i>Scientific Reports</i> , 2020, 10, 9558.	3.3	17
9	Global Characterization of Circulating Nucleic Acids. <i>Methods in Molecular Biology</i> , 2020, 2063, 257-268.	0.9	0
10	NETosis, complement, and coagulation: a triangular relationship. <i>Cellular and Molecular Immunology</i> , 2019, 16, 19-27.	10.5	284
11	Neutrophil proteases degrade autoepitopes of NET-associated proteins. <i>Clinical and Experimental Immunology</i> , 2019, 199, 1-8.	2.6	18
12	Sputum Anticitrullinated Protein Antibodies in Patients With Long-standing Rheumatoid Arthritis. <i>Journal of Clinical Rheumatology</i> , 2018, 24, 122-126.	0.9	2
13	LINE-1 Hypermethylation in Serum Cell-Free DNA of Relapsing Remitting Multiple Sclerosis Patients. <i>Molecular Neurobiology</i> , 2018, 55, 4681-4688.	4.0	24
14	Sequential Prodrug Strategy To Target and Eliminate ACPA-Selective Autoreactive B Cells. <i>Molecular Pharmaceutics</i> , 2018, 15, 5565-5573.	4.6	9
15	Pathogenic variants in glutamyl-tRNA <sup>Gln</sup> amidotransferase subunits cause a lethal mitochondrial cardiomyopathy disorder. <i>Nature Communications</i> , 2018, 9, 4065.	12.8	44
16	Autoantibodies to Cytosolic 5'-Nucleotidase 1A in Primary Sjögren's Syndrome and Systemic Lupus Erythematosus. <i>Frontiers in Immunology</i> , 2018, 9, 1200.	4.8	32
17	Stimulus-dependent chromatin dynamics, citrullination, calcium signalling and ROS production during NET formation. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2018, 1865, 1621-1629.	4.1	71
18	Immune Array Analysis in Sporadic Inclusion Body Myositis Reveals HLA-DRB1 Amino Acid Heterogeneity Across the Myositis Spectrum. <i>Arthritis and Rheumatology</i> , 2017, 69, 1090-1099.	5.6	41

#	ARTICLE	IF	CITATIONS
19	Peptidylarginine deiminase 2 is required for tumor necrosis factor alpha-induced citrullination and arthritis, but not neutrophil extracellular trap formation. <i>Journal of Autoimmunity</i> , 2017, 80, 39-47.	6.5	87
20	Cytosolic 5â€²-nucleotidase 1A autoantibody profile and clinical characteristics in inclusion body myositis. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 862-868.	0.9	71
21	Expression of RMRP RNA is regulated in chondrocyte hypertrophy and determines chondrogenic differentiation. <i>Scientific Reports</i> , 2017, 7, 6440.	3.3	43
22	Coiledâ€Coilâ€Mediated Activation of Oligoarginine Cellâ€Penetrating Peptides. <i>ChemBioChem</i> , 2017, 18, 185-188.	2.6	27
23	PAD Activation in Arthritis. , 2017, , 63-83.		0
24	Development and evaluation of a standardized ELISA for the determination of autoantibodies against cN-1A (Mup44, NT5C1A) in sporadic inclusion body myositis. <i>Autoimmunity Highlights</i> , 2016, 7, 16.	3.9	31
25	Antibody responses to de novo identified citrullinated fibrinogen peptides in rheumatoid arthritis and visualization of the corresponding B cells. <i>Arthritis Research and Therapy</i> , 2016, 18, 284.	3.5	20
26	IMPLICATIONS OF ANTI-CN1A SEROTYPE IN INCLUSION BODY MYOSITIS. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016, 87, e1.160-e1.	1.9	1
27	An integrated, peptide-based approach to site-specific protein immobilization for detection of biomolecular interactions. <i>Analyst, The</i> , 2016, 141, 5321-5328.	3.5	6
28	From autoantibody research to standardized diagnostic assays in the management of human diseases â€“ report of the 12th Dresden Symposium on Autoantibodies. <i>Lupus</i> , 2016, 25, 787-796.	1.6	19
29	Reduced glutathione as a physiological co-activator in the activation of peptidylarginine deiminase. <i>Arthritis Research and Therapy</i> , 2016, 18, 102.	3.5	50
30	Disease specificity of autoantibodies to cytosolic 5â€²-nucleotidase 1A in sporadic inclusion body myositis versus known autoimmune diseases. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 696-701.	0.9	116
31	Extensive glycosylation of ACPA-IgG variable domains modulates binding to citrullinated antigens in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 578-585.	0.9	161
32	Novel serology testing for sporadic inclusion body myositis. <i>Current Opinion in Rheumatology</i> , 2015, 27, 595-600.	4.3	22
33	RNase P-Mediated Sequence-Specific Cleavage of RNA by Engineered External Guide Sequences. <i>Biomolecules</i> , 2015, 5, 3029-3050.	4.0	12
34	Phenylglyoxal-Based Visualization of Citrullinated Proteins on Western Blots. <i>Molecules</i> , 2015, 20, 6592-6600.	3.8	5
35	Citrullination and Carbamylation in the Pathophysiology of Rheumatoid Arthritis. <i>Frontiers in Immunology</i> , 2015, 6, 192.	4.8	60
36	Global analysis of the nuclear processing of transcripts with unspliced U12-type introns by the exosome. <i>Nucleic Acids Research</i> , 2014, 42, 7358-7369.	14.5	40

#	ARTICLE	IF	CITATIONS
37	Silicon chemistry and silicone breast implants. <i>European Journal of Plastic Surgery</i> , 2014, 37, 123-128.	0.6	20
38	The human peptidylarginine deiminases type 2 and type 4 have distinct substrate specificities. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2014, 1844, 829-836.	2.3	48
39	Generation of monoclonal antibodies against peptidylarginine deiminase 2 (PAD2) and development of a PAD2-specific enzyme-linked immunosorbent assay. <i>Journal of Immunological Methods</i> , 2014, 405, 15-22.	1.4	10
40	Methods for the Detection of Peptidylarginine Deiminase (PAD) Activity and Protein Citrullination. <i>Molecular and Cellular Proteomics</i> , 2014, 13, 388-396.	3.8	59
41	Peptidylarginine deiminase expression and activity in PAD2 knock-out and PAD4-low mice. <i>Biochimie</i> , 2013, 95, 299-308.	2.6	40
42	Autoantibodies to cytosolic 5-aminonucleotidase 1A in inclusion body myositis. <i>Annals of Neurology</i> , 2013, 73, 397-407.	5.3	206
43	The rheumatoid arthritis synovial fluid citrullinome reveals novel citrullinated epitopes in apolipoprotein E, myeloid nuclear differentiation antigen, and Î²-actin. <i>Arthritis and Rheumatism</i> , 2013, 65, 69-80.	6.7	148
44	ACPA fine-specificity profiles in early rheumatoid arthritis patients do not correlate with clinical features at baseline or with disease progression. <i>Arthritis Research and Therapy</i> , 2013, 15, R140.	3.5	54
45	Both endonucleolytic and exonucleolytic cleavage mediate ITS1 removal during human ribosomal RNA processing. <i>Journal of Cell Biology</i> , 2013, 200, 577-588.	5.2	129
46	Pseudophosphorylated Î±B-Crystallin Is a Nuclear Chaperone Imported into the Nucleus with Help of the SMN Complex. <i>PLoS ONE</i> , 2013, 8, e73489.	2.5	17
47	Viperin, a key player in the antiviral response. <i>Microbes and Infection</i> , 2012, 14, 419-426.	1.9	89
48	Detection of transglutaminase activity using click chemistry. <i>Amino Acids</i> , 2012, 43, 1251-1263.	2.7	13
49	Preventing Thiol-Yne Addition Improves the Specificity of Strain-Promoted Azide-Alkyne Cycloaddition. <i>Bioconjugate Chemistry</i> , 2012, 23, 392-398.	3.6	243
50	Viperin mRNA is a novel target for the human RNase MRP/RNase P endoribonuclease. <i>Cellular and Molecular Life Sciences</i> , 2011, 68, 2469-2480.	5.4	32
51	Myositis-specific autoantibodies: detection and clinical associations. <i>Autoimmunity Highlights</i> , 2011, 2, 5-20.	3.9	11
52	Are the Ro RNP-associated Y RNAs concealing microRNAs? Y RNA-derived miRNAs may be involved in autoimmunity. <i>BioEssays</i> , 2011, 33, 674-682.	2.5	45
53	RNase MRP and disease. <i>Wiley Interdisciplinary Reviews RNA</i> , 2010, 1, 102-116.	6.4	51
54	The Human Exosome and Disease. <i>Advances in Experimental Medicine and Biology</i> , 2010, 702, 132-142.	1.6	54

#	ARTICLE	IF	CITATIONS
55	Epitope spreading of the anti-citrullinated protein antibody response occurs before disease onset and is associated with the disease course of early arthritis. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1554-1561.	0.9	268
56	Heterodimerization of the human RNase P/MRP subunits Rpp20 and Rpp25 is a prerequisite for interaction with the P3 arm of RNase MRP RNA. <i>Nucleic Acids Research</i> , 2010, 38, 4052-4066.	14.5	31
57	Mapping of citrullinated fibrinogen B-cell epitopes in rheumatoid arthritis by imaging surface plasmon resonance. <i>Arthritis Research and Therapy</i> , 2010, 12, R219.	3.5	54
58	Anti-CCP Antibody, a Marker for the Early Detection of Rheumatoid Arthritis. <i>Annals of the New York Academy of Sciences</i> , 2008, 1143, 268-285.	3.8	162
59	Detection and occurrence of the 60- and 52-kD Ro (SS-A) antigens and of autoantibodies against these proteins. <i>Clinical and Experimental Immunology</i> , 2008, 86, 99-105.	2.6	81
60	Sera from patients with rheumatic diseases recognize different epitope regions on the 52-kD Ro/SS-A protein. <i>Clinical and Experimental Immunology</i> , 2008, 94, 227-235.	2.6	54
61	Characterization of murine monoclonal antibodies against 60-kD Ro/SS-A and La/SS-B autoantigens. <i>Clinical and Experimental Immunology</i> , 2008, 101, 45-54.	2.6	34
62	Cartilage hair hypoplasia-associated mutations in the RNase MRP P3 domain affect RNA folding and ribonucleoprotein assembly. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2008, 1783, 455-466.	4.1	25
63	C1D and hMtr4p associate with the human exosome subunit PM/Scf-100 and are involved in pre-rRNA processing. <i>Nucleic Acids Research</i> , 2007, 35, 2564-2572.	14.5	120
64	Methylation of Arginine Residues Interferes with Citrullination by Peptidylarginine Deiminases in vitro. <i>Journal of Molecular Biology</i> , 2007, 367, 1118-1129.	4.2	138
65	Caspase-mediated cleavage of the exosome subunit PM/Scf-75 during apoptosis. <i>Arthritis Research and Therapy</i> , 2007, 9, R12.	3.5	8
66	C1D is a major autoantibody target in patients with the polymyositis-scleroderma overlap syndrome. <i>Arthritis and Rheumatism</i> , 2007, 56, 2449-2454.	6.7	14
67	Fine specificity of the anti-citrullinated protein antibody response is influenced by the shared epitope alleles. <i>Arthritis and Rheumatism</i> , 2007, 56, 3949-3952.	6.7	114
68	Cartilage hair hypoplasia mutations that lead to RMRP promoter inefficiency or RNA transcript instability. <i>American Journal of Medical Genetics, Part A</i> , 2007, 143A, 2675-2681.	1.2	30
69	ABAP: Antibody-based assay for peptidylarginine deiminase activity. <i>Analytical Biochemistry</i> , 2007, 369, 232-240.	2.4	25
70	The RNA interference pathway: a new target for autoimmunity. <i>Arthritis Research and Therapy</i> , 2006, 8, 110.	3.5	14
71	Experimental autoimmune encephalomyelitis induction in peptidylarginine deiminase 2 knockout mice. <i>Journal of Comparative Neurology</i> , 2006, 498, 217-226.	1.6	74
72	Cell and Molecular Biology of the Exosome: How to Make or Break an RNA. <i>International Review of Cytology</i> , 2006, 251, 159-208.	6.2	32

#	ARTICLE	IF	CITATIONS
73	Differential association of protein subunits with the human RNase MRP and RNase P complexes. <i>Rna</i> , 2006, 12, 1373-1382.	3.5	46
74	Heterodimerization regulates RNase MRP/RNase P association, localization, and expression of Rpp20 and Rpp25. <i>Rna</i> , 2006, 13, 65-75.	3.5	37
75	Apoptotic modifications affect the autoreactivity of the U1 snRNP autoantigen. <i>Autoimmunity Reviews</i> , 2005, 4, 380-388.	5.8	28
76	MPP6 is an exosome-associated RNA-binding protein involved in 5.8S rRNA maturation. <i>Nucleic Acids Research</i> , 2005, 33, 6795-6804.	14.5	93
77	Autoantibodies specific for apoptotic U1-70K are superior serological markers for mixed connective tissue disease. <i>Arthritis Research</i> , 2005, 7, R302.	2.0	52
78	Mutual interactions between subunits of the human RNase MRP ribonucleoprotein complex. <i>Nucleic Acids Research</i> , 2004, 32, 2138-2146.	14.5	81
79	PM-Scl-75 is the main autoantigen in patients with the polymyositis/scleroderma overlap syndrome. <i>Arthritis and Rheumatism</i> , 2004, 50, 565-569.	6.7	66
80	PAD, a growing family of citrullinating enzymes: genes, features and involvement in disease. <i>BioEssays</i> , 2003, 25, 1106-1118.	2.5	871
81	Caspase-mediated cleavage of the U snRNP-associated Sm-F protein during apoptosis. <i>Cell Death and Differentiation</i> , 2003, 10, 570-579.	11.2	12
82	Recombinant human monoclonal autoantibodies specific for citrulline-containing peptides from phage display libraries derived from patients with rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2003, 30, 1696-711.	2.0	32
83	The hU3-55K Protein Requires 15.5K Binding to the Box B/C Motif as Well as Flanking RNA Elements for Its Association with the U3 Small Nucleolar RNA in Vitro. <i>Journal of Biological Chemistry</i> , 2002, 277, 48490-48500.	3.4	41
84	Autoantibodies directed to novel components of the PM/Scl complex, the human exosome. <i>Arthritis Research</i> , 2002, 4, 134.	2.0	81
85	Identity of the RNase MRP- and RNase P-associated Th/To autoantigen. <i>Arthritis and Rheumatism</i> , 2002, 46, 3266-3272.	6.7	54
86	Autoantibodies against small nucleolar ribonucleoprotein complexes and their clinical associations. <i>Clinical and Experimental Immunology</i> , 2002, 130, 532-540.	2.6	69
87	Mutations in the RNA Component of RNase MRP Cause a Pleiotropic Human Disease, Cartilage-Hair Hypoplasia. <i>Cell</i> , 2001, 104, 195-203.	28.9	461
88	Basic Domains Target Protein Subunits of the RNase MRP Complex to the Nucleolus Independently of Complex Association. <i>Molecular Biology of the Cell</i> , 2001, 12, 3680-3689.	2.1	24
89	Analysis of the molecular composition of Ro ribonucleoprotein complexes. <i>FEBS Journal</i> , 2000, 267, 2778-2789.	0.2	47
90	The fate of U1 snRNP during anti-Fas induced apoptosis: specific cleavage of the U1 snRNA molecule. <i>Cell Death and Differentiation</i> , 2000, 7, 70-79.	11.2	47

#	ARTICLE	IF	CITATIONS
91	Caspase-dependent cleavage of nucleic acids. <i>Cell Death and Differentiation</i> , 2000, 7, 616-627.	11.2	45
92	Architecture and Function of the Human Endonucleases RNase P and RNase MRP. <i>IUBMB Life</i> , 2000, 49, 265-272.	3.4	58
93	Detailed Analysis of the Phosphorylation of the Human La (SS-B) Autoantigen. (De)phosphorylation Does Not Affect Its Subcellular Distribution. <i>Biochemistry</i> , 2000, 39, 3023-3033.	2.5	42
94	hPop4: a new protein subunit of the human RNase MRP and RNase P ribonucleoprotein complexes. <i>Nucleic Acids Research</i> , 1999, 27, 2465-2472.	14.5	39
95	Translational control by the La antigen. Structure requirements for rescue of the double-stranded RNA-mediated inhibition of protein synthesis. <i>FEBS Journal</i> , 1999, 266, 151-162.	0.2	13
96	Conserved features of Y RNAs revealed by automated phylogenetic secondary structure analysis. <i>Nucleic Acids Research</i> , 1999, 27, 1070-1078.	14.5	33
97	Characterization of human telomerase complex. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 10075-10079.	7.1	25
98	Characterization of murine monoclonal antibodies against the Ro52 autoantigen. <i>Clinical and Experimental Immunology</i> , 1997, 110, 53-62.	2.6	12
99	Interaction of the La (SS-B) Autoantigen with Small Ribosomal Subunits. <i>FEBS Journal</i> , 1996, 236, 649-655.	0.2	41
100	Anti-La Monoclonal Antibodies Recognizing Epitopes Within the RNA-Binding Domain of the La Protein Show Differential Capacities to Immunoprecipitate RNA-Associated La Protein. <i>FEBS Journal</i> , 1995, 232, 611-619.	0.2	51
101	Anti-La Monoclonal Antibodies Recognizing Epitopes Within the RNA-Binding Domain of the La Protein Show Differential Capacities to Immunoprecipitate RNA-Associated La Protein. <i>FEBS Journal</i> , 1995, 232, 611-619.	0.2	1
102	Structure and function of La and Ro RNPs. <i>Molecular Biology Reports</i> , 1993, 18, 113-119.	2.3	82