Atsuhiko Kawamoto

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/10573684/atsuhiko-kawamoto-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

75
papers

8,031
citations

78
papers

78
papers

8,569
ext. papers

8,569
ext. citations

7.8
avg, IF

1.-index

7.8
L-index

#	Paper	IF	Citations
75	Pre-Clinical Proof of Concept: Intra-Carotid Injection of Autologous CD34-Positive Cells for Chronic Ischemic Stroke <i>Frontiers in Medicine</i> , 2022 , 9, 681316	4.9	O
74	Multicenter phase III trial of regenerative treatment for chronic tympanic membrane perforation. <i>Auris Nasus Larynx</i> , 2021 , 48, 1054-1060	2.2	5
73	Hematopoietic stem-cell senescence and myocardial repair - Coronary artery disease genotype/phenotype analysis of post-MI myocardial regeneration response induced by CABG/CD133+ bone marrow hematopoietic stem cell treatment in RCT PERFECT Phase 3.	8.8	6
72	Autologous CD34+ Cell Therapy for Ischemic Tissue Repair. <i>Circulation Journal</i> , 2019 , 83, 1422-1430	2.9	11
71	Autologous Granulocyte Colony-Stimulating Factor-Mobilized Peripheral Blood CD34 Positive Cell Transplantation for Hemodialysis Patients with Critical Limb Ischemia: A Prospective Phase II Clinical Trial. <i>Stem Cells Translational Medicine</i> , 2018 , 7, 774-782	6.9	10
7°	Regenerative treatment for tympanic membrane perforation using gelatin sponge with basic fibroblast growth factor. <i>Auris Nasus Larynx</i> , 2017 , 44, 664-671	2.2	27
69	Stem cell-based peripheral vascular regeneration. Advanced Drug Delivery Reviews, 2017, 120, 25-40	18.5	52
68	Granulocyte Colony-Stimulating Factor 2017 , 191-216		1
67	Ex vivo expansion of circulating CD34(+) cells enhances the regenerative effect on rat liver cirrhosis. <i>Molecular Therapy - Methods and Clinical Development</i> , 2016 , 3, 16025	6.4	5
66	Vascular Regeneration Therapy: Endothelial Progenitor Cells for Ischemic Diseases 2016 , 35-57		
65	SDF-1/CXCR4 axis in Tie2-lineage cells including endothelial progenitor cells contributes to bone fracture healing. <i>Journal of Bone and Mineral Research</i> , 2015 , 30, 95-105	6.3	61
64	Superior Potential of CD34-Positive Cells Compared to Total Mononuclear Cells for Healing of Nonunion Following Bone Fracture. <i>Cell Transplantation</i> , 2015 , 24, 1379-93	4	15
63	Sonic Hedgehog signaling regulates vascular differentiation and function in human CD34 positive cells: vasculogenic CD34(+) cells with Sonic Hedgehog. <i>Stem Cell Research</i> , 2015 , 14, 165-76	1.6	17
62	Local transplantation of granulocyte colony stimulating factor-mobilized CD34+ cells for patients with femoral and tibial nonunion: pilot clinical trial. <i>Stem Cells Translational Medicine</i> , 2014 , 3, 128-34	6.9	33
61	CD34(+) cell therapy is safe and effective in slowing the decline of hepatic reserve function in patients with decompensated liver cirrhosis. <i>Journal of Gastroenterology and Hepatology (Australia</i>), 2014 , 29, 1830-8	4	17
60	Human cardiac stem cells with reduced notch signaling show enhanced therapeutic potential in a rat acute infarction model. <i>Circulation Journal</i> , 2014 , 78, 222-31	2.9	11
59	Phase II clinical trial of CD34+ cell therapy to explore endpoint selection and timing in patients with critical limb ischemia. <i>Circulation Journal</i> , 2014 , 78, 490-501	2.9	35

(2011-2014)

58	Improvement of cardiac stem cell sheet therapy for chronic ischemic injury by adding endothelial progenitor cell transplantation: analysis of layer-specific regional cardiac function. <i>Cell Transplantation</i> , 2014 , 23, 1305-19	4	17
57	Cell-Based Therapies for Peripheral Arterial Disease. <i>Journal of Stem Cell Research & Therapy</i> , 2014 , 04,	1	1
56	Vasculogenic conditioning of peripheral blood mononuclear cells promotes endothelial progenitor cell expansion and phenotype transition of anti-inflammatory macrophage and T lymphocyte to cells with regenerative potential. <i>Journal of the American Heart Association</i> , 2014 , 3, e000743	6	43
55	Ex-vivo expanded human blood-derived CD133+ cells promote repair of injured spinal cord. <i>Journal of the Neurological Sciences</i> , 2013 , 328, 41-50	3.2	27
54	Vascular Regeneration: Endothelial Progenitor Cell Therapy for Ischemic Diseases 2013, 881-900		
53	A small interfering RNA targeting Lnk accelerates bone fracture healing with early neovascularization. <i>Laboratory Investigation</i> , 2013 , 93, 1036-53	5.9	8
52	Angiogenesis in Myocardial Ischemia 2013 , 261-283		2
51	Human peripheral blood CD34-positive cells enhance therapeutic regeneration of chronically injured liver in nude rats. <i>Journal of Cellular Physiology</i> , 2012 , 227, 1538-52	7	15
50	Long-term clinical outcome after intramuscular transplantation of granulocyte colony stimulating factor-mobilized CD34 positive cells in patients with critical limb ischemia. <i>Atherosclerosis</i> , 2012 , 224, 440-5	3.1	62
49	Endothelial progenitor cells promote astrogliosis following spinal cord injury through Jagged1-dependent Notch signaling. <i>Journal of Neurotrauma</i> , 2012 , 29, 1758-69	5.4	27
48	Local transplantation of granulocyte colony-stimulating factor-mobilized human peripheral blood mononuclear cells for unhealing bone fractures. <i>Cell Transplantation</i> , 2012 , 21, 707-21	4	94
47	Contribution of bone marrow-derived endothelial progenitor cells to neovascularization and astrogliosis following spinal cord injury. <i>Journal of Neuroscience Research</i> , 2012 , 90, 2281-92	4.4	18
46	Therapeutic effect of local administration of low-dose simvastatin-conjugated gelatin hydrogel for fracture healing. <i>Journal of Bone and Mineral Research</i> , 2012 , 27, 1118-31	6.3	67
45	Development of serum-free quality and quantity control culture of colony-forming endothelial progenitor cell for vasculogenesis. <i>Stem Cells Translational Medicine</i> , 2012 , 1, 160-71	6.9	54
44	Local transplantation of ex vivo expanded bone marrow-derived CD34-positive cells accelerates fracture healing. <i>Cell Transplantation</i> , 2012 , 21, 2689-709	4	14
43	Local Transplantation of Granulocyte Colony-Stimulating Factor-Mobilized Human Peripheral Blood Mononuclear Cells for Unhealing Bone Fractures. <i>Cell Transplantation</i> , 2012 , 21, 707-721	4	11
42	Differential activity of bone marrow hematopoietic stem cell subpopulations for EPC development and ischemic neovascularization. <i>Journal of Molecular and Cellular Cardiology</i> , 2011 , 51, 308-17	5.8	46
41	CD34+ cells represent highly functional endothelial progenitor cells in murine bone marrow. <i>PLoS ONE</i> , 2011 , 6, e20219	3.7	82

40	Local transplantation of G-CSF-mobilized CD34(+) cells in a patient with tibial nonunion: a case report. <i>Cell Transplantation</i> , 2011 , 20, 1491-6	4	38
39	Synergistic effect of adipose-derived stem cell therapy and bone marrow progenitor recruitment in ischemic heart. <i>Laboratory Investigation</i> , 2011 , 91, 539-52	5.9	48
38	Concise review: Circulating endothelial progenitor cells for vascular medicine. Stem Cells, 2011, 29, 1650	0 5 58	324
37	Vascular Regeneration: Endothelial Progenitor Cell Therapy for Ischemic Diseases 2011 , 731-744		
36	Local transplantation of human multipotent adipose-derived stem cells accelerates fracture healing via enhanced osteogenesis and angiogenesis. <i>Laboratory Investigation</i> , 2010 , 90, 637-49	5.9	74
35	Lnk-dependent axis of SCF-cKit signal for osteogenesis in bone fracture healing. <i>Journal of Experimental Medicine</i> , 2010 , 207, 2207-23	16.6	21
34	Lnk deletion reinforces the function of bone marrow progenitors in promoting neovascularization and astrogliosis following spinal cord injury. <i>Stem Cells</i> , 2010 , 28, 365-75	5.8	35
33	Therapeutic potential of unrestricted somatic stem cells isolated from placental cord blood for cardiac repair post myocardial infarction. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009 , 29, 1830-5	9.4	18
32	Pivotal role of lnk adaptor protein in endothelial progenitor cell biology for vascular regeneration. <i>Circulation Research</i> , 2009 , 104, 969-77	15.7	49
31	Intramuscular transplantation of G-CSF-mobilized CD34(+) cells in patients with critical limb ischemia: a phase I/IIa, multicenter, single-blinded, dose-escalation clinical trial. <i>Stem Cells</i> , 2009 , 27, 2857-64	5.8	187
30	Endothelial progenitor cells for cardiovascular regeneration. <i>Trends in Cardiovascular Medicine</i> , 2008 , 18, 33-7	6.9	86
29	Circulating endothelial/skeletal progenitor cells for bone regeneration and healing. <i>Bone</i> , 2008 , 43, 434	-₽ .7	123
28	Specific Jagged-1 signal from bone marrow microenvironment is required for endothelial progenitor cell development for neovascularization. <i>Circulation</i> , 2008 , 118, 157-65	16.7	105
27	Fracture induced mobilization and incorporation of bone marrow-derived endothelial progenitor cells for bone healing. <i>Journal of Cellular Physiology</i> , 2008 , 215, 234-42	7	95
26	Administrations of peripheral blood CD34-positive cells contribute to medial collateral ligament healing via vasculogenesis. <i>Stem Cells</i> , 2008 , 26, 819-30	5.8	56
25	Local delivery of granulocyte colony stimulating factor-mobilized CD34-positive progenitor cells using bioscaffold for modality of unhealing bone fracture. <i>Stem Cells</i> , 2008 , 26, 1395-405	5.8	67
24	Role of progenitor endothelial cells in cardiovascular disease and upcoming therapies. <i>Catheterization and Cardiovascular Interventions</i> , 2007 , 70, 477-84	2.7	95
23	Intramyocardial transplantation of autologous CD34+ stem cells for intractable angina: a phase I/IIa double-blind, randomized controlled trial. <i>Circulation</i> , 2007 , 115, 3165-72	16.7	450

(2001-2007)

22	Synchrotron radiation coronary microangiography for morphometric and physiological evaluation of myocardial neovascularization induced by endothelial progenitor cell transplantation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology,</i> 2007 , 27, 1326-33	9.4	17
21	Estradiol enhances recovery after myocardial infarction by augmenting incorporation of bone marrow-derived endothelial progenitor cells into sites of ischemia-induced neovascularization via endothelial nitric oxide synthase-mediated activation of matrix metalloproteinase-9. <i>Circulation</i> ,	16.7	171
20	Dose-dependent contribution of CD34-positive cell transplantation to concurrent vasculogenesis and cardiomyogenesis for functional regenerative recovery after myocardial infarction. <i>Circulation</i> , 2006 , 113, 1311-25	16.7	262
19	CD34-positive cells exhibit increased potency and safety for therapeutic neovascularization after myocardial infarction compared with total mononuclear cells. <i>Circulation</i> , 2006 , 114, 2163-9	16.7	283
18	Therapeutic potential of vasculogenesis and osteogenesis promoted by peripheral blood CD34-positive cells for functional bone healing. <i>American Journal of Pathology</i> , 2006 , 169, 1440-57	5.8	186
17	Sonic hedgehog myocardial gene therapy: tissue repair through transient reconstitution of embryonic signaling. <i>Nature Medicine</i> , 2005 , 11, 1197-204	50.5	253
16	Niche-dependent translineage commitment of endothelial progenitor cells, not cell fusion in general, into myocardial lineage cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005 , 25, 1388-	9 4 4	67
15	Endothelial progenitor cells for postnatal vasculogenesis. <i>American Journal of Physiology - Cell Physiology</i> , 2004 , 287, C572-9	5.4	409
14	Synergistic effect of bone marrow mobilization and vascular endothelial growth factor-2 gene therapy in myocardial ischemia. <i>Circulation</i> , 2004 , 110, 1398-405	16.7	99
13	Magnetic resonance mapping of transplanted endothelial progenitor cells for therapeutic neovascularization in ischemic heart disease. <i>European Journal of Cardio-thoracic Surgery</i> , 2004 , 26, 137-	<i>4</i> 3	31
12	Intramyocardial transplantation of autologous endothelial progenitor cells for therapeutic neovascularization of myocardial ischemia. <i>Circulation</i> , 2003 , 107, 461-8	16.7	570
11	Stromal cell-derived factor-1 effects on ex vivo expanded endothelial progenitor cell recruitment for ischemic neovascularization. <i>Circulation</i> , 2003 , 107, 1322-8	16.7	998
10	Transplantation of Endothelial Progenitor Cells for Therapeutic Neovascularization 2003, 31-41		1
9	Transplantation of endothelial progenitor cells for therapeutic neovascularization. <i>Cardiovascular Radiation Medicine</i> , 2002 , 3, 221-5		85
8	Bone marrow as a source of endothelial cells for natural and iatrogenic vascular repair. <i>Annals of the New York Academy of Sciences</i> , 2001 , 953, 75-84	6.5	64
7	Ischemic preconditioning upregulates vascular endothelial growth factor mRNA expression and neovascularization via nuclear translocation of protein kinase C epsilon in the rat ischemic myocardium. <i>Circulation Research</i> , 2001 , 88, 696-704	15.7	105
6	Vascular endothelial growth factor mRNA synthesis by peripheral blood mononuclear cells in patients with acute myocardial infarction. <i>International Journal of Cardiology</i> , 2001 , 81, 51-60	3.2	5
5	Therapeutic potential of ex vivo expanded endothelial progenitor cells for myocardial ischemia. <i>Circulation</i> , 2001 , 103, 634-7	16.7	1059

4	HMG-CoA reductase inhibitor mobilizes bone marrowderived endothelial progenitor cells. <i>Journal of Clinical Investigation</i> , 2001 , 108, 399-405	15.9	532
3	Serum levels of VEGF and basic FGF in the subacute phase of myocardial infarction. <i>International Journal of Cardiology</i> , 1998 , 67, 47-54	3.2	44
2	Estimation of coronary flow reserve by intracoronary administration of nicorandil: comparison with intracoronary administration of papaverine. <i>Heart and Vessels</i> , 1998 , 13, 229-36	2.1	12
1	A histopathological study of age-related changes of the left bundle branch in the human heart. <i>Pathology International</i> , 1991 , 41, 730-6	1.8	1