

# Jihyun Hong

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1057916/jihyun-hong-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

72  
papers

7,951  
citations

40  
h-index

79  
g-index

79  
ext. papers

9,228  
ext. citations

17.1  
avg, IF

6.03  
L-index

#	Paper	IF	Citations
72	BiO/BiO Nanoheterojunction for Highly Efficient Electrocatalytic CO Reduction to Formate.. <i>Nano Letters</i> , <b>2022</b> ,	11.5	6
71	Exceptionally increased reversible capacity of O3-type NaCrO2 cathode by preventing irreversible phase transition. <i>Energy Storage Materials</i> , <b>2022</b> , 46, 289-299	19.4	2
70	Fictitious phase separation in Li layered oxides driven by electro-autocatalysis. <i>Nature Materials</i> , <b>2021</b> , 20, 991-999	27	27
69	Activation of TiFeCr alloys containing identical AB2 fractions. <i>Journal of Alloys and Compounds</i> , <b>2021</b> , 864, 158876	5.7	12
68	Weakly Solvating Solution Enables Chemical Prelithiation of Graphite-SiO Anodes for High-Energy Li-Ion Batteries. <i>Journal of the American Chemical Society</i> , <b>2021</b> , 143, 9169-9176	16.4	24
67	Critical Role of Ti in Stabilizing High-Voltage Redox Reactions in Li-Rich Layered Material. <i>Small</i> , <b>2021</b> , 17, e2100840	11	2
66	Hydrogen storage behavior and microstructural feature of a TiFeCr2 alloy. <i>Journal of Alloys and Compounds</i> , <b>2021</b> , 853, 157099	5.7	11
65	Effect of Cr Addition on Magnetic Properties and Corrosion Resistance of Optimized Co and Fe-Based Amorphous Alloys. <i>Metals</i> , <b>2021</b> , 11, 304	2.3	2
64	Na2Fe2F7: a fluoride-based cathode for high power and long life Na-ion batteries. <i>Energy and Environmental Science</i> , <b>2021</b> , 14, 1469-1479	35.4	6
63	Galvanostatic Intermittent Titration Technique Reinvented: Part II. Experiments. <i>Journal of the Electrochemical Society</i> , <b>2021</b> , 168, 120503	3.9	2
62	High-Voltage-Driven Surface Structuring and Electrochemical Stabilization of Ni-Rich Layered Cathode Materials for Li Rechargeable Batteries. <i>Advanced Energy Materials</i> , <b>2020</b> , 10, 2000521	21.8	43
61	Molecularly Tailored Lithium-Arene Complex Enables Chemical Prelithiation of High-Capacity Lithium-Ion Battery Anodes. <i>Angewandte Chemie - International Edition</i> , <b>2020</b> , 59, 14473-14480	16.4	40
60	Redox-Active Organic Compounds for Future Sustainable Energy Storage System. <i>Advanced Energy Materials</i> , <b>2020</b> , 10, 2001445	21.8	73
59	Utilizing Latent Multi-Redox Activity of p-Type Organic Cathode Materials toward High Energy Density Lithium-Organic Batteries. <i>Advanced Energy Materials</i> , <b>2020</b> , 10, 2001635	21.8	22
58	A new lithium diffusion model in layered oxides based on asymmetric but reversible transition metal migration. <i>Energy and Environmental Science</i> , <b>2020</b> , 13, 1269-1278	35.4	20
57	Real-time visualization of Zn metal plating/stripping in aqueous batteries with high areal capacities. <i>Journal of Power Sources</i> , <b>2020</b> , 472, 228334	8.9	9
56	Innentitelbild: Molecularly Tailored Lithium-Arene Complex Enables Chemical Prelithiation of High-Capacity Lithium-Ion Battery Anodes (Angew. Chem. 34/2020). <i>Angewandte Chemie</i> , <b>2020</b> , 132, 14270-14270	3.6	

55	Exceptionally high-energy tunnel-type V <sub>1.5</sub> Cr <sub>0.5</sub> O <sub>4.5</sub> H nanocomposite as a novel cathode for Na-ion batteries. <i>Nano Energy</i> , <b>2020</b> , 77, 105175	17.1	6
54	Molecularly Tailored Lithium-Arene Complex Enables Chemical Prelithiation of High-Capacity Lithium-Ion Battery Anodes. <i>Angewandte Chemie</i> , <b>2020</b> , 132, 14581-14588	3.6	9
53	Metal-oxygen decoordination stabilizes anion redox in Li-rich oxides. <i>Nature Materials</i> , <b>2019</b> , 18, 256-265	27	178
52	Charge-transfer complexes for high-power organic rechargeable batteries. <i>Energy Storage Materials</i> , <b>2019</b> , 20, 462-469	19.4	42
51	The role of substituents in determining the redox potential of organic electrode materials in Li and Na rechargeable batteries: electronic effects vs. substituent-Li/Na ionic interaction. <i>Journal of Materials Chemistry A</i> , <b>2019</b> , 7, 11438-11443	13	23
50	Suppression of Voltage Decay through Manganese Deactivation and Nickel Redox Buffering in High-Energy Layered Lithium-Rich Electrodes. <i>Advanced Energy Materials</i> , <b>2018</b> , 8, 1800606	21.8	54
49	Multi-redox Molecule for High-Energy Redox Flow Batteries. <i>Joule</i> , <b>2018</b> , 2, 1771-1782	27.8	81
48	Understanding Chemomechanical Li-ion Cathode Degradation through Multi-Scale, Multi-Modal X-ray Spectromicroscopy. <i>Microscopy and Microanalysis</i> , <b>2018</b> , 24, 426-427	0.5	1
47	Fluid-enhanced surface diffusion controls intraparticle phase transformations. <i>Nature Materials</i> , <b>2018</b> , 17, 915-922	27	71
46	Lithium-free transition metal monoxides for positive electrodes in lithium-ion batteries. <i>Nature Energy</i> , <b>2017</b> , 2,	62.3	72
45	Multi-electron redox phenazine for ready-to-charge organic batteries. <i>Green Chemistry</i> , <b>2017</b> , 19, 2980-2985	28.5	84
44	High-performance sodium-organic battery by realizing four-sodium storage in disodium rhodizonate. <i>Nature Energy</i> , <b>2017</b> , 2, 861-868	62.3	272
43	Trackable galvanostatic history in phase separation based electrodes for lithium-ion batteries: a mosaic sub-grouping intercalation model. <i>Energy and Environmental Science</i> , <b>2017</b> , 10, 2352-2364	35.4	5
42	Coupling between oxygen redox and cation migration explains unusual electrochemistry in lithium-rich layered oxides. <i>Nature Communications</i> , <b>2017</b> , 8, 2091	17.4	322
41	Thermal structural stability of a multi-component olivine electrode for lithium ion batteries. <i>CrystEngComm</i> , <b>2016</b> , 18, 7463-7470	3.3	5
40	Rational design of redox mediators for advanced LiO <sub>2</sub> batteries. <i>Nature Energy</i> , <b>2016</b> , 1,	62.3	263
39	Highly Stable Iron- and Manganese-Based Cathodes for Long-Lasting Sodium Rechargeable Batteries. <i>Chemistry of Materials</i> , <b>2016</b> , 28, 7241-7249	9.6	43
38	Sodium intercalation chemistry in graphite. <i>Energy and Environmental Science</i> , <b>2015</b> , 8, 2963-2969	35.4	287

37	High Energy Organic Cathode for Sodium Rechargeable Batteries. <i>Chemistry of Materials</i> , <b>2015</b> , 27, 7258-7264	12.64	122
36	Review Lithium-Excess Layered Cathodes for Lithium Rechargeable Batteries. <i>Journal of the Electrochemical Society</i> , <b>2015</b> , 162, A2447-A2467	3.9	121
35	Sodium Storage Behavior in Natural Graphite using Ether-based Electrolyte Systems. <i>Advanced Functional Materials</i> , <b>2015</b> , 25, 534-541	15.6	502
34	Energy Storage: Sodium Storage Behavior in Natural Graphite using Ether-based Electrolyte Systems (Adv. Funct. Mater. 4/2015). <i>Advanced Functional Materials</i> , <b>2015</b> , 25, 652-652	15.6	3
33	All-graphene-battery: bridging the gap between supercapacitors and lithium ion batteries. <i>Scientific Reports</i> , <b>2014</b> , 4, 5278	4.9	153
32	Superior rechargeability and efficiency of lithium-oxygen batteries: hierarchical air electrode architecture combined with a soluble catalyst. <i>Angewandte Chemie - International Edition</i> , <b>2014</b> , 53, 3926-3931	16.4	360
31	Recent progress on flexible lithium rechargeable batteries. <i>Energy and Environmental Science</i> , <b>2014</b> , 7, 538-551	35.4	314
30	Novel transition-metal-free cathode for high energy and power sodium rechargeable batteries. <i>Nano Energy</i> , <b>2014</b> , 4, 97-104	17.1	57
29	Biologically inspired pteridine redox centres for rechargeable batteries. <i>Nature Communications</i> , <b>2014</b> , 5, 5335	17.4	188
28	Ion-exchange mechanism of layered transition-metal oxides: case study of $\text{LiNi}_{0.5}\text{Mn}_{0.5}\text{O}_2$ <i>Inorganic Chemistry</i> , <b>2014</b> , 53, 8083-7	5.1	34
27	Aqueous rechargeable Li and Na ion batteries. <i>Chemical Reviews</i> , <b>2014</b> , 114, 11788-827	68.1	929
26	Lithium-Ion Batteries: Organic Nanohybrids for Fast and Sustainable Energy Storage (Adv. Mater. 16/2014). <i>Advanced Materials</i> , <b>2014</b> , 26, 2608-2608	24	
25	Organic nanohybrids for fast and sustainable energy storage. <i>Advanced Materials</i> , <b>2014</b> , 26, 2558-65	24	174
24	Superior Rechargeability and Efficiency of Lithium-Oxygen Batteries: Hierarchical Air Electrode Architecture Combined with a Soluble Catalyst. <i>Angewandte Chemie</i> , <b>2014</b> , 126, 4007-4012	3.6	80
23	Anti-Site Reordering in $\text{LiFePO}_4$ : Defect Annihilation on Charge Carrier Injection. <i>Chemistry of Materials</i> , <b>2014</b> , 26, 5345-5351	9.6	36
22	High-Performance Hybrid Supercapacitor Based on Graphene-Wrapped $\text{Li}_4\text{Ti}_5\text{O}_{12}$ and Activated Carbon. <i>ChemElectroChem</i> , <b>2014</b> , 1, 125-130	4.3	127
21	Extremely High Yield Conversion from Low-Cost Sand to High-Capacity Si Electrodes for Li-Ion Batteries. <i>Advanced Energy Materials</i> , <b>2014</b> , 4, 1400622	21.8	66
20	Understanding the Degradation Mechanisms of $\text{LiNi}_{0.5}\text{Co}_{0.2}\text{Mn}_{0.3}\text{O}_2$ Cathode Material in Lithium Ion Batteries. <i>Advanced Energy Materials</i> , <b>2014</b> , 4, 1300787	21.8	709

19	Scalable functionalized graphene nano-platelets as tunable cathodes for high-performance lithium rechargeable batteries. <i>Scientific Reports</i> , <b>2013</b> , 3, 1506	4.9	79
18	Factors that Affect the Phase Behavior of Multi-Component Olivine (LiFexMnyCo1-x-yPO4; 0 . <i>Journal of the Electrochemical Society</i> , <b>2013</b> , 160, A444-A448	3.9	15
17	Toward a lithium-"air" battery: the effect of CO2 on the chemistry of a lithium-oxygen cell. <i>Journal of the American Chemical Society</i> , <b>2013</b> , 135, 9733-42	16.4	262
16	Redox cofactor from biological energy transduction as molecularly tunable energy-storage compound. <i>Angewandte Chemie - International Edition</i> , <b>2013</b> , 52, 8322-8	16.4	113
15	Titelbild: Redox Cofactor from Biological Energy Transduction as Molecularly Tunable Energy-Storage Compound (Angew. Chem. 32/2013). <i>Angewandte Chemie</i> , <b>2013</b> , 125, 8329-8329	3.6	1
14	Redox Cofactor from Biological Energy Transduction as Molecularly Tunable Energy-Storage Compound. <i>Angewandte Chemie</i> , <b>2013</b> , 125, 8480-8486	3.6	22
13	Thermal stability of FeMn binary olivine cathodes for Li rechargeable batteries. <i>Journal of Materials Chemistry</i> , <b>2012</b> , 22, 11964		42
12	Multicomponent Effects on the Crystal Structures and Electrochemical Properties of Spinel-Structured M3O4 (M = Fe, Mn, Co) Anodes in Lithium Rechargeable Batteries. <i>Chemistry of Materials</i> , <b>2012</b> , 24, 720-725	9.6	122
11	Critical Role of Oxygen Evolved from Layered LiExcess Metal Oxides in Lithium Rechargeable Batteries. <i>Chemistry of Materials</i> , <b>2012</b> , 24, 2692-2697	9.6	213
10	Energy storage in composites of a redox couple host and a lithium ion host. <i>Nano Today</i> , <b>2012</b> , 7, 168-173	7.9	38
9	Synthesis of graphene-wrapped CuO hybrid materials by CO2 mineralization. <i>Green Chemistry</i> , <b>2012</b> , 14, 2391	10	47
8	The potential for long-term operation of a lithium-oxygen battery using a non-carbonate-based electrolyte. <i>Chemical Communications</i> , <b>2012</b> , 48, 8374-6	5.8	96
7	Invited paper: Preparation and electrochemical characterization of doped spinel LiMn1.88Ge0.1Li0.02O4 cathode material. <i>Electronic Materials Letters</i> , <b>2011</b> , 7, 105-108	2.9	9
6	Polymorphism and phase transformations of Li2xFeSiO4 (0<x<2) from first principles. <i>Physical Review B</i> , <b>2011</b> , 84,	3.3	34
5	Graphene-Based Hybrid Electrode Material for High-Power Lithium-Ion Batteries. <i>Journal of the Electrochemical Society</i> , <b>2011</b> , 158, A930	3.9	43
4	Electrochemical and ex-situ analysis on manganese oxide/graphene hybrid anode for lithium rechargeable batteries. <i>Journal of Materials Research</i> , <b>2011</b> , 26, 2665-2671	2.5	31
3	Noncovalent functionalization of graphene with end-functional polymers. <i>Journal of Materials Chemistry</i> , <b>2010</b> , 20, 1907		491
2	Structural evolution of layered Li1.2Ni0.2Mn0.6O2 upon electrochemical cycling in a Li rechargeable battery. <i>Journal of Materials Chemistry</i> , <b>2010</b> , 20, 10179		184

- 1 Selective Anionic Redox and Suppressed Structural Disorder Enabling High-Energy and Long-Life Li-Rich Layered-Oxide Cathode. *Advanced Energy Materials*, 2102311 21.8 7