

Rebecca Ks Wong

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1057932/rebecca-ks-wong-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

131
papers

6,768
citations

44
h-index

80
g-index

134
ext. papers

7,728
ext. citations

3.2
avg, IF

5.31
L-index

#	Paper	IF	Citations
131	Current and future strategies for radiation therapy in gastric cancer.. <i>Journal of Surgical Oncology</i> , 2022 , 125, 1161-1175	2.8	0
130	Clinical research mentorship programme (CRMP) for radiation oncology residents in Africa-building capacity through mentoring. <i>Ecancermedicalscience</i> , 2021 , 15, 1210	2.7	0
129	Stereotactic body radiation therapy for hepatocellular carcinoma with Macrovascular invasion. <i>Radiotherapy and Oncology</i> , 2021 , 156, 120-126	5.3	9
128	Baseline Albumin-Bilirubin (ALBI) Score in Western Patients With Hepatocellular Carcinoma Treated With Stereotactic Body Radiation Therapy (SBRT). <i>International Journal of Radiation Oncology Biology Physics</i> , 2018 , 101, 900-909	4	20
127	Neoadjuvant treatments for locally advanced, resectable esophageal cancer: A network meta-analysis. <i>International Journal of Cancer</i> , 2018 , 143, 430-437	7.5	38
126	Whole brain radiotherapy for the treatment of newly diagnosed multiple brain metastases. <i>The Cochrane Library</i> , 2018 , 1, CD003869	5.2	64
125	Gender and age make no difference in the re-irradiation of painful bone metastases: A secondary analysis of the NCIC CTG SC.20 randomized trial. <i>Radiotherapy and Oncology</i> , 2018 , 126, 541-546	5.3	2
124	Predictors of Liver Toxicity Following Stereotactic Body Radiation Therapy for Hepatocellular Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017 , 97, 939-946	4	66
123	Effect of Intensity Modulated Radiation Therapy With Concurrent Chemotherapy on Survival for Patients With Cervical Esophageal Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017 , 98, 186-195	4	16
122	Phase I trial of radiation therapy and sorafenib in unresectable liver metastases. <i>Radiotherapy and Oncology</i> , 2017 , 123, 234-239	5.3	13
121	Dosimetric analysis of liver toxicity after liver metastasis stereotactic body radiation therapy. <i>Practical Radiation Oncology</i> , 2017 , 7, e331-e337	2.8	8
120	Effect of Radiotherapy on Painful Bone Metastases: A Secondary Analysis of the NCIC Clinical Trials Group Symptom Control Trial SC.23. <i>JAMA Oncology</i> , 2017 , 3, 953-959	13.4	51
119	Long-Term Outcomes of Phase 1 and 2 Studies of SBRT for Hepatic Colorectal Metastases. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017 , 99, 388-395	4	40
118	Pretreatment quality-of-life score is a better discriminator of oesophageal cancer survival than performance status. <i>European Journal of Cardio-thoracic Surgery</i> , 2017 , 51, 148-154	3	12
117	Palliative radiation therapy for bone metastases: Update of an ASTRO Evidence-Based Guideline. <i>Practical Radiation Oncology</i> , 2017 , 7, 4-12	2.8	202
116	Systemic therapy in incurable gastroenteropancreatic neuroendocrine tumours: a clinical practice guideline. <i>Current Oncology</i> , 2017 , 24, 249-255	2.8	3
115	Phase 1/2 Study of the Addition of Cisplatin to Adjuvant Chemotherapy With Image Guided High-Precision Radiation Therapy for Completely Resected Gastric Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016 , 96, 994-1002	4	1

114	Adjuvant sunitinib following chemoradiotherapy and surgery for locally advanced esophageal cancer: a phase II trial. <i>Ecological Management and Restoration</i> , 2016 , 29, 1152-1158	3	8
113	Revisiting classification of pain from bone metastases as mild, moderate, or severe based on correlation with function and quality of life. <i>Supportive Care in Cancer</i> , 2016 , 24, 1617-23	3.9	15
112	Prophylactic dexamethasone for radiation-induced bone-pain flare - AuthorsUreply. <i>Lancet Oncology, The</i> , 2016 , 17, e40-e41	21.7	
111	Changes in Liver Volume Observed Following Sorafenib and Liver Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016 , 94, 729-37	4	9
110	Predictive model for survival in patients having repeat radiation treatment for painful bone metastases. <i>Radiotherapy and Oncology</i> , 2016 , 118, 547-51	5.3	9
109	The Brain Metastases Symptom Checklist as a novel tool for symptom measurement in patients with brain metastases undergoing whole-brain radiotherapy. <i>Current Oncology</i> , 2016 , 23, e239-47	2.8	7
108	Baseline measure of health-related quality of life (Functional Assessment of Cancer Therapy-Esophagus) is associated with overall survival in patients with esophageal cancer. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2016 , 151, 1571-80	1.5	18
107	A prospective study validating the EORTC QLQ-BM22 bone metastases module in patients with painful bone metastases undergoing palliative radiotherapy. <i>Radiotherapy and Oncology</i> , 2016 , 119, 208-12	5.3	7
106	Minimal clinically important differences in the EORTC QLQ-BM22 and EORTC QLQ-C15-PAL modules in patients with bone metastases undergoing palliative radiotherapy. <i>Quality of Life Research</i> , 2016 , 25, 2535-2541	3.7	11
105	Classification of painful bone metastases as mild, moderate, or severe using both EORTC QLQ-C15-PAL and EORTC QLQ-BM22. <i>Supportive Care in Cancer</i> , 2016 , 24, 4871-4878	3.9	5
104	Effect of re-irradiation for painful bone metastases on urinary markers of osteoclast activity (NCIC CTG SC.20U). <i>Radiotherapy and Oncology</i> , 2015 , 115, 141-8	5.3	10
103	Discovery and validation of vascular endothelial growth factor (VEGF) pathway polymorphisms in esophageal adenocarcinoma outcome. <i>Carcinogenesis</i> , 2015 , 36, 956-62	4.6	6
102	Dexamethasone in the prophylaxis of radiation-induced pain flare after palliative radiotherapy for bone metastases: a double-blind, randomised placebo-controlled, phase 3 trial. <i>Lancet Oncology, The</i> , 2015 , 16, 1463-1472	21.7	101
101	TOPGEAR: a randomised phase III trial of perioperative ECF chemotherapy versus preoperative chemoradiation plus perioperative ECF chemotherapy for resectable gastric cancer (an international, intergroup trial of the AGITG/TROG/EORTC/NCIC CTG). <i>BMC Cancer</i> , 2015 , 15, 532	4.8	108
100	Prospective Longitudinal Assessment of Quality of Life for Liver Cancer Patients Treated With Stereotactic Body Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015 , 93, 16-25	4	47
99	Multimodality approaches for the curative treatment of esophageal cancer. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2015 , 13, 229-38	7.3	38
98	Accumulated Delivered Dose Response of Stereotactic Body Radiation Therapy for Liver Metastases. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015 , 93, 639-48	4	24
97	Postoperative chemoradiotherapy vs. preoperative chemoradiotherapy for locally advanced (operable) gastric cancer: clarifying the role and technique of radiotherapy. <i>Journal of Gastrointestinal Oncology</i> , 2015 , 6, 89-107	2.8	14

96	Prospective evaluation of acute toxicity and quality of life after IMRT and concurrent chemotherapy for anal canal and perianal cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014 , 90, 587-94	4	61
95	Update on the Colon Health and Life-Long Exercise Change Trial: A Phase III Study of the Impact of an Exercise Program on Disease-Free Survival in Colon Cancer Survivors. <i>Current Colorectal Cancer Reports</i> , 2014 , 10, 321-328	1	22
94	Single versus multiple fractions of repeat radiation for painful bone metastases: a randomised, controlled, non-inferiority trial. <i>Lancet Oncology</i> , 2014 , 15, 164-71	21.7	185
93	(18)F-FDG-PET/CT in assessing response to neoadjuvant chemoradiotherapy for potentially resectable locally advanced esophageal cancer. <i>Annals of Nuclear Medicine</i> , 2014 , 28, 295-303	2.5	17
92	Degree of tumor shrinkage following neoadjuvant chemoradiotherapy: a potential predictor for complete pathological response in esophageal cancer?. <i>Ecological Management and Restoration</i> , 2014 , 27, 552-9	3	3
91	Impact of reirradiation of painful osseous metastases on quality of life and function: a secondary analysis of the NCIC CTG SC.20 randomized trial. <i>Journal of Clinical Oncology</i> , 2014 , 32, 3867-73	2.2	22
90	Induction gemcitabine plus concurrent gemcitabine and radiotherapy for locally advanced unresectable or resected pancreatic cancer. <i>Clinical Oncology</i> , 2014 , 26, 203-9	2.8	12
89	Dosimetric and clinical impact of 3D vs. 2D planning in palliative radiotherapy for bone metastases. <i>Supportive Care in Cancer</i> , 2013 , 21, 2229-35	3.9	6
88	A randomized controlled trial of lorazepam to reduce liver motion in patients receiving upper abdominal radiation therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013 , 87, 881-74		5
87	Neoadjuvant or adjuvant therapy for resectable gastric cancer: a systematic review and practice guideline for North America. <i>Gastric Cancer</i> , 2013 , 16, 28-40	7.6	41
86	Clinical practice guidelines for the prevention and treatment of acute and late radiation reactions from the MASCC Skin Toxicity Study Group. <i>Supportive Care in Cancer</i> , 2013 , 21, 2933-48	3.9	146
85	In Their Own Words: A Qualitative Descriptive Study of Patient and Caregiver Perspectives on Follow-Up Care after Palliative Radiotherapy. <i>Journal of Medical Imaging and Radiation Sciences</i> , 2013 , 44, 209-213	1.4	4
84	Phase II trial of palliative radiotherapy for hepatocellular carcinoma and liver metastases. <i>Journal of Clinical Oncology</i> , 2013 , 31, 3980-6	2.2	72
83	Sequential phase I and II trials of stereotactic body radiotherapy for locally advanced hepatocellular carcinoma. <i>Journal of Clinical Oncology</i> , 2013 , 31, 1631-9	2.2	525
82	Radiation-Induced Skin Reactions 2013 , 264-280		
81	Clinical utility of 18F-fluorodeoxyglucose positron emission tomography/computed tomography in the staging of patients with potentially resectable esophageal cancer. <i>Journal of Thoracic Oncology</i> , 2013 , 8, 1563-9	8.9	35
80	A one-step cone-beam CT-enabled planning-to-treatment model for palliative radiotherapy-from development to implementation. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 84, 834-40	4	15
79	How effective is a virtual consultation process in facilitating multidisciplinary decision-making for malignant epidural spinal cord compression?. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 84, e167-72	4	9

78	Can trained volunteers provide psychosocial support to patients undergoing radiotherapy? The perspective of patients and volunteers. <i>Practical Radiation Oncology</i> , 2012 , 2, e23-e29	2.8	1
77	Whole brain radiotherapy for the treatment of newly diagnosed multiple brain metastases. <i>The Cochrane Library</i> , 2012 , CD003869	5.2	147
76	What is the Best Way to Produce Consensus and Buy in to Guidelines for Rectal Cancer?. <i>Current Colorectal Cancer Reports</i> , 2012 , 8, 83-89	1	3
75	Evidence-based guideline recommendations on the use of positron emission tomography imaging in oesophageal cancer. <i>Clinical Oncology</i> , 2012 , 24, 86-104	2.8	29
74	Development and evaluation of a combined story and fact-based educational booklet for patients with multiple brain metastases and their caregivers. <i>Palliative Medicine</i> , 2011 , 25, 642-9	5.5	6
73	Rectal motion in patients receiving preoperative radiotherapy for carcinoma of the rectum. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 80, 97-102	4	29
72	Quantifying interobserver variation in target definition in palliative radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 80, 1498-504	4	11
71	Complications of bone metastases—bone fractures, spinal cord compression, vertebral augmentation 2011 , 292-308		
70	A multicenter assessment of the adequacy of cancer pain treatment using the pain management index. <i>Journal of Palliative Medicine</i> , 2010 , 13, 589-93	2.2	18
69	Characteristics of people with chronic lung disease who rest during the six-minute walk test. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010 , 91, 1765-9	2.8	3
68	Maintaining the will to live of patients with advanced cancer. <i>Cancer Journal (Sudbury, Mass)</i> , 2010 , 16, 524-31	2.2	16
67	WITHDRAWN. Combined chemotherapy and radiotherapy (without surgery) compared with radiotherapy alone in localized carcinoma of the esophagus. <i>The Cochrane Library</i> , 2010 , CD002092	5.2	9
66	Function and health status outcomes following soft tissue reconstruction for limb preservation in extremity soft tissue sarcoma. <i>Annals of Surgical Oncology</i> , 2010 , 17, 1052-62	3.1	50
65	Interfraction and respiratory organ motion during conformal radiotherapy in gastric cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010 , 77, 53-9	4	81
64	Patterns of practice in palliative radiotherapy for painful bone metastases: impact of a regional rapid access clinic on access to care. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010 , 78, 533-8	4	29
63	Phase 2 trial of preoperative irinotecan plus cisplatin and conformal radiotherapy, followed by surgery for esophageal cancer. <i>Cancer</i> , 2010 , 116, 4023-32	6.4	23
62	Preoperative or postoperative therapy for resectable oesophageal cancer: an updated practice guideline. <i>Clinical Oncology</i> , 2010 , 22, 250-6	2.8	25
61	Preoperative or postoperative therapy for stage II or III rectal cancer: an updated practice guideline. <i>Clinical Oncology</i> , 2010 , 22, 265-71	2.8	42

60	In Reply to Dr. Roos et al.. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010 , 78, 637	4	
59	Phase I study of individualized stereotactic body radiotherapy of liver metastases. <i>Journal of Clinical Oncology</i> , 2009 , 27, 1585-91	2.2	352
58	Health-related quality of life in esophageal cancer: effect of neoadjuvant chemoradiotherapy followed by surgical intervention. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2009 , 137, 36-42	1.5	74
57	Dexamethasone for the prophylaxis of radiation-induced pain flare after palliative radiotherapy for symptomatic bone metastases: a phase II study. <i>Clinical Oncology</i> , 2009 , 21, 329-35	2.8	59
56	Determining the incidence of pain flare following palliative radiotherapy for symptomatic bone metastases: results from three canadian cancer centers. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009 , 75, 193-7	4	110
55	Palliative thoracic radiotherapy for lung cancer: a systematic review. <i>Journal of Clinical Oncology</i> , 2008 , 26, 4001-11	2.2	190
54	The management of dyspnea in cancer patients: a systematic review. <i>Supportive Care in Cancer</i> , 2008 , 16, 329-37	3.9	89
53	The use and toxicity of steroids in the management of patients with brain metastases. <i>Supportive Care in Cancer</i> , 2008 , 16, 1041-8	3.9	71
52	A phase I/II study to evaluate the toxicity and efficacy of accelerated fractionation radiotherapy for the palliation of dysphagia from carcinoma of the oesophagus. <i>Clinical Oncology</i> , 2008 , 20, 53-60	2.8	29
51	Improving observer variability in target delineation for gastro-oesophageal cancer--the role of (18F)fluoro-2-deoxy-D-glucose positron emission tomography/computed tomography. <i>Clinical Oncology</i> , 2008 , 20, 631-8	2.8	35
50	Effect of concurrent high-dose cisplatin chemotherapy and conformal radiotherapy on cervical esophageal cancer survival. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008 , 71, 735-40 ⁴		51
49	Semiautomatic vertebrae visualization, detection, and identification for online palliative radiotherapy of bone metastases of the spine. <i>Medical Physics</i> , 2008 , 35, 367-76	4.4	12
48	Online planning and delivery technique for radiotherapy of spinal metastases using cone-beam CT: image quality and system performance. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007 , 67, 1229-37	4	76
47	The treatment of depression in cancer patients: a systematic review. <i>Supportive Care in Cancer</i> , 2007 , 15, 123-36	3.9	159
46	The prevention and management of acute skin reactions related to radiation therapy: a systematic review and practice guideline. <i>Supportive Care in Cancer</i> , 2007 , 15, 1221-1221	3.9	1
45	Pre-operative radiotherapy and curative surgery for the management of localized rectal carcinoma. <i>The Cochrane Library</i> , 2007 , CD002102	5.2	118
44	The difficulties of a randomized study in superior vena caval obstruction. <i>Journal of Thoracic Oncology</i> , 2007 , 2, 514-9	8.9	20
43	5-hydroxytryptamine-3 receptor antagonist with or without short-course dexamethasone in the prophylaxis of radiation induced emesis: a placebo-controlled randomized trial of the National Cancer Institute of Canada Clinical Trials Group (SC19). <i>Journal of Clinical Oncology</i> , 2006 , 24, 3458-64	2.2	48

42	Combined chemotherapy and radiotherapy (without surgery) compared with radiotherapy alone in localized carcinoma of the esophagus. <i>Cochrane Database of Systematic Reviews</i> , 2006 , CD002092		69
41	Whole brain radiotherapy for the treatment of multiple brain metastases. <i>Cochrane Database of Systematic Reviews</i> , 2006 , CD003869		47
40	Preoperative radiation with concurrent chemotherapy for resectable rectal cancer: effect of dose escalation on pathologic complete response, local recurrence-free survival, disease-free survival, and overall survival. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006 , 64, 709-16	4	95
39	Conformal radiotherapy in the adjuvant treatment of gastric cancer: Review of 82 cases. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006 , 65, 713-9	4	40
38	Computerized tomographic simulation compared with clinical mark-up in palliative radiotherapy: a prospective study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006 , 65, 824-9	4	20
37	Decision making in palliative radiation therapy: reframing hope in caregivers and patients with brain metastases. <i>Supportive Care in Cancer</i> , 2006 , 14, 1055-63	3.9	21
36	The prevention and management of acute skin reactions related to radiation therapy: a systematic review and practice guideline. <i>Supportive Care in Cancer</i> , 2006 , 14, 802-17	3.9	165
35	Primary radical external beam radiotherapy of rectal adenocarcinoma: long term outcome of 271 patients. <i>Radiotherapy and Oncology</i> , 2005 , 77, 126-32	5.3	68
34	Brachytherapy improved dysphagia more than stenting in people with inoperable oesophageal cancer. <i>Cancer Treatment Reviews</i> , 2005 , 31, 230-5	14.4	0
33	Radiotherapeutic management of brain metastases: a systematic review and meta-analysis. <i>Cancer Treatment Reviews</i> , 2005 , 31, 256-73	14.4	142
32	Accuracy of survival prediction by palliative radiation oncologists. <i>International Journal of Radiation Oncology Biology Physics</i> , 2005 , 61, 870-3	4	99
31	IMRT for adjuvant radiation in gastric cancer: a preferred plan?. <i>International Journal of Radiation Oncology Biology Physics</i> , 2005 , 63, 732-8	4	81
30	Post-operative radiochemotherapy for gastric cancer: adoption and adaptation. <i>Clinical Oncology</i> , 2005 , 17, 91-5	2.8	20
29	Factors influencing the use of single vs multiple fractions of palliative radiotherapy for bone metastases: a 5-year review. <i>Clinical Oncology</i> , 2005 , 17, 430-4	2.8	30
28	Clinical practice guideline on the optimal radiotherapeutic management of brain metastases. <i>BMC Cancer</i> , 2005 , 5, 34	4.8	33
27	Assessing perfusion changes during whole brain irradiation for patients with cerebral metastases. <i>Journal of Neuro-Oncology</i> , 2005 , 71, 281-6	4.8	12
26	Are symptoms reliable as an indication for the necessity of bone scans in lung cancer metastases?. <i>Nature Clinical Practice Oncology</i> , 2004 , 1, 18-9		
25	Radiotherapy fractionation for the palliation of uncomplicated painful bone metastases - an evidence-based practice guideline. <i>BMC Cancer</i> , 2004 , 4, 71	4.8	83

24	Neoadjuvant or adjuvant therapy for resectable esophageal cancer: a systematic review and meta-analysis. <i>BMC Medicine</i> , 2004 , 2, 35	11.4	155
23	The treatment of lymphedema related to breast cancer: a systematic review and evidence summary. <i>Supportive Care in Cancer</i> , 2004 , 12, 421-31	3.9	78
22	Phase I study of 5-fluorouracil and leucovorin by continuous infusion chronotherapy and pelvic radiotherapy in patients with locally advanced or recurrent rectal cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2004 , 58, 1487-95	4	4
21	Computed tomographic simulation in palliative radiotherapy: the Princess Margaret Hospital experience. <i>Clinical Oncology</i> , 2004 , 16, 425-8	2.8	5
20	Outcome and toxicity of postoperative short course adjuvant radiation and chemotherapy following resection of adenocarcinoma of the rectum. <i>Acta Oncologica</i> , 2004 , 43, 567-70	3.2	3
19	Neoadjuvant or adjuvant therapy for resectable esophageal cancer: a clinical practice guideline. <i>BMC Cancer</i> , 2004 , 4, 67	4.8	32
18	Computed tomography (CT) evaluation of breast cancer patients with osteolytic bone metastases undergoing palliative radiotherapy--a feasibility study. <i>Radiotherapy and Oncology</i> , 2004 , 70, 291-4	5.3	27
17	The success of data collection in the palliative setting--telephone or clinic follow-up?. <i>Supportive Care in Cancer</i> , 2003 , 11, 555-9	3.9	12
16	Follow-up of patients with curatively resected colorectal cancer: a practice guideline. <i>BMC Cancer</i> , 2003 , 3, 26	4.8	280
15	The use of preoperative radiotherapy in the management of patients with clinically resectable rectal cancer: a practice guideline. <i>BMC Medicine</i> , 2003 , 1, 1	11.4	25
14	Combined modality radiotherapy and chemotherapy in nonsurgical management of localized carcinoma of the esophagus: a practice guideline. <i>International Journal of Radiation Oncology Biology Physics</i> , 2003 , 55, 930-42	4	59
13	Meta-analysis of dose-fractionation radiotherapy trials for the palliation of painful bone metastases. <i>International Journal of Radiation Oncology Biology Physics</i> , 2003 , 55, 594-605	4	443
12	Improving the consistency in cervical esophageal target volume definition by special training. <i>International Journal of Radiation Oncology Biology Physics</i> , 2002 , 53, 766-74	4	31
11	Defining patient-based minimal clinically important effect sizes: a study in palliative radiotherapy for painful unresectable pelvic recurrences from rectal cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2002 , 54, 661-9	4	4
10	What do patients living with advanced cancer and their carers want to know? - a needs assessment. <i>Supportive Care in Cancer</i> , 2002 , 10, 408-15	3.9	69
9	Bisphosphonates for the relief of pain secondary to bone metastases. <i>The Cochrane Library</i> , 2002 , CD002068	3.6	119
8	Use of the CAGE questionnaire for screening problem drinking in an out-patient palliative radiotherapy clinic. <i>Journal of Pain and Symptom Management</i> , 2001 , 21, 491-7	4.8	14
7	Prospective assessment of symptom palliation for patients attending a rapid response radiotherapy program. feasibility of telephone follow-up. <i>Journal of Pain and Symptom Management</i> , 2001 , 22, 649-56	4.8	30

6	Prospective patient-based assessment of effectiveness of palliative radiotherapy for bone metastases. <i>Radiotherapy and Oncology</i> , 2001 , 61, 77-82	5.3	39
5	. <i>International Journal of Radiation Oncology Biology Physics</i> , 2000 , 46, 517-518	4	3
4	Risk-adapted therapy for clinical stage I-II Hodgkin's disease: 7-years results of radiotherapy alone for low-risk disease, and ABVD and radiotherapy for high-risk disease. <i>Clinical Oncology</i> , 2000 , 12, 278-88	2.8	2
3	Referring physicians' satisfaction with the rapid response radiotherapy programme. Survey results at the Toronto-Sunnybrook Regional Cancer Centre. <i>Supportive Care in Cancer</i> , 2000 , 8, 405-9	3.9	15
2	Palliation of bone metastases: a survey of patterns of practice among Canadian radiation oncologists. <i>Radiotherapy and Oncology</i> , 2000 , 56, 305-14	5.3	84
1	In search of a dose-response relationship with radiotherapy in the management of recurrent rectal carcinoma in the pelvis: a systematic review. <i>International Journal of Radiation Oncology Biology Physics</i> , 1998 , 40, 437-46	4	30