

Kim Brixen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/10579753/kim-brixen-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

130 papers	6,047 citations	50 h-index	72 g-index
132 ext. papers	6,677 ext. citations	5.4 avg, IF	5.41 L-index

#	Paper	IF	Citations
130	Completeness of testing in patients with medullary thyroid carcinoma in Denmark 1997-2013: a nationwide study. <i>Clinical Epidemiology</i> , 2019 , 11, 93-99	5.9	6
129	Replication of newly proposed TNM staging system for medullary thyroid carcinoma: a nationwide study. <i>Endocrine Connections</i> , 2019 , 8, 1-7	3.5	3
128	Survival and Long-Term Biochemical Cure in Medullary Thyroid Carcinoma in Denmark 1997-2014: A Nationwide Study. <i>Thyroid</i> , 2019 , 29, 368-377	6.2	27
127	Incidence and prevalence of multiple endocrine neoplasia 2A in Denmark 1901-2014: a nationwide study. <i>Clinical Epidemiology</i> , 2018 , 10, 1479-1487	5.9	16
126	Incidence and prevalence of sporadic and hereditary MTC in Denmark 1960-2014: a nationwide study. <i>Endocrine Connections</i> , 2018 , 7, 829-839	3.5	26
125	Genetic Screening of WNT4 and WNT5B in Two Populations with Deviating Bone Mineral Densities. <i>Calcified Tissue International</i> , 2017 , 100, 244-249	3.9	3
124	Incidence and prevalence of multiple endocrine neoplasia 2B in Denmark: a nationwide study. <i>Endocrine-Related Cancer</i> , 2017 , 24, L39-L42	5.7	26
123	Bone disease in diabetes: another manifestation of microvascular disease?. <i>Lancet Diabetes and Endocrinology</i> , 2017 , 5, 827-838	18.1	62
122	Bone structural changes after gastric bypass surgery evaluated by HR-pQCT: a two-year longitudinal study. <i>European Journal of Endocrinology</i> , 2017 , 176, 685-693	6.5	61
121	Disentangling the association between diabetes and bone disease - AuthorsTrepley. <i>Lancet Diabetes and Endocrinology</i> , 2017 , 5, 769-770	18.1	1
120	Founder Effect of the RET Mutation in Multiple Endocrine Neoplasia 2A in Denmark: A Nationwide Study. <i>Thyroid</i> , 2017 , 27, 1505-1510	6.2	14
119	Distribution of RET Mutations in Multiple Endocrine Neoplasia 2 in Denmark 1994-2014: A Nationwide Study. <i>Thyroid</i> , 2017 , 27, 215-223	6.2	26
118	Fracture Rates and Fracture Sites in Patients With Osteogenesis Imperfecta: A Nationwide Register-Based Cohort Study. <i>Journal of Bone and Mineral Research</i> , 2017 , 32, 125-134	6.3	60
117	Bone Structural Changes and Estimated Strength After Gastric Bypass Surgery Evaluated by HR-pQCT. <i>Calcified Tissue International</i> , 2016 , 98, 253-62	3.9	38
116	Point-of-Care Phalangeal Bone Mineral Density Measurement Can Reduce the Need of Dual-Energy X-Ray Absorptiometry Scanning in Danish Women at Risk of Fracture. <i>Calcified Tissue International</i> , 2016 , 98, 244-52	3.9	1
115	Compromised cortical bone compartment in type 2 diabetes mellitus patients with microvascular disease. <i>European Journal of Endocrinology</i> , 2016 , 174, 115-24	6.5	90
114	Multidisciplinary Management of Mastocytosis: Nordic Expert Group Consensus. <i>Acta Dermato-Venereologica</i> , 2016 , 96, 602-12	2.2	11

113	Age- and Sex-Related Changes in Bone Microarchitecture and Estimated Strength: A Three-Year Prospective Study Using HRpQCT. <i>Journal of Bone and Mineral Research</i> , 2016 , 31, 1541-9	6.3	79
112	Cardiovascular disease in patients with osteogenesis imperfecta - a nationwide, register-based cohort study. <i>International Journal of Cardiology</i> , 2016 , 225, 250-257	3.2	15
111	Mortality and Causes of Death in Patients With Osteogenesis Imperfecta: A Register-Based Nationwide Cohort Study. <i>Journal of Bone and Mineral Research</i> , 2016 , 31, 2159-2166	6.3	55
110	The risk-stratified osteoporosis strategy evaluation study (ROSE): a randomized prospective population-based study. Design and baseline characteristics. <i>Calcified Tissue International</i> , 2015 , 96, 167-79	3.9	14
109	Heart disease in patients with osteogenesis imperfecta - A systematic review. <i>International Journal of Cardiology</i> , 2015 , 196, 149-57	3.2	19
108	Bone geometry, volumetric density, microarchitecture, and estimated bone strength assessed by HR-pQCT in adult patients with hypophosphatemic rickets. <i>Journal of Bone and Mineral Research</i> , 2015 , 30, 176-83	6.3	26
107	Bone Geometry, Volumetric Density, Microarchitecture, and Estimated Bone Strength Assessed by HR-pQCT in Adult Patients With Type 1 Diabetes Mellitus. <i>Journal of Bone and Mineral Research</i> , 2015 , 30, 2188-99	6.3	110
106	Use of Relative vs Fixed Offset Distance to Define Region of Interest at the Distal Radius and Tibia in High-Resolution Peripheral Quantitative Computed Tomography. <i>Journal of Clinical Densitometry</i> , 2015 , 18, 217-25	3.5	24
105	Quantitative ultrasound measurements at the heel: improvement of short- and mid-term speed of sound precision. <i>Ultrasound in Medicine and Biology</i> , 2015 , 41, 858-70	3.5	1
104	Differential effects of strength training and testosterone treatment on soluble CD36 in aging men: Possible relation to changes in body composition. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2015 , 75, 659-66	2	6
103	Bone microarchitecture and estimated strength in 499 adult Danish women and men: a cross-sectional, population-based high-resolution peripheral quantitative computed tomographic study on peak bone structure. <i>Calcified Tissue International</i> , 2014 , 94, 269-81	3.9	78
102	Effects of odanacatib on the radius and tibia of postmenopausal women: improvements in bone geometry, microarchitecture, and estimated bone strength. <i>Journal of Bone and Mineral Research</i> , 2014 , 29, 1786-94	6.3	50
101	Bone structure and estimated bone strength in obese patients evaluated by high-resolution peripheral quantitative computed tomography. <i>Calcified Tissue International</i> , 2014 , 95, 19-28	3.9	30
100	Fracture risk prediction using phalangeal bone mineral density or FRAX(®)?-A Danish cohort study on men and women. <i>Journal of Clinical Densitometry</i> , 2014 , 17, 7-15	3.5	8
99	Bone geometry, volumetric bone mineral density, microarchitecture and estimated bone strength in Caucasian females with systemic lupus erythematosus. A cross-sectional study using HR-pQCT. <i>Calcified Tissue International</i> , 2014 , 95, 530-9	3.9	7
98	Does adding an appended oncology module to the Global Trigger Tool increase its value?. <i>International Journal for Quality in Health Care</i> , 2014 , 26, 553-60	1.9	14
97	Bone geometry, volumetric density, microarchitecture, and estimated bone strength assessed by HR-pQCT in Klinefelter syndrome. <i>Journal of Bone and Mineral Research</i> , 2014 , 29, 2474-82	6.3	25
96	Osteoporosis and prostate cancer: a cross-sectional study of Danish men with prostate cancer before androgen deprivation therapy. <i>Scandinavian Journal of Urology</i> , 2014 , 48, 350-5	1.6	6

95	Variation in the Kozak sequence of WNT16 results in an increased translation and is associated with osteoporosis related parameters. <i>Bone</i> , 2014 , 59, 57-65	4.7	34
94	Resistin polymorphisms show associations with obesity, but not with bone parameters in men: results from the Odense Androgen Study. <i>Molecular Biology Reports</i> , 2013 , 40, 2467-72	2.8	7
93	Genetic association study of WNT10B polymorphisms with BMD and adiposity parameters in Danish and Belgian males. <i>Endocrine</i> , 2013 , 44, 247-54	4	10
92	Mechanical muscle function and lean body mass during supervised strength training and testosterone therapy in aging men with low-normal testosterone levels. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 957-62	5.6	31
91	Autosomal dominant osteopetrosis revisited: lessons from recent studies. <i>European Journal of Endocrinology</i> , 2013 , 169, R39-57	6.5	55
90	Differing effects of PTH 1-34, PTH 1-84, and zoledronic acid on bone microarchitecture and estimated strength in postmenopausal women with osteoporosis: an 18-month open-labeled observational study using HR-pQCT. <i>Journal of Bone and Mineral Research</i> , 2013 , 28, 736-45	6.3	107
89	Handling knowledge on osteoporosis--a qualitative study. <i>Scandinavian Journal of Caring Sciences</i> , 2013 , 27, 516-24	2.3	25
88	A common LRP4 haplotype is associated with bone mineral density and hip geometry in men-data from the Odense Androgen Study (OAS). <i>Bone</i> , 2013 , 53, 414-20	4.7	13
87	Comparison of different screening tools (FRAX [®] , OST, ORAI, OSIRIS, SCORE and age alone) to identify women with increased risk of fracture. A population-based prospective study. <i>Bone</i> , 2013 , 56, 16-22	4.7	67
86	Bone density, turnover, and estimated strength in postmenopausal women treated with odanacatib: a randomized trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 571-80	5.6	100
85	Risk assessment tools to identify women with increased risk of osteoporotic fracture: complexity or simplicity? A systematic review. <i>Journal of Bone and Mineral Research</i> , 2013 , 28, 1701-17	6.3	119
84	KIT D816V mutation burden does not correlate to clinical manifestations of indolent systemic mastocytosis. <i>Journal of Allergy and Clinical Immunology</i> , 2013 , 132, 723-728	11.5	36
83	Assessment of the global trigger tool to measure, monitor and evaluate patient safety in cancer patients: reliability concerns are raised. <i>BMJ Quality and Safety</i> , 2013 , 22, 571-9	5.4	37
82	Evidence for Medical Treatment for Tertiary Prophylaxis of Osteoporosis 2013 , 3-13		
81	Testosterone therapy increased muscle mass and lipid oxidation in aging men. <i>Age</i> , 2012 , 34, 145-56		51
80	Association study of polymorphisms in the SOST gene region and parameters of bone strength and body composition in both young and elderly men: data from the Odense Androgen Study. <i>Calcified Tissue International</i> , 2012 , 90, 30-9	3.9	17
79	Association study of common variants in the sFRP1 gene region and parameters of bone strength and body composition in two independent healthy Caucasian male cohorts. <i>Molecular Genetics and Metabolism</i> , 2012 , 105, 508-15	3.7	5
78	Single nucleotide polymorphisms in sFRP4 are associated with bone and body composition related parameters in Danish but not in Belgian men. <i>Molecular Genetics and Metabolism</i> , 2012 , 106, 366-74	3.7	9

77	Identification of rare and frequent variants of the CASR gene by high-resolution melting. <i>Clinica Chimica Acta</i> , 2012 , 413, 605-11	6.2	15
76	Phalangeal bone mineral density predicts incident fractures: a prospective cohort study on men and women--results from the Danish Health Examination Survey 2007-2008 (DANHES 2007-2008). <i>Archives of Osteoporosis</i> , 2012 , 7, 291-9	2.9	7
75	Parathyroidectomy improves bone geometry and microarchitecture in female patients with primary hyperparathyroidism: a one-year prospective controlled study using high-resolution peripheral quantitative computed tomography. <i>Journal of Bone and Mineral Research</i> , 2012 , 27, 1150-8	6.3	66
74	Bone geometry, density, and microarchitecture in the distal radius and tibia in adults with osteogenesis imperfecta type I assessed by high-resolution pQCT. <i>Journal of Bone and Mineral Research</i> , 2012 , 27, 1405-12	6.3	44
73	Compromised trabecular microarchitecture and lower finite element estimates of radius and tibia bone strength in adults with turner syndrome: a cross-sectional study using high-resolution-pQCT. <i>Journal of Bone and Mineral Research</i> , 2012 , 27, 1794-803	6.3	38
72	Chronic diseases in elderly men: underreporting and underdiagnosis. <i>Age and Ageing</i> , 2012 , 41, 177-83	3	42
71	Osteoporosis and vertebral fractures in men aged 60-74 years. <i>Age and Ageing</i> , 2012 , 41, 171-7	3	37
70	Fracture risk and zoledronic acid therapy in men with osteoporosis. <i>New England Journal of Medicine</i> , 2012 , 367, 1714-23	59.2	227
69	Mutational analysis of PHEX, FGF23, DMP1, SLC34A3 and CLCN5 in patients with hypophosphatemic rickets. <i>Journal of Human Genetics</i> , 2012 , 57, 453-8	4.3	54
68	Gender differences in outcome of eating disorders: a retrospective cohort study. <i>Psychiatry Research</i> , 2011 , 186, 362-6	9.9	82
67	Levels of serotonin, sclerostin, bone turnover markers as well as bone density and microarchitecture in patients with high-bone-mass phenotype due to a mutation in Lrp5. <i>Journal of Bone and Mineral Research</i> , 2011 , 26, 1721-8	6.3	53
66	Increased serum and bone matrix levels of transforming growth factor {beta}1 in patients with GH deficiency in response to GH treatment. <i>European Journal of Endocrinology</i> , 2011 , 165, 393-400	6.5	5
65	Men's experiences of living with osteoporosis: focus group interviews. <i>American Journal of Men's Health</i> , 2011 , 5, 166-76	2.2	23
64	Fracture risk assessed by Fracture Risk Assessment Tool (FRAX) compared with fracture risk derived from population fracture rates. <i>Scandinavian Journal of Public Health</i> , 2011 , 39, 312-8	3	14
63	Screening, prevention and treatment of osteoporosis in patients with chronic obstructive pulmonary disease - a population-based database study. <i>Clinical Respiratory Journal</i> , 2010 , 4, 22-9	1.7	18
62	The impact of the CAG repeat polymorphism of the androgen receptor gene on muscle and adipose tissues in 20-29-year-old Danish men: Odense Androgen Study. <i>European Journal of Endocrinology</i> , 2010 , 162, 795-804	6.5	33
61	Multiplex ligation-dependent probe amplification (MLPA) screening for exon copy number variation in the calcium sensing receptor gene: no large rearrangements identified in patients with calcium metabolic disorders. <i>Clinical Endocrinology</i> , 2010 , 72, 758-62	3.4	3
60	Common genetic variation in the DKK1 gene is associated with hip axis length but not with bone mineral density and bone turnover markers in young adult men: results from the Odense Androgen Study. <i>Calcified Tissue International</i> , 2010 , 86, 271-81	3.9	14

59	Phenotype presentation of hypophosphatemic rickets in adults. <i>Calcified Tissue International</i> , 2010 , 87, 108-19	3.9	81
58	Patients with high-bone-mass phenotype owing to Lrp5-T253I mutation have low plasma levels of serotonin. <i>Journal of Bone and Mineral Research</i> , 2010 , 25, 673-5	6.3	47
57	Effects on bone geometry, density, and microarchitecture in the distal radius but not the tibia in women with primary hyperparathyroidism: A case-control study using HR-pQCT. <i>Journal of Bone and Mineral Research</i> , 2010 , 25, 1941-7	6.3	94
56	Patient education in groups increases knowledge of osteoporosis and adherence to treatment: a two-year randomized controlled trial. <i>Patient Education and Counseling</i> , 2010 , 81, 155-60	3.1	59
55	Incidence and prevalence of nutritional and hereditary rickets in southern Denmark. <i>European Journal of Endocrinology</i> , 2009 , 160, 491-7	6.5	163
54	Leptin, ghrelin, and endocannabinoids: potential therapeutic targets in anorexia nervosa. <i>Journal of Psychiatric Research</i> , 2009 , 43, 671-9	5.2	36
53	Skeletal consequences of familial hypocalciuric hypercalcaemia vs. primary hyperparathyroidism. <i>Clinical Endocrinology</i> , 2009 , 71, 798-807	3.4	41
52	Hip fracture patients at risk of second hip fracture: a nationwide population-based cohort study of 169,145 cases during 1977-2001. <i>Journal of Bone and Mineral Research</i> , 2009 , 24, 1299-307	6.3	186
51	Discriminative power of three indices of renal calcium excretion for the distinction between familial hypocalciuric hypercalcaemia and primary hyperparathyroidism: a follow-up study on methods. <i>Clinical Endocrinology</i> , 2008 , 69, 713-20	3.4	123
50	Geographical variation in DXA bone mineral density in young European men and women. Results from the Network in Europe on Male Osteoporosis (NEMO) study. <i>Bone</i> , 2008 , 43, 332-339	4.7	34
49	Multidisciplinary patient education in groups increases knowledge on osteoporosis: a randomized controlled trial. <i>Scandinavian Journal of Public Health</i> , 2008 , 36, 346-52	3	28
48	Plasma 25-hydroxyvitamin D, 1,25-dihydroxyvitamin D, and parathyroid hormone in familial hypocalciuric hypercalcaemia and primary hyperparathyroidism. <i>European Journal of Endocrinology</i> , 2008 , 159, 719-27	6.5	38
47	Large-scale analysis of association between LRP5 and LRP6 variants and osteoporosis. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 299, 1277-90	27.4	204
46	Abnormal muscle and hematopoietic gene expression may be important for clinical morbidity in primary hyperparathyroidism. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007 , 292, E1465-73	6	29
45	Suppression of testosterone does not blunt mRNA expression of myoD, myogenin, IGF, myostatin or androgen receptor post strength training in humans. <i>Journal of Physiology</i> , 2007 , 578, 579-93	3.9	50
44	Fracture risk in Danish men with prostate cancer: a nationwide register study. <i>BJU International</i> , 2007 , 100, 749-54	5.6	64
43	Bioactive insulin-like growth factor (IGF) I and IGF-binding protein-1 in anorexia nervosa. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 2323-9	5.6	50
42	Visceral and subcutaneous adipose tissue assessed by magnetic resonance imaging in relation to circulating androgens, sex hormone-binding globulin, and luteinizing hormone in young men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 2696-705	5.6	109

41	Molecular genetic analysis of the calcium sensing receptor gene in patients clinically suspected to have familial hypocalciuric hypercalcemia: phenotypic variation and mutation spectrum in a Danish population. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 4373-9	5.6	72
40	Suppression of endogenous testosterone production attenuates the response to strength training: a randomized, placebo-controlled, and blinded intervention study. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2006 , 291, E1325-32	6	113
39	MTHFR c.677C>T polymorphism as an independent predictor of peak bone mass in Danish men--results from the Odense Androgen Study. <i>Bone</i> , 2006 , 38, 215-9	4.7	35
38	Gene expression profiles give insight into the molecular pathology of bone in primary hyperparathyroidism. <i>Bone</i> , 2006 , 39, 189-98	4.7	25
37	Validation of Biochemical Markers of Bone Turnover 2006 , 583-594		2
36	Prevention and treatment of osteoporosis in women. <i>Current Obstetrics & Gynaecology</i> , 2005 , 15, 251-258		4
35	Are effects of MTHFR (C677T) genotype on BMD confined to women with low folate and riboflavin intake? Analysis of food records from the Danish osteoporosis prevention study. <i>Bone</i> , 2005 , 36, 577-83	4.7	51
34	Circulating amounts of osteoprotegerin and RANK ligand: genetic influence and relationship with BMD assessed in female twins. <i>Bone</i> , 2005 , 36, 727-35	4.7	41
33	Cost-effectiveness of alendronate in the prevention of osteoporotic fractures in Danish women. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2005 , 96, 387-96	3.1	20
32	Fracture risk in perimenopausal women treated with beta-blockers. <i>Calcified Tissue International</i> , 2004 , 75, 365-72	3.9	91
31	Age-related changes in cortical bone content of insulin-like growth factor binding protein (IGFBP)-3, IGFBP-5, osteoprotegerin, and calcium in postmenopausal osteoporosis: a cross-sectional study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003 , 88, 1014-8	5.6	44
30	Patients with eating disorders. A high-risk group for fractures. <i>Orthopaedic Nursing</i> , 2003 , 22, 325-31	0.9	19
29	A common methylenetetrahydrofolate reductase (C677T) polymorphism is associated with low bone mineral density and increased fracture incidence after menopause: longitudinal data from the Danish osteoporosis prevention study. <i>Journal of Bone and Mineral Research</i> , 2003 , 18, 723-9	6.3	81
28	Comparison of five biochemical markers of bone resorption in multiple myeloma: elevated pre-treatment levels of S-ICTP and U-Ntx are predictive for early progression of the bone disease during standard chemotherapy. <i>British Journal of Haematology</i> , 2003 , 120, 235-42	4.5	50
27	Increased fracture rates in Turner's syndrome: a nationwide questionnaire survey. <i>Clinical Endocrinology</i> , 2003 , 59, 89-96	3.4	87
26	A randomized trial of laypersons' perception of the benefit of osteoporosis therapy: number needed to treat versus postponement of hip fracture. <i>Clinical Therapeutics</i> , 2003 , 25, 2575-85	3.5	36
25	Aging of the Human Skeleton and its Contribution to Osteoporotic Fractures 2003 , 115-136		
24	Fractures in patients with anorexia nervosa, bulimia nervosa, and other eating disorders--a nationwide register study. <i>International Journal of Eating Disorders</i> , 2002 , 32, 301-8	6.3	154

23	Expressing effects of osteoporosis interventions in terms of postponing of fractures. <i>European Journal of Clinical Pharmacology</i> , 2002 , 58, 629-33	2.8	7
22	Fracture risk is increased in patients with GH deficiency or untreated prolactinomas--a case-control study. <i>Clinical Endocrinology</i> , 2002 , 56, 159-67	3.4	65
21	Marked disproportionality in bone size and mineral, and distinct abnormalities in bone markers and calcitropic hormones in adult turner syndrome: a cross-sectional study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 2798-808	5.6	98
20	Short-term growth hormone treatment in girls with Turner syndrome decreases fat mass and insulin sensitivity: a randomized, double-blind, placebo-controlled, crossover study. <i>Pediatrics</i> , 2002 , 110, 889-96	7.4	49
19	Increased risk of osteoporotic fractures in patients with Cushing's syndrome. <i>European Journal of Endocrinology</i> , 2002 , 146, 51-6	6.5	81
18	Growth hormone treatment in adults with adult-onset growth hormone deficiency increases iliac crest trabecular bone turnover: a 1-year, double-blind, randomized, placebo-controlled study. <i>Journal of Bone and Mineral Research</i> , 2000 , 15, 293-300	6.3	25
17	Increased cortical bone content of insulin-like growth factors in acromegalic patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999 , 84, 123-7	5.6	26
16	Short-term treatment with growth hormone stimulates osteoblastic and osteoclastic activity in osteopenic postmenopausal women: a dose response study. <i>Journal of Bone and Mineral Research</i> , 1995 , 10, 1865-74	6.3	56
15	New markers of bone metabolism: clinical use in metabolic bone disease. <i>European Journal of Endocrinology</i> , 1995 , 132, 251-63	6.5	79
14	Collagen metabolism in two types of autosomal dominant osteopetrosis during stimulation with thyroid hormones. <i>European Journal of Endocrinology</i> , 1995 , 133, 557-63	6.5	8
13	Effect of short-term treatment with recombinant human growth hormone on lipids and lipoproteins in women and men without growth hormone disturbances. <i>Metabolism: Clinical and Experimental</i> , 1995 , 44, 725-9	12.7	16
12	Growth hormone (GH) and adult bone remodeling: the potential use of GH in treatment of osteoporosis. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 1993 , 6, 65-71	1.6	11
11	The effect of single doses of inhaled beclomethasone dipropionate on the circadian rhythm in serum osteocalcin in normals. <i>European Journal of Endocrinology</i> , 1993 , 128, 263-7	6.5	2
10	Effects of short-term growth hormone treatment on PTH, calcitriol, thyroid hormones, insulin and glucagon. <i>European Journal of Endocrinology</i> , 1992 , 127, 331-6	6.5	28
9	Effects of a short course of oral phosphate treatment on serum parathyroid hormone(1-84) and biochemical markers of bone turnover: a dose-response study. <i>Calcified Tissue International</i> , 1992 , 51, 276-81	3.9	25
8	Acute effect of 1,25-dihydroxyvitamin D3, prednisone, and 1,25-dihydroxyvitamin D3 plus prednisone on serum osteocalcin in normal individuals. <i>Journal of Bone and Mineral Research</i> , 1991 , 6, 435-41	6.3	30
7	Serum osteocalcin and bone isoenzyme alkaline phosphatase in growth hormone-deficient patients: dose-response studies with biosynthetic human GH. <i>Calcified Tissue International</i> , 1991 , 48, 82-7	3.9	34
6	Skeletal size and bone mineral content in Turner's syndrome: relation to karyotype, estrogen treatment, physical fitness, and bone turnover. <i>Calcified Tissue International</i> , 1991 , 49, 77-83	3.9	56

5	Relations between diurnal variations in serum osteocalcin, cortisol, parathyroid hormone, and ionized calcium in normal individuals. <i>European Journal of Endocrinology</i> , 1991 , 124, 391-8	6.5	54
4	A short course of recombinant human growth hormone treatment stimulates osteoblasts and activates bone remodeling in normal human volunteers. <i>Journal of Bone and Mineral Research</i> , 1990 , 5, 609-18	6.3	123
3	Diurnal rhythm and 24-hour integrated concentrations of serum osteocalcin in normals: influence of age, sex, season, and smoking habits. <i>Calcified Tissue International</i> , 1990 , 47, 284-90	3.9	63
2	Changes in biochemical markers of osteoblastic activity during the menstrual cycle. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1990 , 70, 1431-7	5.6	115
1	Efficacy of wheat germ lectin-precipitated alkaline phosphatase in serum as an estimator of bone mineralization rate: comparison to serum total alkaline phosphatase and serum bone Gla-protein. <i>Calcified Tissue International</i> , 1989 , 44, 93-8	3.9	99