

Andrew P Shinn

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10595208/publications.pdf>

Version: 2024-02-01

54

papers

1,196

citations

394421

19

h-index

414414

32

g-index

56

all docs

56

docs citations

56

times ranked

994

citing authors

#	ARTICLE	IF	CITATIONS
1	Review of climate change impacts on marine aquaculture in the UK and Ireland. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2012, 22, 389-421.	2.0	134
2	The use of morphometric characters to discriminate specimens of laboratory-reared and wild populations of <i>Gyrodactylus salaris</i> and <i>G. thymalli</i> (Monogenea). <i>Folia Parasitologica</i> , 2004, 51, 239-252.	1.3	97
3	Treatment of gyrodactylid infections in fish. <i>Diseases of Aquatic Organisms</i> , 2009, 86, 65-75.	1.0	69
4	An SEM study of the haptoral sclerites of the genus <i>Gyrodactylus</i> Nordmann, 1832 (Monogenea) following extraction by digestion and sonication techniques. <i>Systematic Parasitology</i> , 1993, 25, 135-144.	1.1	40
5	GyroDb: gyrodactylid monogeneans on the web. <i>Trends in Parasitology</i> , 2008, 24, 109-111.	3.3	37
6	The first report of <i>Gyrodactylus salaris</i> Malmberg, 1957 (Platyhelminthes, Monogenea) on Italian cultured stocks of rainbow trout (<i>Oncorhynchus mykiss</i> Walbaum). <i>Veterinary Parasitology</i> , 2009, 165, 290-297.	1.8	36
7	Survey of actinosporean types (Myxozoa) belonging to seven collective groups found in a freshwater salmon farm in Northern Scotland. <i>Folia Parasitologica</i> , 2002, 49, 189-210.	1.3	34
8	Multivariate analyses of morphometrical features from <i>Gyrodactylus</i> spp. (Monogenea) parasitising British salmonids: Light microscope based studies. <i>Systematic Parasitology</i> , 1996, 33, 115-125.	1.1	33
9	<i>Gyrodactylus thlapin</i> . sp. (Monogenea) from <i>Pseudocrenilabrus philander</i> philander (Weber) (Cichlidae) in the Okavango Delta, Botswana. <i>Systematic Parasitology</i> , 2005, 60, 165-173.	1.1	33
10	<i>Gyrodactylus salinae</i> n. sp. (Platyhelminthes: Monogenea) infecting the south European toothcarp <i>Aphanius fasciatus</i> (Valenciennes) (Teleostei, Cyprinodontidae) from a hypersaline environment in Italy. <i>Parasites and Vectors</i> , 2011, 4, 100.	2.5	33
11	HISTOPATHOLOGY AND ULTRASTRUCTURE OF PLATICHTHYS FLESUS NATURALLY INFECTED WITH ANISAKIS SIMPLEX S.L. LARVAE (NEMATODA: ANISAKIDAE). <i>Journal of Parasitology</i> , 2007, 93, 1416-1423.	0.7	31
12	The role of rodlet cells in the inflammatory response in <i>Phoxinus phoxinus</i> brains infected with <i>Diplostomum</i> . <i>Fish and Shellfish Immunology</i> , 2007, 23, 300-304.	3.6	30
13	A Review of the Biology of the Parasitic Copepod <i>Lernaeocera branchialis</i> (L., 1767) (Copepoda: Tj ETQq1 1 0.784314 rgBT /Overlock 10 3.2 29		
14	The anti-protozoal activity of bronopol on the key life-stages of <i>Ichthyophthirius multifiliis</i> Fouquet, 1876 (Ciliophora). <i>Veterinary Parasitology</i> , 2012, 186, 229-236.	1.8	29
15	Efficacy of selected oral chemotherapeuticants against <i>Ichthyophthirius multifiliis</i> (Ciliophora:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 1.0 25 55, 17-22.		
16	The effects of feeding β -glucan to <i>Pangasianodon hypophthalmus</i> on immune gene expression and resistance to <i>Edwardsiella ictaluri</i> . <i>Fish and Shellfish Immunology</i> , 2015, 47, 595-605.	3.6	25
17	Prophylactic properties of biofloc- or Nile tilapia-conditioned water against <i>Vibrio parahaemolyticus</i> infection of whiteleg shrimp (<i>Penaeus vannamei</i>). <i>Aquaculture</i> , 2019, 498, 496-502.	3.5	24
18	<i>Gyrodactylus jarocho</i> sp. nov. and <i>Gyrodactylus xalapensis</i> sp. nov. (Platyhelminthes: Monogenea) from Mexican poeciliids (Teleostei: Cyprinodontiformes), with comments on the known gyrodactylid fauna infecting poeciliid fish. <i>Zootaxa</i> , 2010, 2509, .	0.5	20

#	ARTICLE	IF	CITATIONS
19	Gyrodactylus orechiae sp. n. (Monogenea: Gyrodactylidae) from farmed populations of gilthead seabream (<i>Sparus aurata</i>) in the Adriatic Sea. <i>Folia Parasitologica</i> , 2009, 56, 21-28.	1.3	20
20	Gyrodactylus eyipayipi sp.��n. (Monogenea: Gyrodactylidae) from <i>Syngnathus acus</i> (Syngnathidae) from South Africa. <i>Folia Parasitologica</i> , 2010, 57, 11-15.	1.3	20
21	Myxosporean hyperparasites of gill monogeneans are basal to the Multivalvulida. <i>Parasites and Vectors</i> , 2011, 4, 220.	2.5	19
22	In vitro assessment of the chemotherapeutic action of a specific hydrogen peroxide, peracetic, acetic, and peroctanoic acid-based formulation against the free-living stages of <i>Ichthyophthirius multifiliis</i> (Ciliophora). <i>Parasitology Research</i> , 2012, 110, 1029-1032.	1.6	19
23	To each his own: no evidence of gyrodactylid parasite host switches from invasive poeciliid fishes to <i>Goodea atripinnis</i> Jordan (Cyprinodontiformes: Goodeidae), the most dominant endemic freshwater goodeid fish in the Mexican Highlands. <i>Parasites and Vectors</i> , 2016, 9, 604.	2.5	19
24	Comments on the mechanism of attachment in species of the monogenean genus <i>< i>Gyrodactylus</i></i> . <i>Invertebrate Biology</i> , 2003, 122, 1-11.	0.9	18
25	Morphological and molecular characterisation of <i>Gyrodactylus salmonis</i> (Platyhelminthes,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 Veterinary Parasitology, 2012, 186, 289-300.	1.8	18
26	Streptococcus agalactiae infection kills red tilapia with chronic <i>Francisella noatunensis</i> infection more rapidly than the fish without the infection. <i>Fish and Shellfish Immunology</i> , 2018, 81, 221-232.	3.6	18
27	<i>< i>Myxobolus albi</i></i> n. sp. (Myxozoa) from the Gills of the Common Goby <i>< i>Pomatoschistus microps</i></i> Kr��yer (Teleostei: Gobiidae). <i>Journal of Eukaryotic Microbiology</i> , 2009, 56, 421-427.	1.7	17
28	<i>Gyrodactylus longipes</i> n. sp. (Monogenea: Gyrodactylidae) from farmed gilthead seabream (<i>Sparus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.3	16
29	Argentophilic structures as a diagnostic criterion for the discrimination of species of the genus <i>Gyrodactylus</i> von Nordmann (Monogenea). <i>Systematic Parasitology</i> , 1997, 37, 47-57.	1.1	15
30	Omanicotyle heterospina n. gen. et n. comb. (Monogenea: Microcotylidae) from the gills of <i>Argyrops spinifer</i> (Forssk��l) (Teleostei: Sparidae) from the Sea of Oman. <i>Parasites and Vectors</i> , 2013, 6, 170.	2.5	14
31	The description of <i>Gyrodactylus corleonis</i> sp.��n. and <i>G. neretum</i> sp.��n. (Platyhelminthes: Monogenea) with comments on other gyrodactylids parasitising pipefish (Pisces: Syngnathidae). <i>Folia Parasitologica</i> , 2010, 57, 17-30.	1.3	14
32	Reservoir hosts for <i>Gyrodactylus salaris</i> may play a more significant role in epidemics than previously thought. <i>Parasites and Vectors</i> , 2014, 7, 576.	2.5	13
33	Zoothamnium duplicatum infestation of cultured horseshoe crabs (<i>Limulus polyphemus</i>). <i>Journal of Invertebrate Pathology</i> , 2015, 125, 81-86.	3.2	12
34	Environment deterioration and related fungal infection of Upper Jurassic horseshoe crabs with remarks on their exceptional preservation. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 516, 336-341.	2.3	12
35	A revised description of <i>Gyrodactylus cichlidarum</i> Paperna, 1968 (Gyrodactylidae) from the Nile tilapia, <i>Oreochromis niloticus</i> niloticus (Cichlidae), and its synonymy with <i>G. niloticus</i> Cone, Arthur et Bondad-Reantaso, 1995. <i>Folia Parasitologica</i> , 2007, 54, 129-40.	1.3	12
36	Infection prevalence, seasonality and host specificity of actinosporean types (Myxozoa) in an Atlantic salmon fish farm located in Northern Scotland. <i>Folia Parasitologica</i> , 2002, 49, 263-268.	1.3	11

#	ARTICLE	IF	CITATIONS
37	An infection of <i>Gyrodactylus anguillae</i> Ergens, 1960 (Monogenea) associated with the mortality of glass eels (<i>Anguilla anguilla</i> L.) on the north-western Mediterranean Sea board of Spain. <i>Veterinary Parasitology</i> , 2011, 180, 323-331.	1.8	10
38	Increased robustness of postlarvae and juveniles from non-ablated Pacific whiteleg shrimp, <i>Penaeus vannamei</i> , broodstock post-challenged with pathogenic isolates of <i>Vibrio parahaemolyticus</i> (VpAHPND) and white spot disease (WSD). <i>Aquaculture</i> , 2021, 532, 736033.	3.5	10
39	Unveiling associations between ciliate parasites and bacterial microbiomes under warm-water fish farm conditions – a review. <i>Reviews in Aquaculture</i> , 2021, 13, 1097-1118.	9.0	10
40	<i>Gyrodactylus quadratidigitus</i> n. sp. (Monogenea: Gyrodactylidae), a parasite of the leopard-spotted goby <i>Thorogobius ephippiatus</i> (Lowe) from the south-western coast of the UK. <i>Systematic Parasitology</i> , 2003, 55, 151-157.	1.1	8
41	The potential utility of the leopard pleco (<i>Glyptoperichthys gibbiceps</i>) as a biological control of the ciliate protozoan <i>Ichthyophthirius multifiliis</i> . <i>Pest Management Science</i> , 2012, 68, 557-563.	3.4	8
42	Description of <i>Citharodactylus gagei</i> n. gen. et n. sp. (Monogenea: Gyrodactylidae) from the moon fish, <i>Citharinus citharus</i> (Geoffroy Saint-Hilaire), from Lake Turkana. <i>Parasitology Research</i> , 2017, 116, 281-292.	1.6	8
43	The Accidental Transfer of <i>Gyrodactylus</i> (Monogenea) during Short Duration Fish Transportation. <i>Fish Pathology</i> , 2011, 46, 71-79.	0.7	8
44	Reproductive Trade-Offs May Moderate the Impact of <i>Gyrodactylus salaris</i> in Warmer Climates. <i>PLoS ONE</i> , 2013, 8, e78909.	2.5	7
45	Geographical distribution of <i>Gyrodactylus salaris</i> Malmberg, 1957 (Monogenea, Gyrodactylidae). <i>Parasites and Vectors</i> , 2021, 14, 34.	2.5	7
46	Predicting the Potential for Natural Recovery of Atlantic Salmon (<i>Salmo salar</i> L.) Populations following the Introduction of <i>Gyrodactylus salaris</i> Malmberg, 1957 (Monogenea). <i>PLoS ONE</i> , 2016, 11, e0169168.	2.5	7
47	A modular, mechanical rotary device for the cleaning of commercial-scale, circular tanks used in aquaculture. <i>Aquaculture</i> , 2011, 317, 16-19.	3.5	6
48	<i>Gyrodactylus molweni</i> sp. n. (Monogenea: Gyrodactylidae) from <i>Chelon richardsonii</i> (Smith, 1846) (Mugilidae) from Table Bay, South Africa. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2021, 15, 87-94.	1.5	6
49	Chaetotaxy of members of the Gyrodactylidae (Monogenea), with comments upon their systematic relationships with the Monopisthocotylea and Polyopisthocotylea. <i>Systematic Parasitology</i> , 1998, 39, 81-94.	1.1	5
50	Description of <i>Tresuncinidactylus wilmienae</i> gen. et sp. n. (Monogenea: Gyrodactylidae), from the gills of the bulldog, <i>Marcusenius macrolepidotus</i> (Peters) from Lake Kariba, Zimbabwe. <i>Folia Parasitologica</i> , 2021, 68, .	1.3	5
51	Chaetotaxy applied to Norwegian <i>Gyrodactylus salaris</i> Malmberg, 1957 (Monogenea) clades and related species from salmonids. <i>Folia Parasitologica</i> , 2004, 51, 253-261.	1.3	4
52	Sand star, <i>Astropecten indicus</i> Döderlein, 1888, as an alternative live diet for captive harlequin shrimp, <i>Hymenocera picta</i> Dana, 1852. <i>Aquaculture</i> , 2018, 484, 351-360.	3.5	3
53	<i>Gyrodactylus sommervilliae</i> n. sp. (Monogenea) from <i>Abramis brama</i> (L.) and <i>Rutilus rutilus</i> (L.) (Cyprinidae) in Oxfordshire, UK. <i>Systematic Parasitology</i> , 1999, 43, 59-63.	1.1	2
54	Aquaculture of the sand star, <i>Astropecten indicus</i> Döderlein, 1888, as a step toward the sustainable aquaculture of harlequin shrimp, <i>Hymenocera picta</i> Dana, 1852. <i>Journal of the World Aquaculture Society</i> , 2020, 51, 282-286.	2.4	0