

# Andrew P Shinn

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10595208/publications.pdf>

Version: 2024-02-01

54  
papers

1,196  
citations

394421

19  
h-index

414414

32  
g-index

56  
all docs

56  
docs citations

56  
times ranked

994  
citing authors

#	ARTICLE	IF	CITATIONS
1	Increased robustness of postlarvae and juveniles from non-ablated Pacific whiteleg shrimp, <i>Penaeus vannamei</i> , broodstock post-challenged with pathogenic isolates of <i>Vibrio parahaemolyticus</i> (VpAHPND) and white spot disease (WSD). <i>Aquaculture</i> , 2021, 532, 736033.	3.5	10
2	Unveiling associations between ciliate parasites and bacterial microbiomes under warm-water fish farm conditions – a review. <i>Reviews in Aquaculture</i> , 2021, 13, 1097-1118.	9.0	10
3	Geographical distribution of <i>Gyrodactylus salaris</i> Malmberg, 1957 (Monogenea, Gyrodactylidae). <i>Parasites and Vectors</i> , 2021, 14, 34.	2.5	7
4	<i>Gyrodactylus molweni</i> sp. n. (Monogenea: Gyrodactylidae) from <i>Chelon richardsonii</i> (Smith, 1846) (Mugilidae) from Table Bay, South Africa. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2021, 15, 87-94.	1.5	6
5	Description of <i>Tresuncinidactylus wilmienae</i> gen. et sp. n. (Monogenea: Gyrodactylidae), from the gills of the bulldog, <i>Marcusenius macrolepidotus</i> (Peters) from Lake Kariba, Zimbabwe. <i>Folia Parasitologica</i> , 2021, 68, .	1.3	5
6	Aquaculture of the sand star, <i>Astropecten indicus</i> Döderlein, 1888, as a step toward the sustainable aquaculture of harlequin shrimp, <i>Hymenocera picta</i> Dana, 1852. <i>Journal of the World Aquaculture Society</i> , 2020, 51, 282-286.	2.4	0
7	Prophylactic properties of biofloc- or Nile tilapia-conditioned water against <i>Vibrio parahaemolyticus</i> infection of whiteleg shrimp ( <i>Penaeus vannamei</i> ). <i>Aquaculture</i> , 2019, 498, 496-502.	3.5	24
8	Environment deterioration and related fungal infection of Upper Jurassic horseshoe crabs with remarks on their exceptional preservation. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 516, 336-341.	2.3	12
9	Sand star, <i>Astropecten indicus</i> Döderlein, 1888, as an alternative live diet for captive harlequin shrimp, <i>Hymenocera picta</i> Dana, 1852. <i>Aquaculture</i> , 2018, 484, 351-360.	3.5	3
10	<i>Streptococcus agalactiae</i> infection kills red tilapia with chronic <i>Francisella noatunensis</i> infection more rapidly than the fish without the infection. <i>Fish and Shellfish Immunology</i> , 2018, 81, 221-232.	3.6	18
11	Description of <i>Citharodactylus gagei</i> n. gen. et n. sp. (Monogenea: Gyrodactylidae) from the moon fish, <i>Citharinus citharus</i> (Geoffroy Saint-Hilaire), from Lake Turkana. <i>Parasitology Research</i> , 2017, 116, 281-292.	1.6	8
12	To each his own: no evidence of gyrodactylid parasite host switches from invasive poeciliid fishes to <i>Goodea atripinnis</i> Jordan (Cyprinodontiformes: Goodeidae), the most dominant endemic freshwater goodeid fish in the Mexican Highlands. <i>Parasites and Vectors</i> , 2016, 9, 604.	2.5	19
13	Predicting the Potential for Natural Recovery of Atlantic Salmon ( <i>Salmo salar</i> L.) Populations following the Introduction of <i>Gyrodactylus salaris</i> Malmberg, 1957 (Monogenea). <i>PLoS ONE</i> , 2016, 11, e0169168.	2.5	7
14	<i>Zoothamnium duplicatum</i> infestation of cultured horseshoe crabs ( <i>Limulus polyphemus</i> ). <i>Journal of Invertebrate Pathology</i> , 2015, 125, 81-86.	3.2	12
15	The effects of feeding $\beta$ -glucan to <i>Pangasianodon hypophthalmus</i> on immune gene expression and resistance to <i>Edwardsiella ictaluri</i> . <i>Fish and Shellfish Immunology</i> , 2015, 47, 595-605.	3.6	25
16	Reservoir hosts for <i>Gyrodactylus salaris</i> may play a more significant role in epidemics than previously thought. <i>Parasites and Vectors</i> , 2014, 7, 576.	2.5	13
17	<i>Omanicotyle heterospina</i> n. gen. et n. comb. (Monogenea: Microcotylidae) from the gills of <i>Argyrops spinifer</i> (Forsskål) (Teleostei: Sparidae) from the Sea of Oman. <i>Parasites and Vectors</i> , 2013, 6, 170.	2.5	14
18	Reproductive Trade-Offs May Moderate the Impact of <i>Gyrodactylus salaris</i> in Warmer Climates. <i>PLoS ONE</i> , 2013, 8, e78909.	2.5	7

#	ARTICLE	IF	CITATIONS
19	The potential utility of the leopard pleco ( <i>Glyptoperichthys gibbiceps</i> ) as a biological control of the ciliate protozoan <i>Ichthyophthirius multifiliis</i> . <i>Pest Management Science</i> , 2012, 68, 557-563.	3.4	8
20	Review of climate change impacts on marine aquaculture in the UK and Ireland. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2012, 22, 389-421.	2.0	134
21	Morphological and molecular characterisation of <i>Gyrodactylus salmonis</i> (Platyhelminthes). <i>Veterinary Parasitology</i> , 2012, 186, 289-300.	1.8	18
22	The anti-protozoal activity of bronopol on the key life-stages of <i>Ichthyophthirius multifiliis</i> Fouquet, 1876 (Ciliophora). <i>Veterinary Parasitology</i> , 2012, 186, 229-236.	1.8	29
23	In vitro assessment of the chemotherapeutic action of a specific hydrogen peroxide, peracetic, acetic, and peroctanoic acid-based formulation against the free-living stages of <i>Ichthyophthirius multifiliis</i> (Ciliophora). <i>Parasitology Research</i> , 2012, 110, 1029-1032.	1.6	19
24	<i>Gyrodactylus longipes</i> n. sp. (Monogenea: Gyrodactylidae) from farmed gilthead seabream ( <i>Sparus</i> ). <i>Veterinary Parasitology</i> , 2011, 176, 1-6.	1.3	16
25	A modular, mechanical rotary device for the cleaning of commercial-scale, circular tanks used in aquaculture. <i>Aquaculture</i> , 2011, 317, 16-19.	3.5	6
26	<i>Gyrodactylus salinae</i> n. sp. (Platyhelminthes: Monogenea) infecting the south European toothcarp <i>Aphanius fasciatus</i> (Valenciennes) (Teleostei, Cyprinodontidae) from a hypersaline environment in Italy. <i>Parasites and Vectors</i> , 2011, 4, 100.	2.5	33
27	Myxosporean hyperparasites of gill monogeneans are basal to the Multivalvulida. <i>Parasites and Vectors</i> , 2011, 4, 220.	2.5	19
28	An infection of <i>Gyrodactylus anguillae</i> Ergens, 1960 (Monogenea) associated with the mortality of glass eels ( <i>Anguilla anguilla</i> L.) on the north-western Mediterranean Sea board of Spain. <i>Veterinary Parasitology</i> , 2011, 180, 323-331.	1.8	10
29	The Accidental Transfer of <i>Gyrodactylus</i> (Monogenea) during Short Duration Fish Transportation. <i>Fish Pathology</i> , 2011, 46, 71-79.	0.7	8
30	<i>Gyrodactylus jarocho</i> sp. nov. and <i>Gyrodactylus xalapensis</i> sp. nov. (Platyhelminthes: Monogenea) from Mexican poeciliids (Teleostei: Cyprinodontiformes), with comments on the known gyrodactylid fauna infecting poeciliid fish. <i>Zootaxa</i> , 2010, 2509, .	0.5	20
31	<i>Gyrodactylus eyipayipi</i> sp. nov. (Monogenea: Gyrodactylidae) from <i>Syngnathus acus</i> (Syngnathidae) from South Africa. <i>Folia Parasitologica</i> , 2010, 57, 11-15.	1.3	20
32	The description of <i>Gyrodactylus corleonis</i> sp. nov. and <i>G. neretum</i> sp. nov. (Platyhelminthes: Monogenea) with comments on other gyrodactylids parasitising pipefish (Pisces: Syngnathidae). <i>Folia Parasitologica</i> , 2010, 57, 17-30.	1.3	14
33	<i>Myxobolus albi</i> n. sp. (Myxozoa) from the Gills of the Common Goby ( <i>Pomatoschistus microps</i> ) (Teleostei: Gobiidae). <i>Journal of Eukaryotic Microbiology</i> , 2009, 56, 421-427.	1.7	17
34	The first report of <i>Gyrodactylus salaris</i> Malmberg, 1957 (Platyhelminthes, Monogenea) on Italian cultured stocks of rainbow trout ( <i>Oncorhynchus mykiss</i> Walbaum). <i>Veterinary Parasitology</i> , 2009, 165, 290-297.	1.8	36
35	Treatment of gyrodactylid infections in fish. <i>Diseases of Aquatic Organisms</i> , 2009, 86, 65-75.	1.0	69
36	<i>Gyrodactylus orecciae</i> sp. n. (Monogenea: Gyrodactylidae) from farmed populations of gilthead seabream ( <i>Sparus aurata</i> ) in the Adriatic Sea. <i>Folia Parasitologica</i> , 2009, 56, 21-28.	1.3	20

#	ARTICLE	IF	CITATIONS
37	GyroDb: gyrodactylid monogeneans on the web. Trends in Parasitology, 2008, 24, 109-111.	3.3	37
38	A Review of the Biology of the Parasitic Copepod <i>Lernaecera branchialis</i> (L., 1767) (Copepoda: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 7	3.2	29
39	The role of rodlet cells in the inflammatory response in <i>Phoxinus phoxinus</i> brains infected with <i>Diplostomum</i> . Fish and Shellfish Immunology, 2007, 23, 300-304.	3.6	30
40	HISTOPATHOLOGY AND ULTRASTRUCTURE OF <i>PLATICHTHYS FLESUS</i> NATURALLY INFECTED WITH <i>ANISAKIS SIMPLEX</i> S.L. LARVAE (NEMATODA: ANISAKIDAE). Journal of Parasitology, 2007, 93, 1416-1423.	0.7	31
41	A revised description of <i>Gyrodactylus cichlidarum</i> Paperna, 1968 (Gyrodactylidae) from the Nile tilapia, <i>Oreochromis niloticus niloticus</i> (Cichlidae), and its synonymy with <i>G. niloticus</i> Cone, Arthur et Bondad-Reantaso, 1995. Folia Parasitologica, 2007, 54, 129-40.	1.3	12
42	<i>Gyrodactylus thlapin</i> . sp. (Monogenea) from <i>Pseudocrenilabrus philander philander</i> (Weber) (Cichlidae) in the Okavango Delta, Botswana. Systematic Parasitology, 2005, 60, 165-173.	1.1	33
43	The use of morphometric characters to discriminate specimens of laboratory-reared and wild populations of <i>Gyrodactylus salaris</i> and <i>G. thymalli</i> (Monogenea). Folia Parasitologica, 2004, 51, 239-252.	1.3	97
44	Chaetotaxy applied to Norwegian <i>Gyrodactylus salaris</i> Malmberg, 1957 (Monogenea) clades and related species from salmonids. Folia Parasitologica, 2004, 51, 253-261.	1.3	4
45	<i>Gyrodactylus quadratidigitus</i> n. sp. (Monogenea: Gyrodactylidae), a parasite of the leopard-spotted goby <i>Thorogobius ephippiatus</i> (Lowe) from the south-western coast of the UK. Systematic Parasitology, 2003, 55, 151-157.	1.1	8
46	Efficacy of selected oral chemotherapeutants against <i>Ichthyophthirius multifiliis</i> (Ciliophora: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 387	1.0	25
47	Comments on the mechanism of attachment in species of the monogenean genus <i>Gyrodactylus</i> . Invertebrate Biology, 2003, 122, 1-11.	0.9	18
48	Survey of actinosporean types (Myxozoa) belonging to seven collective groups found in a freshwater salmon farm in Northern Scotland. Folia Parasitologica, 2002, 49, 189-210.	1.3	34
49	Infection prevalence, seasonality and host specificity of actinosporean types (Myxozoa) in an Atlantic salmon fish farm located in Northern Scotland. Folia Parasitologica, 2002, 49, 263-268.	1.3	11
50	<i>Gyrodactylus sommervillae</i> n. sp. (Monogenea) from <i>Abramis brama</i> (L.) and <i>Rutilus rutilus</i> (L.) (Cyprinidae) in Oxfordshire, UK. Systematic Parasitology, 1999, 43, 59-63.	1.1	2
51	Chaetotaxy of members of the Gyrodactylidae (Monogenea), with comments upon their systematic relationships with the Monopisthocotylea and Polyopisthocotylea. Systematic Parasitology, 1998, 39, 81-94.	1.1	5
52	Argentophilic structures as a diagnostic criterion for the discrimination of species of the genus <i>Gyrodactylus</i> von Nordmann (Monogenea). Systematic Parasitology, 1997, 37, 47-57.	1.1	15
53	Multivariate analyses of morphometrical features from <i>Gyrodactylus</i> spp. (Monogenea) parasitising British salmonids: Light microscope based studies. Systematic Parasitology, 1996, 33, 115-125.	1.1	33
54	An SEM study of the haptoral sclerites of the genus <i>Gyrodactylus</i> Nordmann, 1832 (Monogenea) following extraction by digestion and sonication techniques. Systematic Parasitology, 1993, 25, 135-144.	1.1	40