## Jacob S Levy

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/10600284/jacob-s-levy-publications-by-year.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

17	1,965	13	27
papers	citations	h-index	g-index
27	2,543 ext. citations	5.2	4·45
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
17	Strong polarization mode coupling in microresonators. <i>Optics Letters</i> , <b>2014</b> , 39, 5134-7	3	57
16	Microresonator-based comb generation without an external laser source. <i>Optics Express</i> , <b>2014</b> , 22, 1394	l- <b>≰.</b> 0∫1	34
15	Modelocking and femtosecond pulse generation in chip-based frequency combs. <i>Optics Express</i> , <b>2013</b> , 21, 1335-43	3.3	143
14	High-Performance Silicon-Nitride-Based Multiple-Wavelength Source. <i>IEEE Photonics Technology Letters</i> , <b>2012</b> , 24, 1375-1377	2.2	50
13	Broadband parametric frequency comb generation with a 1-fh pump source. <i>Optics Express</i> , <b>2012</b> , 20, 26935-41	3.3	26
12	Asynchronous single-shot characterization of high-repetition-rate ultrafast waveforms using a time-lens-based temporal magnifier. <i>Optics Letters</i> , <b>2012</b> , 37, 4892-4	3	39
11	Chip-based frequency combs with sub-100 GHz repetition rates. <i>Optics Letters</i> , <b>2012</b> , 37, 875-7	3	53
10	Harmonic generation in silicon nitride ring resonators. <i>Optics Express</i> , <b>2011</b> , 19, 11415-21	3.3	201
9	Silicon-based monolithic optical frequency comb source. <i>Optics Express</i> , <b>2011</b> , 19, 14233-9	3.3	132
8	Octave-spanning frequency comb generation in a silicon nitride chip. <i>Optics Letters</i> , <b>2011</b> , 36, 3398-400	3	344
7	High-Performance Silicon-Based Multiple Wavelength Source <b>2011</b> ,		6
6	Efficient Frequency Conversion at Low-Powers in a Silicon Microresonator Using Carrier Extraction <b>2011</b> ,		2
5	Photonic network-on-chip architectures using multilayer deposited silicon materials for high-performance chip multiprocessors. <i>ACM Journal on Emerging Technologies in Computing Systems</i> , <b>2011</b> , 7, 1-25	1.7	66
4	Octave-Spanning Supercontinuum Generation in CMOS-Compatible Silicon Nitride Waveguides <b>2011</b> ,		1
3	CMOS-compatible multiple-wavelength oscillator for on-chip optical interconnects. <i>Nature Photonics</i> , <b>2010</b> , 4, 37-40	33.9	600
2	Demonstration of 1.28-Tb/s transmission in next-generation nanowires for photonic networks-on-chip <b>2010</b> ,		2
1	High confinement micron-scale silicon nitride high Q ring resonator. <i>Optics Express</i> , <b>2009</b> , 17, 11366-70	3.3	209