
Jinny A Willis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1060170/publications.pdf Version: 2024-02-01



Ιινιν Δ \λλιιτις

#	Article	IF	CITATIONS
1	Inadequate Vitamin C Status in Prediabetes and Type 2 Diabetes Mellitus: Associations with Glycaemic Control, Obesity, and Smoking. Nutrients, 2017, 9, 997.	1.7	85
2	Vitamin C Status Correlates with Markers of Metabolic and Cognitive Health in 50-Year-Olds: Findings of the CHALICE Cohort Study. Nutrients, 2017, 9, 831.	1.7	77
3	Seasonality of Birth and Onset of Clinical Disease in Children and Adolescents (0-19 Years) with Type 1 Diabetes Mellitus in Canterbury, New Zealand. Journal of Pediatric Endocrinology and Metabolism, 2002, 15, 645-7.	0.4	59
4	Biovariability of plasma adiponectin. Clinical Chemistry and Laboratory Medicine, 2006, 44, 1264-8.	1.4	49
5	Fatigue and nurses' work patterns: An online questionnaire survey. International Journal of Nursing Studies, 2019, 98, 67-74.	2.5	47
6	Demonstrating the safety of manuka honey UMF [®] 20+in a human clinical trial with healthy individuals. British Journal of Nutrition, 2010, 103, 1023-1028.	1.2	39
7	Cause-specific mortality in insulin-treated diabetic patients: A 20-year follow-up. Diabetes Research and Clinical Practice, 2008, 80, 16-23.	1.1	37
8	Sensitive non-isotopic assays for autoantibodies to IA-2 and to a combination of both IA-2 and GAD65. Clinica Chimica Acta, 2005, 357, 74-83.	0.5	32
9	SunGold Kiwifruit Supplementation of Individuals with Prediabetes Alters Gut Microbiota and Improves Vitamin C Status, Anthropometric and Clinical Markers. Nutrients, 2018, 10, 895.	1.7	32
10	Islet cell antibodies and antibodies against glutamic acid decarboxylase in newly diagnosed adult-onset diabetes mellitus. Diabetes Research and Clinical Practice, 1996, 33, 89-97.	1.1	27
11	Consumption of a plant sterol-based spread derived from rice bran oil is effective at reducing plasma lipid levels in mildly hypercholesterolaemic individuals. British Journal of Nutrition, 2011, 105, 1808-1818.	1.2	27
12	All-cause mortality in insulin-treated diabetic patients: A 20-year follow-up. Diabetes Research and Clinical Practice, 2008, 80, e6-e9.	1.1	17
13	Relative glycaemic impact of customarily consumed portions of eighty-three foods measured by digestingin vitroand adjusting for food mass and apparent glucose disposal. British Journal of Nutrition, 2010, 104, 407-417.	1.2	17
14	Marginal effects of glucose, insulin and insulin-like growth factor on chemotherapy response in endothelial and colorectal cancer cells. Oncology Letters, 2014, 7, 311-320.	0.8	16
15	Haemochromatosis gene mutations Cys282Tyr and His63Asp are not increased in Type 2 diabetic patients compared with the Canterbury (New Zealand) general population. Diabetes Research and Clinical Practice, 1999, 43, 199-203.	1.1	15
16	Urban–rural variation in childhood type 1 diabetes incidence in Canterbury, New Zealand, 1980–2004. Health and Place, 2011, 17, 248-256.	1.5	13
17	Incidence of Type 1 Diabetes Mellitus Diagnosed Before Age 20 Years in Canterbury, New Zealand over the last 30 Years. Journal of Pediatric Endocrinology and Metabolism, 2002, 15, 637-43.	0.4	11
18	No difference between venous and capillary blood sampling and the Minimed continuous glucose monitoring system for determining the blood glucose response to food. Nutrition Research, 2006, 26, 403-408.	1.3	11

JINNY A WILLIS

#	Article	IF	CITATIONS
19	Determining the glycemic glucose equivalent value of foods in humans. Nutrition Research, 2006, 26, 47-52.	1.3	10
20	Insulin pump initiation and education for children and adolescents – a qualitative study of current practice in New Zealand. Journal of Diabetes and Metabolic Disorders, 2019, 18, 59-64.	0.8	9
21	Development and evaluation of a matrix for assessing fatigue-related risk, derived from a national survey of nurses' work patterns. International Journal of Nursing Studies, 2020, 112, 103573.	2.5	8
22	Is Type 1 Diabetes Transmissible by Bone Marrow Allograft?. Diabetes Care, 2002, 25, 799-800.	4.3	7
23	Equicarbohydrate partial exchange of kiwifruit for wheaten cereal reduces postprandial glycaemia without decreasing satiety. Journal of Nutritional Science, 2016, 5, e37.	0.7	7
24	Is population mixing associated with childhood type 1 diabetes in Canterbury, New Zealand?. Social Science and Medicine, 2009, 68, 625-630.	1.8	6
25	Insulin regimens for newly diagnosed children with type 1 diabetes mellitus in Australia and New Zealand: A survey of current practice. Journal of Paediatrics and Child Health, 2017, 53, 1208-1214.	0.4	5
26	Evidence of a plateau in the incidence of type 1 diabetes in children 0–4 years of age from a regional pediatric diabetes center; Auckland, New Zealand: 1977–2019. Pediatric Diabetes, 2021, 22, 854-860.	1.2	5
27	Type 1 diabetes in insulin-treated adult-onset diabetic subjects. Diabetes Research and Clinical Practice, 1998, 42, 49-53.	1.1	4
28	Variability in measurements of blood glucose response to foods in human subjects is not reduced after a standard breakfast. Nutrition Research, 2009, 29, 238-243.	1.3	4
29	Type 1 diabetes diagnosed before age 15 years in Canterbury, New Zealand: A 50 year record of increasing incidence. Pediatric Diabetes, 2022, 23, 301-309.	1.2	4
30	The deleted in colorectal carcinoma (DCC) gene 201 R → G polymorphism: no evidence for genetic association with autoimmune disease. European Journal of Human Genetics, 2003, 11, 840-844.	1.4	2
31	Considerable temporal variability in glucose reference curves in humans for a year period. Nutrition Research, 2008, 28, 495-500.	1.3	1