

Kenneth M Baker

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10605289/publications.pdf>

Version: 2024-02-01

73
papers

4,570
citations

100601

38
h-index

116156

66
g-index

75
all docs

75
docs citations

75
times ranked

4872
citing authors

#	ARTICLE	IF	CITATIONS
1	Loss of myocardial retinoic acid receptor $\hat{1}\pm$ induces diastolic dysfunction by promoting intracellular oxidative stress and calcium mishandling in adult mice. <i>Journal of Molecular and Cellular Cardiology</i> , 2016, 99, 100-112.	0.9	15
2	Thymosin $\hat{1}24$ Prevents Angiotensin II-Induced Cardiomyocyte Growth by Regulating Wnt/WISP Signaling. <i>Journal of Cellular Physiology</i> , 2016, 231, 1737-1744.	2.0	13
3	Phosphorylation of Cardiac Myosin-Binding Protein-C Is a Critical Mediator of Diastolic Function. <i>Circulation: Heart Failure</i> , 2015, 8, 582-594.	1.6	92
4	Activation of Foxo1 by Insulin Resistance Promotes Cardiac Dysfunction and $\hat{1}2$ “Myosin Heavy Chain Gene Expression. <i>Circulation: Heart Failure</i> , 2015, 8, 198-208.	1.6	68
5	Molecular Mechanisms of Retinoid Receptors in Diabetes-Induced Cardiac Remodeling. <i>Journal of Clinical Medicine</i> , 2014, 3, 566-594.	1.0	23
6	Cardiac-specific suppression of NF- $\hat{1}B$ signaling prevents diabetic cardiomyopathy via inhibition of the renin-angiotensin system. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2014, 307, H1036-H1045.	1.5	58
7	Novel Mechanism of Blood Pressure Regulation By Forkhead Box Class O1“Mediated Transcriptional Control of Hepatic Angiotensinogen. <i>Hypertension</i> , 2014, 64, 1131-1140.	1.3	30
8	Activation of retinoid receptor-mediated signaling ameliorates diabetes-induced cardiac dysfunction in Zucker diabetic rats. <i>Journal of Molecular and Cellular Cardiology</i> , 2013, 57, 106-118.	0.9	37
9	Myocardial Loss of IRS1 and IRS2 Causes Heart Failure and Is Controlled by p38 $\hat{1}\pm$ MAPK During Insulin Resistance. <i>Diabetes</i> , 2013, 62, 3887-3900.	0.3	138
10	Angiotensin type 1a receptor-deficient mice develop diabetes-induced cardiac dysfunction, which is prevented by renin-angiotensin system inhibitors. <i>Cardiovascular Diabetology</i> , 2013, 12, 169.	2.7	16
11	Retinoic acid protects cardiomyocytes from high glucose“induced apoptosis through inhibition of NF“ $\hat{1}B$ signaling Pathway. <i>Journal of Cellular Physiology</i> , 2013, 228, 380-392.	2.0	42
12	Direct renin inhibition prevents cardiac dysfunction in a diabetic mouse model: comparison with an angiotensin receptor antagonist and angiotensin-converting enzyme inhibitor. <i>Clinical Science</i> , 2013, 124, 529-545.	1.8	34
13	The intracrine renin“angiotensin system. <i>Clinical Science</i> , 2012, 123, 273-284.	1.8	110
14	Cardiac-specific genetic inhibition of nuclear factor- $\hat{1}B$ prevents right ventricular hypertrophy induced by monocrotaline. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2012, 302, H1655-H1666.	1.5	40
15	Review: Intracardiac intracellular angiotensin system in diabetes. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2012, 302, R510-R517.	0.9	62
16	High Glucose“induced repression of RAR/RXR in cardiomyocytes is mediated through oxidative stress/JNK signaling. <i>Journal of Cellular Physiology</i> , 2012, 227, 2632-2644.	2.0	44
17	Activation of the Renin-Angiotensin System in Heart Failure. , 2011, , 134-151.		3
18	Inhibition of nuclear factor $\hat{1}B$ regresses cardiac hypertrophy by modulating the expression of extracellular matrix and adhesion molecules. <i>Free Radical Biology and Medicine</i> , 2011, 50, 206-215.	1.3	34

#	ARTICLE	IF	CITATIONS
19	Retinoic acid receptor-mediated signaling protects cardiomyocytes from hyperglycemia induced apoptosis: Role of the renin-angiotensin system. <i>Journal of Cellular Physiology</i> , 2011, 226, 1292-1307.	2.0	44
20	The intracellular renin-angiotensin system in the heart. <i>Current Hypertension Reports</i> , 2009, 11, 104-110.	1.5	57
21	Novel Aspects of the Cardiac Renin-Angiotensin System. , 2009, , 75-89.		1
22	All-trans retinoic acid prevents angiotensin II and mechanical stretch-induced reactive oxygen species generation and cardiomyocyte apoptosis. <i>Journal of Cellular Physiology</i> , 2008, 215, 172-181.	2.0	64
23	All-trans retinoic acid prevents development of cardiac remodeling in aortic banded rats by inhibiting the renin-angiotensin system. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008, 294, H633-H644.	1.5	73
24	Activation of the intracellular renin-angiotensin system in cardiac fibroblasts by high glucose: role in extracellular matrix production. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008, 294, H1675-H1684.	1.5	159
25	Intracellular Angiotensin II Production in Diabetic Rats Is Correlated With Cardiomyocyte Apoptosis, Oxidative Stress, and Cardiac Fibrosis. <i>Diabetes</i> , 2008, 57, 3297-3306.	0.3	282
26	The intracellular renin-angiotensin system: implications in cardiovascular remodeling. <i>Current Opinion in Nephrology and Hypertension</i> , 2008, 17, 168-173.	1.0	121
27	High-glucose-induced regulation of intracellular ANG II synthesis and nuclear redistribution in cardiac myocytes. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007, 293, H939-H948.	1.5	130
28	Kinase inhibitors for cardiovascular disease. <i>Journal of Molecular and Cellular Cardiology</i> , 2007, 42, 1-11.	0.9	26
29	The intracellular renin-angiotensin system: a new paradigm. <i>Trends in Endocrinology and Metabolism</i> , 2007, 18, 208-214.	3.1	116
30	Retinoic Acid and the Heart. <i>Vitamins and Hormones</i> , 2007, 75, 257-283.	0.7	80
31	Cardiac and Vascular Renin-Angiotensin Systems. , 2007, , 23-42.		3
32	Intracellular Signaling and the Cardiac Renin Angiotensin System. , 2006, , 1-17.		0
33	Intracellular angiotensin II induces cell proliferation independent of AT1 receptor. <i>American Journal of Physiology - Cell Physiology</i> , 2006, 291, C995-C1001.	2.1	70
34	PKC mediates cyclic stretch-induced cardiac hypertrophy through Rho family GTPases and mitogen-activated protein kinases in cardiomyocytes. <i>Journal of Cellular Physiology</i> , 2005, 202, 536-553.	2.0	92
35	Activation of protein kinase A by atrial natriuretic peptide in neonatal rat cardiac fibroblasts: Role in regulation of the local renin-angiotensin system. <i>Regulatory Peptides</i> , 2005, 132, 1-8.	1.9	25
36	Mitogen-activated Protein Kinases and Mitogen-activated Protein Kinase Phosphatases Mediate the Inhibitory Effects of All-trans Retinoic Acid on the Hypertrophic Growth of Cardiomyocytes. <i>Journal of Biological Chemistry</i> , 2004, 279, 54905-54917.	1.6	65

#	ARTICLE	IF	CITATIONS
37	Agonist-dependent internalization of the angiotensin II type one receptor (AT1): role of C-terminus phosphorylation in recruitment of β -arrestins. <i>Regulatory Peptides</i> , 2004, 120, 141-148.	1.9	20
38	Evidence of a novel intracrine mechanism in angiotensin II-induced cardiac hypertrophy. <i>Regulatory Peptides</i> , 2004, 120, 5-13.	1.9	139
39	Angiotensin II effects on STAT3 phosphorylation in cardiomyocytes: evidence for Erk-dependent Tyr705 dephosphorylation. <i>Basic Research in Cardiology</i> , 2003, 98, 33-38.	2.5	23
40	Differential response of cardiac fibroblasts from young adult and senescent rats to ANG II. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2003, 284, H1454-H1459.	1.5	42
41	Interplay Between the Cardiac Renin Angiotensin System and JAK-STAT Signaling: Role in Cardiac Hypertrophy, Ischemia/Reperfusion Dysfunction, and Heart Failure. <i>Journal of Molecular and Cellular Cardiology</i> , 2002, 34, 1443-1453.	0.9	162
42	Cytokine G-protein signaling crosstalk in cardiomyocytes: attenuation of Jak-STAT activation by endothelin-1. <i>Molecular and Cellular Biochemistry</i> , 2002, 240, 39-46.	1.4	15
43	Regulation of angiotensinogen gene expression and protein in neonatal rat cardiac fibroblasts by glucocorticoid and β -adrenergic stimulation. <i>Basic Research in Cardiology</i> , 2000, 95, 485-491.	2.5	38
44	Cardiotrophin-1 Increases Angiotensinogen mRNA in Rat Cardiac Myocytes Through STAT3. <i>Hypertension</i> , 2000, 35, 1191-1196.	1.3	90
45	The Cardiac Renin-Angiotensin System. <i>Circulation Research</i> , 1999, 85, 643-650.	2.0	343
46	Angiotensin II-Induced Stimulation of α -Inducing Factor Is Mediated by Pertussis Toxin-Sensitive G _q Proteins in Cardiac Myocytes. <i>Hypertension</i> , 1999, 34, 603-608.	1.3	27
47	Amplification of Angiotensin II Signaling in Cardiac Myocytes by Adenovirus-Mediated Overexpression of the AT1 Receptor. <i>Annals of the New York Academy of Sciences</i> , 1999, 874, 20-26.	1.8	8
48	Paracrine actions of cardiac fibroblasts on cardiomyocytes: implications for the cardiac renin-angiotensin system. <i>American Journal of Cardiology</i> , 1999, 83, 44-47.	0.7	25
49	Actions of Angiotensin II on Isolated Cardiac Myocytes. <i>Heart Failure Reviews</i> , 1998, 3, 125-130.	1.7	8
50	β -Thrombin Inhibits Signal Transducers and Activators of Transcription 3 Signaling by Interleukin-6, Leukemia Inhibitory Factor, and Ciliary Neurotrophic Factor in CCL39 Cells. <i>Archives of Biochemistry and Biophysics</i> , 1998, 350, 307-314.	1.4	10
51	Phosphorylation of the Angiotensin II (AT1A) Receptor Carboxyl Terminus: A Role in Receptor Endocytosis. <i>Molecular Endocrinology</i> , 1998, 12, 1513-1524.	3.7	81
52	Pathophysiology of the Renin-Angiotensin System in Heart Failure. <i>Advances in Organ Biology</i> , 1998, , 305-322.	0.1	1
53	Angiotensin II-Mediated Stat Signal Transduction: Studies in Neonatal Rat Cardiac Fibroblasts and CHO-K1 Cells Expressing AT1A Receptors. <i>Progress in Experimental Cardiology</i> , 1998, , 357-366.	0.0	0
54	Developmental Regulation of the Cardiac Renin-Angiotensin System: Expression and Association With Growth and Apoptosis. <i>Progress in Experimental Cardiology</i> , 1998, , 403-414.	0.0	0

#	ARTICLE	IF	CITATIONS
55	Î±-Thrombin Stimulates Inducing Factor-A DNA Binding Activity in Rat Aortic Smooth Muscle Cells. Hypertension, 1997, 29, 356-360.	1.3	9
56	The Type I Angiotensin II Receptor Couples to Stat1 and Stat3 Activation Through Jak2 Kinase in Neonatal Rat Cardiac Myocytes. Journal of Molecular and Cellular Cardiology, 1997, 29, 2513-2524.	0.9	122
57	Angiotensin II stimulates rapid serine phosphorylation of transcription factor Stat3. , 1997, 170, 171-176.		20
58	Evidence against a role for protein kinase C in the regulation of the angiotensin II (AT1A) receptor. European Journal of Pharmacology, 1996, 295, 119-122.	1.7	7
59	Endothelin Stimulates Inducing Factor-like DNA Binding Activity in CHO-K1 Cells Expressing ETARceptors. Biochemical and Biophysical Research Communications, 1996, 221, 62-66.	1.0	21
60	Angiotensin II signalling pathways in cardiac fibroblasts: Conventional versus novel mechanisms in mediating cardiac growth and function. Molecular and Cellular Biochemistry, 1996, 157, 15-21.	1.4	69
61	Angiotensin II Interferes with Interleukin 6-induced Stat3 Signaling by a Pathway Involving Mitogen-activated Protein Kinase Kinase 1. Journal of Biological Chemistry, 1996, 271, 22447-22452.	1.6	32
62	Role of Type 1 and Type 2 Angiotensin Receptors in Angiotensin II-Induced Cardiomyocyte Hypertrophy. Hypertension, 1996, 28, 635-640.	1.3	176
63	Angiotensin II signalling pathways in cardiac fibroblasts: Conventional versus novel mechanisms in mediating cardiac growth and function. , 1996, , 15-21.		0
64	Activation of the STAT Pathway by Angiotensin II in T3CHO/AT1A Cells. Journal of Biological Chemistry, 1995, 270, 19059-19065.	1.6	68
65	Stable expression of a functional rat angiotensin II (AT1A) receptor in CHO-K1 cells: Rapid desensitization by angiotensin II. Molecular and Cellular Biochemistry, 1995, 146, 79-89.	1.4	46
66	Angiotensin II Receptor Endocytosis Involves Two Distinct Regions of the Cytoplasmic Tail. Journal of Biological Chemistry, 1995, 270, 22153-22159.	1.6	106
67	Stable Expression of a Truncated AT1A Receptor in CHO-K1 Cells. Journal of Biological Chemistry, 1995, 270, 207-213.	1.6	121
68	Protein Kinase C in Angiotensin II Signalling in Neonatal Rat Cardiac Fibroblasts.. Annals of the New York Academy of Sciences, 1995, 752, 158-167.	1.8	16
69	Angiotensin II induces phosphatidic acid formation in neonatal rat cardiac fibroblasts: Evaluation of the roles of phospholipases C and D. Molecular and Cellular Biochemistry, 1994, 141, 135-143.	1.4	18
70	Evidence for a role of an intracardiac renin-angiotensin system in normal and failing hearts. Trends in Cardiovascular Medicine, 1993, 3, 67-74.	2.3	72
71	Angiotensin II Stimulation of Left Ventricular Hypertrophy in Adult Rat Heart. American Journal of Hypertension, 1992, 5, 276-280.	1.0	198
72	Angiotensin II and left ventricular growth in newborn pig heart. Journal of Molecular and Cellular Cardiology, 1991, 23, 1031-1038.	0.9	84

#	ARTICLE	IF	CITATIONS
73	Control of growth in the neonatal pig heart. American Journal of Physiology - Lung Cellular and Molecular Physiology, 1991, 261, L3-L7.	1.3	9