

# Valentina De Regibus

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/106061/publications.pdf>

Version: 2024-02-01

37  
papers

465  
citations

840776

11  
h-index

794594

19  
g-index

37  
all docs

37  
docs citations

37  
times ranked

825  
citing authors

#	ARTICLE	IF	CITATIONS
1	Second-generation cryoballoon ablation in the setting of left common pulmonary veins: Procedural findings and clinical outcome. <i>Heart Rhythm</i> , 2017, 14, 1311-1318.	0.7	44
2	Second-generation cryoballoon ablation without the use of real-time recordings: A novel strategy based on a temperature-guided approach to ablation. <i>Heart Rhythm</i> , 2017, 14, 322-328.	0.7	38
3	Efficacy and safety of the second generation cryoballoon ablation for the treatment of paroxysmal atrial fibrillation in patients over 75 years: a comparison with a younger cohort. <i>Europace</i> , 2017, 19, 1798-1803.	1.7	37
4	Tumor Necrosis Factor- $\beta$ Predicts Response to Cardiac Resynchronization Therapy in Patients With Chronic Heart Failure. <i>Circulation Journal</i> , 2014, 78, 2232-2239.	1.6	28
5	Long-term outcome after second-generation cryoballoon ablation for paroxysmal atrial fibrillation - a 3-years follow-up. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2017, 49, 93-100.	1.3	25
6	Improved visualisation of real-time recordings during third generation cryoballoon ablation: a comparison between the novel short-tip and the second generation device. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2016, 46, 307-314.	1.3	23
7	Long-Term Follow-Up of Proband With Brugada Syndrome. <i>American Journal of Cardiology</i> , 2017, 119, 1392-1400.	1.6	23
8	Role of Electrocardiographic Tpeak-Tend for the Prediction of Ventricular Arrhythmic Events in the Brugada Syndrome. <i>American Journal of Cardiology</i> , 2017, 120, 1332-1337.	1.6	20
9	Phrenic nerve injury during right inferior pulmonary vein ablation with the second-generation cryoballoon: clinical, procedural, and anatomical characteristics. <i>Europace</i> , 2018, 20, e156-e163.	1.7	19
10	Single freeze per vein strategy with the second-generation cryoballoon for atrial fibrillation: a propensity score-matched study between 180- and 240-s application time in a large cohort of patients. <i>Europace</i> , 2018, 20, f377-f383.	1.7	12
11	High recurrence of device-related adverse events following transvenous lead extraction procedure in patients with cardiac resynchronization devices. <i>European Journal of Heart Failure</i> , 2016, 18, 1270-1277.	7.1	11
12	Repeat procedures using the second-generation cryoballoon for recurrence of atrial fibrillation after initial ablation with conventional radiofrequency. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2017, 49, 119-125.	1.3	11
13	Acute pericarditis following second-generation cryoballoon ablation for atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2018, 51, 279-284.	1.3	11
14	Leadless pacemaker implantation after transcatheter lead extraction in complex anatomy patient. <i>Clinical Case Reports (discontinued)</i> , 2018, 6, 1106-1108.	0.5	10
15	Abnormally high risk of stroke in Brugada syndrome. <i>Journal of Cardiovascular Medicine</i> , 2019, 20, 59-65.	1.5	10
16	Second-generation Cryoballoon Ablation in the Setting of Lone Paroxysmal Atrial Fibrillation: Single Procedural Outcome at 12 Months. <i>Journal of Cardiovascular Electrophysiology</i> , 2016, 27, 677-682.	1.7	9
17	Single freeze strategy with the second-generation cryoballoon for atrial fibrillation: a multicenter international retrospective analysis in a large cohort of patients. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2017, 49, 173-180.	1.3	9
18	Role of the burden of premature atrial contractions during the blanking period following second-generation cryoballoon ablation in predicting late recurrences of atrial arrhythmias. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2017, 49, 329-335.	1.3	9

#	ARTICLE	IF	CITATIONS
19	Second generation cryoballoon ablation for atrial fibrillation in young adults: midterm outcome in patients under 40 years of age. <i>Europace</i> , 2018, 20, 295-300.	1.7	9
20	Atrial fibrillation ablation with the second generation cryoballoon: Multicenter propensity score matched comparison between freezing strategies. <i>International Journal of Cardiology</i> , 2018, 253, 78-81.	1.7	9
21	Acute and long-term outcomes of simultaneous atrioventricular node ablation and leadless pacemaker implantation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018, 41, 1484-1490.	1.2	9
22	Long-term outcome of pulmonary vein isolation in patients with paroxysmal atrial fibrillation and Brugada syndrome. <i>Europace</i> , 2018, 20, 548-554.	1.7	8
23	Continuous monitoring after second-generation cryoballoon ablation for paroxysmal atrial fibrillation in patients with cardiac implantable electronic devices. <i>Heart Rhythm</i> , 2019, 16, 187-196.	0.7	8
24	Anatomical Mapping for Atrial Fibrillation Ablation: A Head-to-Head Comparison of Ultrasound-Assisted Reconstruction versus Fast Anatomical Mapping. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015, 38, 187-195.	1.2	7
25	Submammary device implantation. Good long-term performance and better patients' satisfaction. A single-center experience. <i>International Journal of Cardiology</i> , 2016, 221, 820-826.	1.7	7
26	Cryoballoon ablation during atrial fibrillation is associated with faster temperature drop and lower freezing temperatures. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2016, 47, 357-364.	1.3	7
27	Femoral venous pressure waveform as indicator of phrenic nerve injury in the setting of second-generation cryoballoon ablation. <i>Journal of Cardiovascular Medicine</i> , 2017, 18, 510-517.	1.5	7
28	Comparison of the Incidences of Complications After Second-Generation Cryoballoon Ablation of Atrial Fibrillation Using Vitamin K Antagonists Versus Novel Oral Anticoagulants. <i>American Journal of Cardiology</i> , 2017, 120, 223-229.	1.6	7
29	Anatomical and procedural predictors of pulmonary vein stenosis in the setting of second-generation cryoballoon ablation. <i>Journal of Cardiovascular Medicine</i> , 2018, 19, 290-296.	1.5	7
30	Real-Time Recordings in Cryoballoon Pulmonary Veins Isolation: Comparison Between the 25mm and the 20mm Achieve Catheters. <i>Journal of Atrial Fibrillation</i> , 2018, 10, 1855.	0.5	6
31	Leadless pacing in a young patient with cardioinhibitory vasovagal syncope. <i>Indian Pacing and Electrophysiology Journal</i> , 2018, 18, 120-122.	0.6	5
32	Clinical value of induction protocol after second generation cryoballoon ablation for paroxysmal atrial fibrillation. <i>Europace</i> , 2018, 20, 778-785.	1.7	5
33	Autosomal recessive atrial disease presenting with sick sinus syndrome (SSS), right atrial fibrosis and biatrial dilatation: Clinical impact of genetic diagnosis. <i>International Journal of Cardiology</i> , 2016, 208, 67-69.	1.7	4
34	Impact of an additional right pulmonary vein on second-generation cryoballoon ablation for atrial fibrillation: a propensity matched score study. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2019, 54, 1-8.	1.3	4
35	Leadless pacing in cardiac transplant recipients: Primary results of a multicenter case experience. <i>Journal of Electrocardiology</i> , 2020, 60, 33-35.	0.9	4
36	Repeat procedures after second-generation cryoballoon ablation as an index procedure for persistent atrial fibrillation: one-year follow-up. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2016, 47, 365-371.	1.3	3

#	ARTICLE	IF	CITATIONS
37	Long-term follow-up of patients with a quadripolar active fixation left ventricular lead. An Italian multicenter experience. Journal of Cardiovascular Electrophysiology, 0, , .	1.7	0