

# Raimundo Braz Filho

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1061201/publications.pdf>

Version: 2024-02-01

433  
papers

6,238  
citations

147566

31  
h-index

243296

44  
g-index

445  
all docs

445  
docs citations

445  
times ranked

6987  
citing authors

#	ARTICLE	IF	CITATIONS
1	13C NMR spectroscopic data of aporphine alkaloids. <i>The Alkaloids Chemistry and Biology</i> , 2023, , 39-171.	0.8	1
2	Chemical Constituents and Biological Activities of the Genus <i>Flindersia</i> (Rutaceae). <i>Mini-Reviews in Organic Chemistry</i> , 2022, 19, 3-29.	0.6	1
3	Synthesis of a new quinine dimer biocatalysed by the coconut water. <i>Biocatalysis and Biotransformation</i> , 2022, 40, 209-218.	1.1	3
4	Antiplasmodial and cytotoxic effects of the methanol extract, canthinone alkaloids, squalene- and protolimonoid-type triterpenes from <i>Homalolepis suffruticosa</i> roots. <i>Journal of Ethnopharmacology</i> , 2022, 285, 114890.	2.0	3
5	New ent-kaurene-type nor-diterpene and other compounds isolated from <i>Annona vepretorum</i> Mart. (Annonaceae). <i>Natural Product Research</i> , 2022, , 1-8.	1.0	0
6	Biological activity and 13C NMR spectral data of iboga-type skeleton alkaloids. <i>Studies in Natural Products Chemistry</i> , 2022, , 287-369.	0.8	2
7	New hydroperoxycycloartane complete chemical shifts assignment of <sup>13</sup> C and <sup>1</sup> H and cytotoxicity evaluation of cycloartanes isolated from <i>Trichilia casaretti</i> . <i>Natural Product Research</i> , 2022, 36, 5423-5428.	1.0	2
8	Ferulic acid as major antioxidant phenolic compound of the <i>Tetragonisca angustula</i> honey collected in Vera Cruz - Itaparica Island, Bahia, Brazil. <i>Brazilian Journal of Biology</i> , 2022, 84, e253599.	0.4	5
9	Rotenoids from <i>Clitoria fairchildiana</i> R. Howard (Fabaceae) seeds affect the cellular metabolism of larvae of <i>Aedes aegypti</i> L. (Culicidae). <i>Pesticide Biochemistry and Physiology</i> , 2022, 186, 105167.	1.6	1
10	Limonoids from the genus <i>Trichilia</i> and biological activities: review. <i>Phytochemistry Reviews</i> , 2021, 20, 1055-1086.	3.1	13
11	Chemical composition, antimycobacterial and anti-inflammatory activities of iridoids and triterpene from <i>Psychotria suterella</i> (Rubiaceae). <i>Pharmacognosy Magazine</i> , 2021, 17, 355.	0.3	1
12	Phytochemical profile of <i>Cespedesia spathulata</i> leaves (Ochnaceae) and its effect on tyrosinase enzyme. <i>Anais Da Academia Brasileira De Ciencias</i> , 2021, 93, e20200443.	0.3	1
13	A Molecular Networking Strategy: High-Throughput Screening and Chemical Analysis of Brazilian Cerrado Plant Extracts against Cancer Cells. <i>Cells</i> , 2021, 10, 691.	1.8	12
14	New alkaloids from <i>Ocotea duckei</i> vattimo (Lauraceae). <i>Research, Society and Development</i> , 2021, 10, e28910412800.	0.0	1
15	A new N-oxide benzylisoquinoline alkaloid isolated from the leaves of <i>atemoia</i> ( <i>Annona</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 1 Sciences, 2021, .	0.3	2
16	Biological activity and 13C NMR spectral data of skeleton type C20 quassinoids (1985-2019). <i>Studies in Natural Products Chemistry</i> , 2021, , 97-172.	0.8	2
17	The use of new hydrogel microcapsules in coconut juice as biocatalyst system for the reaction of quinine. <i>Industrial Crops and Products</i> , 2020, 145, 111890.	2.5	20
18	Chemical Compounds and Biologic Activities: A Review of <i>Cedrela</i> Genus. <i>Molecules</i> , 2020, 25, 5401.	1.7	13

#	ARTICLE	IF	CITATIONS
19	Biflavonoid toxicarine, rotenoids and a flavanone from the roots of <i>Tephrosia toxicaria</i> . <i>Semina: Ciências Exatas E Tecnológicas</i> , 2020, 41, 71.	0.3	0
20	Dolichocarpols A-F, Unprecedented Macrocyclic Humulene-Type Sesquiterpenoids from <i>Anaxagorea dolichocarpa</i> . <i>ACS Omega</i> , 2020, 5, 13656-13663.	1.6	2
21	Evaluation of antibacterial and enhancement of antibiotic action by the flavonoid kaempferol 7-O-β-D-(6-O-cumaroyl)-glucopyranoside isolated from <i>Croton piauhiensis</i> Müll. <i>Microbial Pathogenesis</i> , 2020, 143, 104144.	1.3	25
22	Antimycobacterial Activity of Milemaronol, a New Squalene-Type Triterpene, and Other Isolate?. <i>Natural Product Communications</i> , 2020, 15, 1934578X2092558.	0.2	0
23	Chemical composition and biological activities of the essential oils from <i>Vitex-agnus castus</i> , <i>Ocimum campechianum</i> and <i>Ocimum carnosum</i> . <i>Anais Da Academia Brasileira De Ciências</i> , 2020, 92, e20180569.	0.3	15
24	Rapid Characterization of Triterpene Saponins from <i>Zornia brasiliensis</i> by HPLC-ESI-MS/MS. <i>Molecules</i> , 2019, 24, 2519.	1.7	11
25	Tri- and Diterpenoids from <i>Stillingia loranthea</i> as Inhibitors of Zika Virus Replication. <i>Journal of Natural Products</i> , 2019, 82, 2721-2730.	1.5	12
26	Antibiotic-Potentiating Activity of Phanostenine Isolated from <i>Cissampelos sympodialis</i> Eichler. <i>Chemistry and Biodiversity</i> , 2019, 16, e1900313.	1.0	3
27	Curcinomarcóide, a Novel Limonoid From <i>Trichilia hirta</i> (Meliaceae) Complete <sup>1</sup> H and <sup>13</sup> C Chemical Shift Assignments. <i>Natural Product Communications</i> , 2019, 14, 1934578X1984361.	0.2	1
28	Evaluation of the antimicrobial and antioxidant activity of 7-hydroxy-4 <sup>TM</sup> , 6-dimethoxy-isoflavone and essential oil from <i>Myroxylon peruiferum</i> L.f. <i>Anais Da Academia Brasileira De Ciências</i> , 2019, 91, e20180204.	0.3	6
29	Antimycobacterial and Nitric Oxide Production Inhibitory Activities of Triterpenes and Alkaloids from <i>Psychotria nuda</i> (Cham. & Schlttdl.) Wawra. <i>Molecules</i> , 2019, 24, 1026.	1.7	12
30	Alkene lactones from <i>Persea fulva</i> (Lauraceae): Evaluation of their effects on tumor cell growth in vitro and molecular docking studies. <i>Bioorganic Chemistry</i> , 2019, 86, 665-673.	2.0	7
31	Structural and Microbiological Characterization of 5-Hydroxy-3,7,4 <sup>TM</sup> -Trimethoxyflavone: A Flavonoid Isolated from <i>Vitex gardneriana</i> Schauer Leaves. <i>Microbial Drug Resistance</i> , 2019, 25, 434-438.	0.9	18
32	Terpenoids isolated from <i>Azadirachta indica</i> roots and biological activities. <i>Revista Brasileira De Farmacognosia</i> , 2019, 29, 40-45.	0.6	11
33	Saponin-rich fraction from <i>Agave sisalana</i> : effect against malignant astrocytic cells and its chemical characterisation by ESI-MS/MS. <i>Natural Product Research</i> , 2019, 33, 1769-1772.	1.0	4
34	Chemical Constituents of Non-Polar Fractions Obtained from <i>Cnidioscolus quercifolius</i> Pohl (Euphorbiaceae), a Medicinal Plant Native from the Brazilian Caatinga Biome. <i>Revista Virtual De Química</i> , 2019, 11, 498-516.	0.1	2
35	Participation of cytokines, opioid, and serotonergic systems on antinociceptive and anti-inflammatory activities of <i>Simira graziellae</i> peixoto (Rubiaceae). <i>Pharmacognosy Research (discontinued)</i> , 2019, 11, 51.	0.3	0
36	Pharmacognostic Evaluation of Bitter Melon from Brazilian Northeast ( <i>Momordica charantia</i> L.): Identification of Momordicin II. <i>Journal of Young Pharmacists</i> , 2019, 11, 366-370.	0.1	1

#	ARTICLE	IF	CITATIONS
37	The semi-synthetic molecule [4 $\alpha$ ,5 $\alpha$ ] dihydro-obovatin isolated from <i>Tephrosia Toxicaria</i> pers reduces zymosan-induced temporomandibular joint inflammatory hypernociception in rats. <i>Medicinal Chemistry Research</i> , 2018, 27, 1004-1012.	1.1	2
38	Gastroprotective and anti-inflammatory activities integrated to chemical composition of <i>Myracrodruon urundeuva</i> Allem $\text{\AA}$ o - A conservationist proposal for the species. <i>Journal of Ethnopharmacology</i> , 2018, 222, 177-189.	2.0	24
39	<i>In vitro</i> anthelmintic and cytotoxic activities of extracts of <i>Persea willdenovii</i> Kosterm (Lauraceae). <i>Journal of Helminthology</i> , 2018, 92, 674-680.	0.4	7
40	Proposed anti-HSV compounds isolated from <i>Simira</i> species. <i>Natural Product Research</i> , 2018, 32, 2720-2723.	1.0	4
41	New 132-epi-Phaeophorbide a Ethyl Ester from <i>Lantana camara</i> . <i>Chemistry of Natural Compounds</i> , 2018, 54, 1114-1117.	0.2	0
42	Chemical Composition and Antifungal <i>In Vitro</i> and <i>In Silico</i> , Antioxidant, and Anticholinesterase Activities of Extracts and Constituents of <i>Ouratea fieldingiana</i> (DC.) Bail. <i>Evidence-based Complementary and Alternative Medicine</i> , 2018, 2018, 1-12.	0.5	10
43	New flavone and other compounds from <i>Tephrosia egregia</i> : assessing the cytotoxic effect on human tumor cell lines. <i>Revista Brasileira De Farmacognosia</i> , 2018, 28, 333-338.	0.6	3
44	Cytotoxic Triterpenes from <i>Salacia crassifolia</i> and Metabolite Profiling of Celastraceae Species. <i>Molecules</i> , 2018, 23, 1494.	1.7	17
45	Two Novel Cycloartane-Type Triterpenes from <i>Trichilia casaretti</i> C. DC. (Meliaceae). <i>Molecules</i> , 2018, 23, 949.	1.7	5
46	Phytochemical study of <i>Harrisia adscendens</i> . <i>Revista Brasileira De Farmacognosia</i> , 2018, 28, 298-302.	0.6	2
47	LUCLARICIN, A NEW LIGNAN FROM <i>Phyllanthus acuminatus</i> . <i>Quimica Nova</i> , 2018, , .	0.3	1
48	Chemical Study and Biological Evaluation of the Red Propolis from Alagoas. <i>Revista Virtual De Quimica</i> , 2018, 10, 2-12.	0.1	3
49	Chemical Study and Evaluation of Antioxidant, Anti-acetylcholinesterase and Antileishmanial Activities of Extracts from <i>Jatropha gossypifolia</i> L. (Pi $\text{\AA}$ o Roxo). <i>Revista Virtual De Quimica</i> , 2018, 10, 21-36.	0.1	2
50	<i>In vitro</i> acaricide activity of <i>Ocotea aciphylla</i> (Nees) Mez. (Lauraceae) extracts and identification of the compounds from the active fractions. <i>Ticks and Tick-borne Diseases</i> , 2017, 8, 275-282.	1.1	14
51	New cytotoxic furan from the marine sediment-derived fungi <i>Aspergillus niger</i> . <i>Natural Product Research</i> , 2017, 31, 2599-2603.	1.0	26
52	Phytochemical study of <i>Pilosocereus pachycladus</i> and antibiotic-resistance modifying activity of syringaldehyde. <i>Revista Brasileira De Farmacognosia</i> , 2017, 27, 453-458.	0.6	16
53	Spectroscopic and microbiological characterization of labdane diterpene 15,16-epoxy-4-hydroxy-labda-13(16),14-dien-3,12-dione isolated from the stems of <i>Croton jacobinensis</i> . <i>Journal of Molecular Structure</i> , 2017, 1147, 335-344.	1.8	11
54	Chemical Compounds Isolated from <i>Simira grazielae</i> . <i>Chemistry of Natural Compounds</i> , 2017, 53, 543-544.	0.2	0

#	ARTICLE	IF	CITATIONS
55	Vibrational spectroscopy and DFT calculations of flavonoid derriobtusone A. Journal of Molecular Structure, 2017, 1130, 231-237.	1.8	7
56	Characterization of the biochemical, physiological, and medicinal properties of Streptomyces hygrosopicus ACTMS-9H isolated from the Amazon (Brazil). Applied Microbiology and Biotechnology, 2017, 101, 711-723.	1.7	14
57	Chemical constituents from Bauhinia acuruana and their cytotoxicity. Revista Brasileira De Farmacognosia, 2017, 27, 711-715.	0.6	13
58	<sup>13</sup> C-NMR Spectral Data of Alkaloids Isolated from Psychotria Species (Rubiaceae). Molecules, 2017, 22, 103.	1.7	9
59	Isolation of Monoterpene Dihydrochalcones from Piper montealegreanum Yuncker (Piperaceae). Molecules, 2017, 22, 874.	1.7	6
60	Phenolic Compounds Present Schinus terebinthifolius Raddi Influence the Lowering of Blood Pressure in Rats. Molecules, 2017, 22, 1792.	1.7	17
61	Chemical Compounds and Antibacterial Activity of Tephrosia Toxicaria Pers.. Oriental Journal of Chemistry, 2017, 33, 2173-2178.	0.1	4
62	7-epi-griffonilide, a new lactone from Bauhinia pentandra: complete <sup>1</sup> H and <sup>13</sup> C chemical shift assignments. Anais Da Academia Brasileira De Ciencias, 2017, 89, 65-71.	0.3	4
63	Special metabolites isolated from Urochloa humidicola (Poaceae). Anais Da Academia Brasileira De Ciencias, 2017, 89, 789-797.	0.3	14
64	Chemical constituents isolated from extracts of Annona vepretorum Mart. (Annonaceae) leaves. Journal of Medicinal Plants Research, 2017, 11, 439-444.	0.2	4
65	Neuroinhibitory meroterpenoid compounds from Cordia oncocalyx. FÃ-toterapÃ-Ãç, 2017, 123, 65-72.	1.1	9
66	New Epimeric Spirostanol and Furostanol-Type Steroidal Saponins from Cestrum laevigatum L.. Journal of the Brazilian Chemical Society, 2016, , .	0.6	1
67	Angelocunhol: New Erythroxylyane Diterpene and Other Compounds from Simira sampaioana (Rubiaceae). Journal of the Brazilian Chemical Society, 2016, , .	0.6	0
68	Studies of the Interaction between BSA and a Plumeran Indole Alkaloid Isolated from the Stem Bark of Aspidosperma cylindrocarpon (Apocynaceae). Journal of the Brazilian Chemical Society, 2016, , .	0.6	1
69	Chemical Constituents of Trichilia hirta (Meliaceae). Natural Product Communications, 2016, 11, 1934578X1601100.	0.2	1
70	A Novel Alkaloid Isolated from <i>Spiranthera Atlantica</i> (Rutaceae). Natural Product Communications, 2016, 11, 1934578X1601100.	0.2	1
71	Larvicidal activity of Ramalina usnea lichen against Aedes aegypti. Revista Brasileira De Farmacognosia, 2016, 26, 530-532.	0.6	12
72	Identification and determination of the inulin content in the roots of the Northeast Brazilian species Pombalia calceolaria L.. Carbohydrate Polymers, 2016, 149, 391-398.	5.1	21

#	ARTICLE	IF	CITATIONS
73	New Cytotoxic Bibenzyl and Other Constituents from <i>Bauhinia unguolata</i> L. (Fabaceae). Chemistry and Biodiversity, 2016, 13, 1630-1635.	1.0	19
74	Spirostanol glucosides from the leaves of <i>Cestrum laevigatum</i> L. Steroids, 2016, 106, 35-40.	0.8	7
75	Synthesis, antibacterial and cytotoxic activities of new biflorin-based hydrazones and oximes. Bioorganic and Medicinal Chemistry Letters, 2016, 26, 435-439.	1.0	20
76	NOVEL ALKALOID FROM <i>Rauvolfia capixabae</i> (APOCYNACEAE). Quimica Nova, 2016, , .	0.3	3
77	Chemical Constituents and Cytotoxic Activity of <i>Cnidocolus phyllacanthus</i> . Revista Virtual De Quimica, 2016, 8, .	0.1	7
78	Isolation of Flavonoids from <i>Dipteryx odorata</i> by High Performance Liquid Chromatography. Revista Virtual De Quimica, 2016, 8, .	0.1	3
79	Chemical Constituents and Lethality of <i>Pseudopiptadenia Contorta</i> (DC.) G. P. Lewis & M. P. Lima (Fabaceae) against <i>Artemia salina</i> Leach. Revista Virtual De Quimica, 2016, 8, .	0.1	0
80	Two New Labdane-type Diterpenoids and others Compounds from <i>Conchocarpus cyrtanthus</i> (Rutaceae). Revista Virtual De Quimica, 2016, 8, .	0.1	0
81	Brazoxide A, a New Tirucallane Triterpene from <i>Pilocarpus spicatus</i> subsp. <i>Aracatensis</i> Kaastra. Revista Virtual De Quimica, 2016, 8, .	0.1	0
82	3,6-Dimethoxy-6,6-Dimethyl-(7,8,2,3)-Chromeneflavone, a Flavonoid Isolated from <i>Lonchocarpus Araripensis</i> Benth. (Fabaceae), Reduces Nociceptive Behaviour in Mice. Phytotherapy Research, 2015, 29, 1622-1627.	2.8	2
83	A Novel Alkaloid from <i>Aspidosperma pyricollum</i> (Apocynaceae) and Complete <sup>1</sup> H and <sup>13</sup> C Chemical Shift Assignments. Helvetica Chimica Acta, 2015, 98, 1381-1386.	1.0	3
84	Cytotoxic Alkaloids from <i>Hippeastrum solandriflorum</i> Lindl.. Journal of the Brazilian Chemical Society, 2015, , .	0.6	4
85	New Terpenoids from <i>Croton limae</i> (Euphorbiaceae). Journal of the Brazilian Chemical Society, 2015, , .	0.6	1
86	Chemistry and Biological Activity of Ramalina Lichenized Fungi. Molecules, 2015, 20, 8952-8987.	1.7	41
87	Chemical Constituents and Biological Activities of Simira Genus: A Contribution to the Chemotaxonomic of Rubiaceae Family. Natural Products Journal, 2015, 4, 290-298.	0.1	3
88	Chemical constituents from <i>Sidastrum paniculatum</i> and evaluation of their leishmanicidal activity. Revista Brasileira De Farmacognosia, 2015, 25, 363-368.	0.6	14
89	Correlations among experimental and theoretical NMR data to determine the absolute stereochemistry of darcyibeirine, a pentacyclic indole alkaloid isolated from <i>Rauvolfia grandiflora</i> . Journal of Molecular Structure, 2015, 1098, 76-83.	1.8	2
90	Vibrational spectra and DFT calculations of sonderianin diterpene. Journal of Molecular Structure, 2015, 1099, 226-231.	1.8	8

#	ARTICLE	IF	CITATIONS
91	Chemicals from Agave sisalana Biomass: Isolation and Identification. International Journal of Molecular Sciences, 2015, 16, 8761-8771.	1.8	33
92	Activity of Fabaceae species extracts against fungi and Leishmania: vatacarpan as a novel potent anti-Candida agent. Revista Brasileira De Farmacognosia, 2015, 25, 401-406.	0.6	4
93	A New Diterpene Isolated from the Resin of Hymenaea Courbaril. Chemistry of Natural Compounds, 2015, 51, 693-696.	0.2	4
94	Antinociceptive and Anti-inflammatory Activities of the Methanolic Extract from the Stem Bark of Lophanthera lactescens. Planta Medica, 2015, 81, 1688-1696.	0.7	5
95	Chemical composition of the essential oil and fixed oil Bauhinia pentandra (Bong.) D. Dietr. Pharmacognosy Magazine, 2015, 11, 362.	0.3	7
96	&lt;sup&gt;13&lt;/sup&gt;C-NMR Data from Coumarins from Moraceae Family. American Journal of Analytical Chemistry, 2015, 06, 851-866.	0.3	11
97	Chemistry and Biological Activity of Condamineae Tribe: A Chemotaxonomic Contribution of Rubiaceae Family. American Journal of Plant Sciences, 2015, 06, 2612-2631.	0.3	3
98	INFLUENCE OF AGE OF THE LEAVES OFE. unifloraL. ON CHEMICAL COMPOSITION OF ESSENTIAL OIL. Quimica Nova, 2015, , .	0.3	2
99	New Alkaloids fromMargaritopsis carrascoana(Rubiaceae). Journal of the Brazilian Chemical Society, 2015, , .	0.6	4
100	Meroterpenoid Hydroquinones fromCordia globosa. Journal of the Brazilian Chemical Society, 2015, , .	0.6	1
101	A Novel 3,9-(1,2,3-Trioxocine)-Type Steroid of Rauia nodosa (Rutaceae). Molecules, 2014, 19, 14637-14648.	1.7	8
102	NEW FLAVONOIDS FROMMargaritopsis carrascoanaWITH ANTIOXIDANT ACTIVITY. Quimica Nova, 2014, , .	0.3	1
103	Identification and Modulatory Activity Assessment of 2-Hydroxy-3,4,6-trimethoxyacetophenone Isolated from Croton anisodontus Mull. Arg.(Euphorbiaceae). Natural Product Communications, 2014, 9, 1934578X1400900.	0.2	1
104	New Unusual Alkaloids from the Ascidian <i>Eudistoma vannamei</i>. Natural Product Communications, 2014, 9, 1934578X1400901.	0.2	1
105	Tephrosia purpurea: A Source of Larvicidal Compounds Against Aedes Aegypti. Chemistry of Natural Compounds, 2014, 50, 1125-1127.	0.2	4
106	Antibacterial and Antioxidant Activities of Ursolic Acid and Derivatives. Molecules, 2014, 19, 1317-1327.	1.7	172
107	Discovery of the rapanone and suberonone mixture as a motif for leishmanicidal and antifungal applications. Bioorganic and Medicinal Chemistry, 2014, 22, 135-140.	1.4	29
108	FT-Raman and FTIR-ATR spectroscopies and DFT calculations of triterpene acetyl aleuritolic acid. Journal of Molecular Structure, 2014, 1058, 221-227.	1.8	13

#	ARTICLE	IF	CITATIONS
109	New Acetogenins from the Seeds of <i>Annona coriacea</i> . Helvetica Chimica Acta, 2014, 97, 1469-1474.	1.0	8
110	Chemical constituents of <i>Cardiospermum corindum</i> L. and their distribution in Sapindaceae. Biochemical Systematics and Ecology, 2014, 57, 137-140.	0.6	12
111	The first flavonoid isolated from <i>Bromelia laciniosa</i> (Bromeliaceae). Journal of Medicinal Plants Research, 2014, 8, 558-563.	0.2	5
112	Chemical Constituents from <i>Caesalpinia fereca</i> : Identification and <sup>1</sup> H and <sup>13</sup> C Resonance Assignment. American Journal of Analytical Chemistry, 2014, 05, 688-694.	0.3	3
113	Secondary Metabolites of the Genus <i>Trichilia</i> : Contribution to the Chemistry of Meliaceae Family. American Journal of Analytical Chemistry, 2014, 05, 91-121.	0.3	29
114	CHEMICAL CONSTITUENTS ISOLATED FROM <i>Turnera subulata</i> Sm. AND ELECTROCHEMICAL CHARACTERIZATION OF PHAEOPHYTIN B. Quimica Nova, 2014, 37, .	0.3	7
115	FLAVONOIDS FROM <i>Lonchocarpus araripensis</i> (Leguminosae) - ISOLATION, UNEQUIVOCAL ASSIGNMENT OF NMR SIGNALS <sup>1</sup> H AND <sup>13</sup> C AND CONFORMATIONAL ANALYSIS. Quimica Nova, 2014, 37, .	0.3	4
116	PHYTOCHEMICAL STUDY, ANTIOXIDANT AND ANTIBACTERIAL ACTIVITIES OF <i>Stemodia maritima</i> . Quimica Nova, 2014, . .	0.3	3
117	An Uncommon Naphthaquinoid and a New Lignan Derivative from the Roots of <i>Cordia leucocephala</i> Moric. Journal of the Brazilian Chemical Society, 2014, . .	0.6	0
118	Plumeran Alkaloids and Glycosides from the Seeds of <i>Aspidosperma pyriforme</i> Mart.. Journal of the Brazilian Chemical Society, 2014, . .	0.6	5
119	Structural elucidation and NMR assignments of a new pyrrolizidine alkaloid from <i>Crotalaria vitellina</i> Ker Gawl. Magnetic Resonance in Chemistry, 2013, 51, 497-499.	1.1	3
120	Larvicidal activity against <i>Aedes aegypti</i> of pacharin from <i>Bauhinia acuruana</i> . Parasitology Research, 2013, 112, 2753-2757.	0.6	18
121	Solanidane and iminosolanidane alkaloids from <i>Solanum campaniforme</i> . Phytochemistry, 2013, 96, 457-464.	1.4	17
122	Application of pH-zone-refining countercurrent chromatography for the separation of indole alkaloids from <i>Aspidosperma rigidum</i> Rusby. Journal of Chromatography A, 2013, 1319, 166-171.	1.8	10
123	Clerodane and patchoulene terpenes as new constituents from <i>Baccharis salzmannii</i> DC. Biochemical Systematics and Ecology, 2013, 50, 101-105.	0.6	7
124	New triterpene glycoside and other chemical constituents from the leaves of <i>Swartzia apetala</i> Raddi var. <i>glabra</i> . Natural Product Research, 2013, 27, 1888-1895.	1.0	4
125	<sup>1</sup> H and <sup>13</sup> C NMR assignments of two new isomeric bisbenzylisoquinoline alkaloids from <i>Cissampelos sympodialis</i> Eichl. (Menispermaceae). Magnetic Resonance in Chemistry, 2013, 51, 312-315.	1.1	6
126	Crotofolane- and Casbane-type Diterpenes from <i>Croton argyrophyllus</i> . Helvetica Chimica Acta, 2013, 96, 1146-1154.	1.0	13



#	ARTICLE	IF	CITATIONS
127	Two Novel Plumeran Indole Alkaloids Isolated from <i>Aspidosperma cylindrocarpon</i> (Apocynaceae). <i>Helvetica Chimica Acta</i> , 2013, 96, 1793-1800.	1.0	7
128	Chemical Composition of <i>Aspidosperma ulei</i> Markgr. and Antiplasmodial Activity of Selected Indole Alkaloids. <i>Molecules</i> , 2013, 18, 6281-6297.	1.7	38
129	Trachylobane and kaurane diterpenes from <i>Croton floribundus</i> spreng. <i>Quimica Nova</i> , 2013, 36, 778-782.	0.3	16
130	First Chemical Constituents from <i>Cordia exaltata</i> Lam and Antimicrobial Activity of Two Neolignans. <i>Molecules</i> , 2013, 18, 11086-11099.	1.7	13
131	Hirtinone, a Novel Cycloartane-Type Triterpene and Other Compounds from <i>Trichilia hirta</i> L. (Meliaceae). <i>Molecules</i> , 2013, 18, 2589-2597.	1.7	17
132	Lepidotrichilins A and B, New Protolimonoids with Cytotoxic Activity from <i>Trichilia Lepidota</i> (Meliaceae). <i>Molecules</i> , 2013, 18, 12180-12191.	1.7	18
133	New Cycloartane-type Triterpenes from <i>Marcetia Latifolia</i> (Melastomataceae) and In Silico Studies on <i>Candida Parapsilosis</i> Protease. <i>Natural Product Communications</i> , 2013, 8, 1934578X1300800.	0.2	0
134	Constituintes quemicos de <i>Vernonia scorpioides</i> (Lam) Pers. (Asteraceae). <i>Quimica Nova</i> , 2013, 36, 540-543.	0.3	5
135	Constituintes quemicos e avaliao da atividade antibacteriana de <i>Macroptilium lathyroides</i> (L.) Urb. (Fabaceae). <i>Quimica Nova</i> , 2013, 36, 1370-1374.	0.3	4
136	Clusiaxanthone and Tocotrienol Series from <i>Clusia pernambucensis</i> and their Antileishmanial Activity. <i>Journal of the Brazilian Chemical Society</i> , 2013, , .	0.6	2
137	Maytensifolone, a New Triterpene from <i>Maytenus distichophylla</i> Mart. ex Reissek. <i>Journal of the Brazilian Chemical Society</i> , 2013, , .	0.6	1
138	Palyosulfonoceramides A and B: Unique Sulfonylated Ceramides from the Brazilian Zoanthids <i>Palythoa caribaeorum</i> and <i>Protopalythoa variabilis</i> . <i>Marine Drugs</i> , 2012, 10, 2846-2860.	2.2	18
139	LIGNANS AND FLAVONOIDS ISOLATED FROM <i>CUSCUTA RACEMOSA</i> MART. & <i>HUMB</i> (CONVOLVULACEAE) BY DROPLET COUNTER-CURRENT CHROMATOGRAPHY. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2012, 35, 2294-2303.	0.5	4
140	Further Withaphysalin Derivatives from <i>Acnistus arborescens</i> . <i>Helvetica Chimica Acta</i> , 2012, 95, 1387-1394.	1.0	3
141	Synthesis of naringin 6"-ricinoleate using immobilized lipase. <i>Chemistry Central Journal</i> , 2012, 6, 41.	2.6	23
142	Anthracyclines from <i>Micromonospora</i> sp.. <i>Journal of Natural Products</i> , 2012, 75, 489-493.	1.5	31
143	Flavonoides e outros compostos isolados de <i>Mimosa artemisiana</i> Heringer e Paula. <i>Quimica Nova</i> , 2012, 35, 2159-2164.	0.3	7
144	<sup>1</sup> H and <sup>13</sup> C-NMR Data of the Simplest Plumeran Indole Alkaloids Isolated from <i>Aspidosperma</i> Species. <i>Molecules</i> , 2012, 17, 3025-3043.	1.7	18

#	ARTICLE	IF	CITATIONS
145	New Indole Alkaloid from <i>Peschiera affinis</i> (Apocynaceae). <i>Natural Product Communications</i> , 2012, 7, 1934578X1200700.	0.2	2
146	Rotenoids from <i>Tephrosia toxicaria</i> with larvicidal activity against <i>Aedes aegypti</i> , the main vector of dengue fever. <i>Quimica Nova</i> , 2012, 35, 1097-1100.	0.3	16
147	Antioxidant activity of <i>Spathodea campanulata</i> (Bignoneaceae) extracts. <i>Revista Brasileira De Plantas Medicinai</i> s, 2012, 14, 287-292.	0.3	6
148	Aplysistularine: a novel dibromotyrosine derivative isolated from <i>Aplysina fistularis</i> . <i>Quimica Nova</i> , 2012, 35, 2189-2193.	0.3	5
149	Flavonoides e sesquiterpenos de <i>Croton pedicellatus</i> Kunth. <i>Quimica Nova</i> , 2012, 35, 2169-2172.	0.3	11
150	Furanoflavones and other chemical constituents of <i>Lonchocarpus obtusos</i> . <i>Journal of the Brazilian Chemical Society</i> , 2012, 23, 301-305.	0.6	8
151	Other compounds isolated from <i>Simira glaziovii</i> and the $^1\text{H}$ and $^{13}\text{C}$ NMR chemical shift assignments of new 1-epi-castanopsol. <i>Quimica Nova</i> , 2012, 35, 2202-2204.	0.3	8
152	New neolignans from <i>Krameria tomentosa</i> A. St. -Hil. <i>Journal of the Brazilian Chemical Society</i> , 2012, 23, 2021-2026.	0.6	0
153	Chemical constituents from three medicinal plants: <i>Piper renitens</i> , <i>Siparuna guianensis</i> and <i>Alternanthera brasiliana</i> . <i>Revista Brasileira De Farmacognosia</i> , 2012, 22, 1134-1139.	0.6	18
154	Structure elucidation and NMR assignments of new spirosolane alkaloids from <i>Solanum campaniforme</i> . <i>Magnetic Resonance in Chemistry</i> , 2012, 50, 74-78.	1.1	3
155	Antibacterial activity of <i>Capsicum annum</i> extract and synthetic capsaicinoid derivatives against <i>Streptococcus mutans</i> . <i>Journal of Natural Medicines</i> , 2012, 66, 354-356.	1.1	30
156	Constituintes quemicos de <i>Capraria biflora</i> (Scrophulariaceae) e atividade larvicida de seu leo essencial. <i>Quimica Nova</i> , 2012, 35, 2258-2262.	0.3	19
157	Antiophidic Solanidane Steroidal Alkaloids from <i>Solanum campaniforme</i> . <i>Journal of Natural Products</i> , 2011, 74, 2168-2173.	1.5	19
158	Terpenoids from Endophytic Fungi. <i>Molecules</i> , 2011, 16, 10604-10618.	1.7	57
159	Chemical Constituents of Plants from the Genus <i>Simaba</i> (Simaroubaceae). <i>Chemistry and Biodiversity</i> , 2011, 8, 2163-2178.	1.0	20
160	Glicoalcaloides antifngicos, flavonoides e outros constituintes quemicos de <i>Solanum asperum</i> . <i>Quimica Nova</i> , 2011, 34, 284-288.	0.3	22
161	Anthraquinones from the bark of <i>Senna macranthera</i> . <i>Anais Da Academia Brasileira De Ciencias</i> , 2011, 83, 1159-1164.	0.3	10
162	Estudo qumico de duas plantas medicinais da amaznia: <i>Philodendron scabrum</i> k. Krause (araceae) e <i>Vatairea guianensis</i> aubl. (fabaceae). <i>Acta Amazonica</i> , 2011, 41, 393-400.	0.3	4

#	ARTICLE	IF	CITATIONS
163	New isoflavone derivative and other flavonoids from the resin of <i>Amburana cearensis</i> . <i>Journal of the Brazilian Chemical Society</i> , 2011, 22, 364-371.	0.6	12
164	Alkaloid and other chemical constituents from <i>Psychotria stachyoides</i> Benth.. <i>Journal of the Brazilian Chemical Society</i> , 2011, 22, 2216-2219.	0.6	17
165	Phytochemical and antifungal activity of anthraquinones and root and leaf extracts of <i>Coccoloba mollis</i> on phytopathogens. <i>Brazilian Archives of Biology and Technology</i> , 2011, 54, 535-541.	0.5	27
166	Application of Preparative High-Speed Counter-Current Chromatography for the Separation of Two Alkaloids from the Roots of <i>Tabernaemontana catharinensis</i> (Apocynaceae). <i>Molecules</i> , 2011, 16, 7480-7487.	1.7	10
167	Cytotoxicity of Î-tocotrienols from <i>Kielmeyera coriacea</i> against cancer cell lines. <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 623-630.	1.4	30
168	Structure elucidation of casbane diterpenes from <i>Croton argyrophyllus</i> . <i>Magnetic Resonance in Chemistry</i> , 2011, 49, 370-373.	1.1	10
169	Simiranes A and B: erythroxylenes diterpenes and other compounds from <i>Simira eliezeriana</i> (Rubiaceae). <i>Natural Product Research</i> , 2011, 25, 1713-1719.	1.0	7
170	Otto Richard Gottlieb na UFRRJ. <i>Revista Virtual De Quimica</i> , 2011, 3, .	0.1	0
171	Contribuição da fitoquímica para o desenvolvimento de um país emergente. <i>Quimica Nova</i> , 2010, 33, 229-239.	0.3	21
172	Unusual monoterpene indole alkaloids from <i>Psychotria stachyoides</i> Benth. <i>Biochemical Systematics and Ecology</i> , 2010, 38, 846-849.	0.6	10
173	Terpenoids from <i>Croton regelianus</i> . <i>Helvetica Chimica Acta</i> , 2010, 93, 375-381.	1.0	13
174	Two New Indole Alkaloids from <i>Tabernaemontana hystrix</i> (Apocynaceae). <i>Helvetica Chimica Acta</i> , 2010, 93, 422-429.	1.0	14
175	Cytotoxic Evaluation of Pungencine: A New Tropane Alkaloid from the Roots of <i>Erythroxylum pungens</i> O.â€¦E. Schulz. <i>Helvetica Chimica Acta</i> , 2010, 93, 1742-1744.	1.0	6
176	New Chemical Constituents from <i>Borreria verticillata</i> (Rubiaceae). <i>Helvetica Chimica Acta</i> , 2010, 93, 1751-1757.	1.0	21
177	Structure elucidation and NMR assignments of two unusual monoterpene indole alkaloids from <i>Psychotria stachyoides</i> . <i>Magnetic Resonance in Chemistry</i> , 2010, 48, 734-737.	1.1	8
178	Fragmentation of plumeran indole alkaloids from <i>Aspidosperma spruceanum</i> by electrospray ionization tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2010, 24, 295-308.	0.7	25
179	Other chemical constituents isolated from <i>Solanum crinitum</i> Lam. (Solanaceae). <i>Journal of the Brazilian Chemical Society</i> , 2010, 21, 2211-2219.	0.6	13
180	Composição química volátil e não-volátil de <i>Eupatorium ballotifolium</i> Kunth, Asteraceae. <i>Revista Brasileira De Farmacognosia</i> , 2010, 20, 615-620.	0.6	6

#	ARTICLE	IF	CITATIONS
181	New ceramides from <i>acnistus arborescens</i> . <i>Journal of the Brazilian Chemical Society</i> , 2010, 21, 867-871.	0.6	8
182	Isolamento, identificação e avaliação da atividade antileucêmica de alcaloides indólicos monoterpênicos de <i>Tabernaemontana salzmannii</i> A. DC., Apocynaceae. <i>Revista Brasileira De Farmacognosia</i> , 2010, 20, 75-81.	0.6	2
183	<i>Rauvolfia grandiflora</i> (Apocynaceae) extract interferes with staphylococcal density, enterotoxin production and antimicrobial activity. <i>Brazilian Journal of Microbiology</i> , 2010, 41, 612-620.	0.8	8
184	Constituintes químicos das folhas de <i>Senna spectabilis</i> (DC) Irwin & Barneby var. <i>excelsa</i> (Schrad.) Irwin & Barneby. <i>Quimica Nova</i> , 2010, 33, 1874-1876.	0.3	15
185	Flavonoides e outras substâncias de <i>Lippia sidoides</i> e suas atividades antioxidantes. <i>Quimica Nova</i> , 2010, 33, 1877-1881.	0.3	30
186	Estudo químico de uma amostra de própolis verde de Passa Quatro, Minas Gerais, Brasil. <i>Quimica Nova</i> , 2010, 33, 2051-2054.	0.3	4
187	Diterpene and other constituents from <i>Stemodia maritima</i> (Scrophulariaceae). <i>Journal of the Brazilian Chemical Society</i> , 2010, 21, 1581-1586.	0.6	11
188	Utilização e recuperação de sílica gel impregnada com nitrato de prata. <i>Quimica Nova</i> , 2010, 33, 212-215.	0.3	9
189	Chemical Constituents and Larvicidal Activity of <i>Hymenaea courbaril</i> Fruit Peel. <i>Natural Product Communications</i> , 2010, 5, 1934578X1000501.	0.2	21
190	Two New Terpenoids from <i>Trichilia quadrijuga</i> (Meliaceae). <i>Natural Product Communications</i> , 2010, 5, 1934578X1000500.	0.2	3
191	Chemical constituents from <i>Aspidosperma illustre</i> (Apocynaceae). <i>Journal of the Brazilian Chemical Society</i> , 2010, 21, 1434-1438.	0.6	9
192	Isolamento, identificação e avaliação da atividade antileucêmica de alcaloides indólicos monoterpênicos de <i>Tabernaemontana salzmannii</i> (A. DC.), Apocynaceae. <i>Revista Brasileira De Farmacognosia</i> , 2010, 20, 675-681.	0.6	10
193	A New Sesquiterpene from <i>Trichilia casarettii</i> (Meliaceae). <i>American Journal of Analytical Chemistry</i> , 2010, 01, 70-72.	0.3	9
194	Two new terpenoids from <i>Trichilia quadrijuga</i> (Meliaceae). <i>Natural Product Communications</i> , 2010, 5, 179-84.	0.2	6
195	Chemical constituents and larvicidal activity of <i>Hymenaea courbaril</i> fruit peel. <i>Natural Product Communications</i> , 2010, 5, 1977-80.	0.2	21
196	Estudo espectroscópico em elucidação estrutural de flavonoides de <i>Solanum jabrense</i> Agra & Nee e <i>S. paludosum</i> Moric. <i>Quimica Nova</i> , 2009, 32, .	0.3	12
197	Atividade biológica e alcaloides indólicos do gênero <i>Aspidosperma</i> (Apocynaceae): uma revisão. <i>Revista Brasileira De Plantas Mediciniais</i> , 2009, 11, 92-99.	0.3	25
198	Composição química e avaliação das atividades antibacteriana e de toxicidade dos óleos essenciais de <i>Lantana camara</i> L. e <i>Lantana</i> sp.. <i>Revista Brasileira De Farmacognosia</i> , 2009, 19, 710-714.	0.6	22

#	ARTICLE	IF	CITATIONS
199	Constituintes químicos de <i>Sebastiania macrocarpa</i> Muell. Arg. (Euphorbiaceae). <i>Química Nova</i> , 2009, 32, 348-353.	0.3	7
200	New iodine derivatives of flavonol and isoflavone. <i>Anais Da Academia Brasileira De Ciencias</i> , 2009, 81, 21-28.	0.3	3
201	Estudo químico e biológico de <i>Tephrosia toxicaria</i> Pers.. <i>Química Nova</i> , 2009, 32, 382-386.	0.3	15
202	Alcaloides iboga de <i>Peschiera affinis</i> (Apocynaceae) - Atribuição inequívoca dos deslocamentos químicos dos átomos de hidrogênio e carbono: atividade antioxidante. <i>Química Nova</i> , 2009, 32, 1834-1838.	0.3	16
203	Chemical composition and larvicidal activity of <i>Rollinia leptopetala</i> (Annonaceae). <i>Journal of the Brazilian Chemical Society</i> , 2009, 20, 375-378.	0.6	34
204	A new bianthron glycoside as inhibitor of <i>Trypanosoma cruzi</i> glyceraldehyde 3-phosphate dehydrogenase activity. <i>Journal of the Brazilian Chemical Society</i> , 2009, 20, 947-953.	0.6	7
205	Antioxidant and Larvicidal Activities of <i>Tephrosia Egregia</i> Sandw against <i>Aedes Aegypti</i> . <i>Natural Product Communications</i> , 2009, 4, 1934578X0900400.	0.2	3
206	Chemical constituents and lethality of <i>Paullinia weinmanniaefolia</i> (Sapindaceae) against <i>Artemia salina</i> Leach. <i>Revista Brasileira De Farmacognosia</i> , 2009, 19, .	0.6	1
207	Cytotoxic lipidic $\beta$ -amino acids from the zoanthid <i>Protopalythoa variabilis</i> from the Northeastern coast of Brazil. <i>Journal of the Brazilian Chemical Society</i> , 2009, 20, 1455-1459.	0.6	11
208	Iridáide glicosilado e derivados fenólicos antifúngicos isolados das raízes de <i>Spathodea campanulata</i> . <i>Semina: Ciências Agrárias</i> , 2009, 28, 251.	0.1	17
209	A New Sesquiterpene from <i>Ximenia americana</i> Linn.. <i>Helvetica Chimica Acta</i> , 2009, 92, 127-132.	1.0	6
210	<sup>1</sup> H and <sup>13</sup> C NMR assignments of new methoxylated furanoflavonoids from <i>Lonchocarpus araripensis</i> . <i>Magnetic Resonance in Chemistry</i> , 2009, 47, 165-168.	1.1	8
211	<sup>1</sup> H and <sup>13</sup> C NMR assignments for two new cordiaquinones from roots of <i>Cordia leucocephala</i> . <i>Magnetic Resonance in Chemistry</i> , 2009, 47, 190-193.	1.1	8
212	Unequivocal assignments of flavonoids from <i>Tephrosia</i> sp. (Fabaceae). <i>Magnetic Resonance in Chemistry</i> , 2009, 47, 537-540.	1.1	13
213	Coconut water ( <i>Cocos nucifera</i> L.) – A new biocatalyst system for organic synthesis. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2009, 57, 78-82.	1.8	79
214	Isolation of Terpenoids from <i>Trichilia quadrijuga</i> (Meliaceae) by Droplet Counter-Current Chromatography. <i>Chromatographia</i> , 2009, 70, 1191-1195.	0.7	11
215	Cytotoxic Diterpenoids from <i>Croton argyrophylloides</i> . <i>Journal of Natural Products</i> , 2009, 72, 1884-1887.	1.5	24
216	Triterpenes and phenolic compounds isolated from the aerial parts of <i>Herissantia tiubae</i> and evaluation of 5,4-dihydroxy-3,6,7,8,3-pentamethoxyflavone as a modulator of bacterial drug resistance. <i>Pharmaceutical Biology</i> , 2009, 47, 279-284.	1.3	15

#	ARTICLE	IF	CITATIONS
217	Constituents and antioxidant activity of two varieties of coconut water ( <i>Cocos nucifera</i> L.). <i>Revista Brasileira De Farmacognosia</i> , 2009, 19, 193-198.	0.6	48
218	Chemical constituents from <i>Swartzia apetala</i> Raddi var. <i>glabra</i> and evaluation of their antifungal activity against <i>Candida</i> spp.. <i>Revista Brasileira De Farmacognosia</i> , 2009, 19, 366-369.	0.6	7
219	Chemical constituents from the Paraguayan medicinal plant, <i>Eupatorium macrocephalum</i> Less.. <i>Journal of Natural Medicines</i> , 2008, 62, 122-123.	1.1	12
220	Triterpenes acids and saponins isolated from <i>Licania arianae</i> Prance ( <i>Chrysobalanaceae</i> ). <i>Journal of Natural Medicines</i> , 2008, 62, 360-361.	1.1	6
221	Flavonoids and alkaloids from leaves of <i>Bauhinia unguolata</i> L.. <i>Biochemical Systematics and Ecology</i> , 2008, 36, 227-229.	0.6	22
222	Anthelmintic acetogenin from <i>Annona squamosa</i> L. Seeds. <i>Anais Da Academia Brasileira De Ciencias</i> , 2008, 80, 271-277.	0.3	30
223	Chemical Constituents and Insecticidal Activity of <i>Rollinia leptopetala</i> (Annonaceae). <i>Natural Product Communications</i> , 2008, 3, 1934578X0800301.	0.2	4
224	Two fast screening methods (GC-MS and TLC-ChEI assay) for rapid evaluation of potential anticholinesterasic indole alkaloids in complex mixtures. <i>Anais Da Academia Brasileira De Ciencias</i> , 2008, 80, 419-426.	0.3	28
225	Constituintes quÃamicos de <i>Vernonia chalybaea</i> mart.. <i>Quimica Nova</i> , 2008, 31, 1691-1695.	0.3	9
226	New Alkaloid from <i>Aspidosperma Polyneuron</i> Roots. <i>Natural Product Communications</i> , 2008, 3, 1934578X0800300.	0.2	0
227	Secondary metabolites isolated from <i>Richardia brasiliensis</i> Gomes ( <i>Rubiaceae</i> ). <i>Revista Brasileira De Farmacognosia</i> , 2008, 18, 367-372.	0.6	6
228	Diterpenos casbanos e acetofenonas de <i>Croton nepetaefolius</i> ( <i>Euphorbiaceae</i> ). <i>Quimica Nova</i> , 2008, 31, 601-604.	0.3	18
229	Constituintes quÃamicos do caule de <i>Senna reticulata</i> Willd. ( <i>Leguminosae</i> ): Chemical constituents isolated from the wood of <i>Senna reticulata</i> Willd.. <i>Quimica Nova</i> , 2008, 31, 1979-1981.	0.3	17
230	Quinones from plants of northeastern Brazil: structural diversity, chemical transformations, NMR data and biological activities. <i>Natural Product Research</i> , 2007, 21, 529-550.	1.0	23
231	Flavonoids from <i>Annona dioica</i> leaves and their effects in Ehrlich carcinoma cells, DNA-topoisomerase I and II. <i>Journal of the Brazilian Chemical Society</i> , 2007, 18, 1554-1559.	0.6	29
232	Diterpenos tipo abietano isolados de <i>Plectranthus barbatus</i> Andrews. <i>Quimica Nova</i> , 2007, 30, 1882-1886.	0.3	15
233	A Labdane diterpene from the aerial parts of <i>Egletes viscosa</i> less. <i>Journal of the Brazilian Chemical Society</i> , 2007, 18, 1374-1378.	0.6	4
234	AlcalÃides de flores e folhas de <i>Erythrina speciosa</i> Andrews. <i>Quimica Nova</i> , 2007, 30, 525-527.	0.3	12

#	ARTICLE	IF	CITATIONS
235	Ocorrência e atividade biológica de quassinoides da última década. <i>Quimica Nova</i> , 2007, 30, 935-951.	0.3	26
236	Complete <sup>1</sup> H and <sup>13</sup> C NMR assignments and anti fungal activity of two 8-hydroxy flavonoids in mixture. <i>Anais Da Academia Brasileira De Ciências</i> , 2007, 79, 215-222.	0.3	12
237	Composition and Larvicidal Activity of Essential Oil from <i>Stemodia Maritima</i> L. <i>Natural Product Communications</i> , 2007, 2, 1934578X0700201.	0.2	5
238	Cucurbitacins from <i>Cayaponia racemosa</i> : isolation and total assignment of <sup>1</sup> H and <sup>13</sup> C NMR spectra. <i>Magnetic Resonance in Chemistry</i> , 2007, 45, 389-392.	1.1	3
239	<sup>1</sup> H and <sup>13</sup> C NMR spectral data of new saponins from <i>Cordia piauhiensis</i> . <i>Magnetic Resonance in Chemistry</i> , 2007, 45, 692-694.	1.1	7
240	Alkaloids and a new cinnamate derivative from <i>Duguetia gardneriana</i> . <i>Biochemical Systematics and Ecology</i> , 2007, 35, 456-458.	0.6	9
241	Antimicrobial activity of wax and hexane extracts from <i>Citrus</i> spp. peels. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2007, 102, 681-685.	0.8	28
242	Quassinoids: Structural Diversity, Biological Activity and Synthetic Studies. <i>Studies in Natural Products Chemistry</i> , 2006, 33, 433-492.	0.8	44
243	Metabólitos especiais isolados de <i>Laseguea erecta</i> (Apocynaceae). <i>Revista Brasileira De Farmacognosia</i> , 2006, 16, 497-500.	0.6	5
244	Diterpenes from <i>Erythroxyllum barbatum</i> . <i>Journal of the Brazilian Chemical Society</i> , 2006, 17, 1304.	0.6	5
245	Constituintes químicos e atividade antioxidante de <i>Sida galheirensis</i> Ulbr. (Malvaceae). <i>Quimica Nova</i> , 2006, 29, 1250-1254.	0.3	31
246	Atividades larvicida e anticolinesterásica de plantas do gênero <i>Kalanchoe</i> . <i>Quimica Nova</i> , 2006, 29, 415-418.	0.3	16
247	Molluscicidal activity of <i>Solanum</i> species of the Northeast of Brazil on <i>Biomphalaria glabrata</i> . <i>Fármacos e Terapêutica</i> , 2006, 77, 449-452.	1.1	30
248	Iridoid and phenylethanoid glycosides from <i>Lippia alba</i> . <i>Biochemical Systematics and Ecology</i> , 2006, 34, 819-821.	0.6	19
249	<sup>1</sup> H and <sup>13</sup> C NMR spectral assignments of four dammarane triterpenoids from carnauba wax. <i>Magnetic Resonance in Chemistry</i> , 2006, 44, 641-643.	1.1	16
250	A new method for asperphenamate synthesis and its antimicrobial activity evaluation. <i>Natural Product Research</i> , 2006, 20, 537-541.	1.0	9
251	Cymosanine, a novel C19-Quassinoid from <i>Simaba subcymosa</i> . <i>Natural Product Research</i> , 2005, 19, 151-155.	1.0	2
252	Avaliação da atividade larvicida de saponinas triterpênicas isoladas de <i>Pentaclethra macroloba</i> (Willd.) Kuntze (Fabaceae) e <i>Cordia piauhiensis</i> Fresen (Boraginaceae) sobre <i>Aedes aegypti</i> . <i>Revista Brasileira De Farmacognosia</i> , 2005, 15, 187-190.	0.6	24

#	ARTICLE	IF	CITATIONS
253	Characterization of two minor saponins from <i>Cordia piauhiensis</i> by <sup>1</sup> H and <sup>13</sup> C NMR spectroscopy. <i>Magnetic Resonance in Chemistry</i> , 2005, 43, 494-496.	1.1	6
254	Total assignments of <sup>1</sup> H and <sup>13</sup> C NMR spectra of isocatalpanol and a derivative of tecomaquinone. <i>Magnetic Resonance in Chemistry</i> , 2005, 43, 582-584.	1.1	4
255	NMR assignments and X-ray diffraction spectra for two unusual kaurene diterpenes from <i>Erythroxylum barbatum</i> . <i>Magnetic Resonance in Chemistry</i> , 2005, 43, 1012-1015.	1.1	3
256	Flavonoides glicosilados de <i>Herissantia tiubae</i> (K. Schum) Brizicky (Malvaceae) e testes farmacológicos preliminares do canferol 3,7-di-O-β-D-glucopiranosídeo. <i>Revista Brasileira De Farmacognosia</i> , 2005, 15, 23-29.	0.6	14
257	A new indole alkaloid isolated from <i>Tabernaemontana hystrix</i> Steud (Apocynaceae). <i>Journal of the Brazilian Chemical Society</i> , 2005, 16, 1331-1335.	0.6	20
258	Diploflavone, a new flavonoid from <i>Diploporia ferruginea</i> Benth. (Fabaceae). <i>Journal of the Brazilian Chemical Society</i> , 2005, 16, 1454-1457.	0.6	9
259	Ecdisteroid e iridoid glicosilado de <i>Vitex gardneriana</i> Schauer (Verbenaceae). <i>Revista Brasileira De Farmacognosia</i> , 2005, 15, 51.	0.6	3
260	Muscicapines, a new class of guaiane-type sesquiterpene alkaloids from <i>Croton muscicapa</i> . <i>Journal of the Brazilian Chemical Society</i> , 2005, 16, 553-557.	0.6	10
261	Constituintes químicos de <i>Zanthoxylum ekmanii</i> (URB.) Alain. <i>Quimica Nova</i> , 2005, 28, 224-225.	0.3	18
262	Divergence of secondary metabolism in cell suspension cultures and differentiated plants of <i>Piper cernuum</i> and <i>P. crassinervium</i> . <i>Journal of the Brazilian Chemical Society</i> , 2005, 16, 1425-1430.	0.6	36
263	A Cytotoxic Meroterpenoid Benzoquinone from Roots of <i>Cordia globosa</i> . <i>Planta Medica</i> , 2005, 71, 54-58.	0.7	20
264	Cytotoxic pyranonaphthoquinones from <i>Melastoma quadrivalvis</i> (bignoniaceae). <i>Natural Product Research</i> , 2005, 19, 217-222.	1.0	8
265	Chemical constituents of <i>Cordia piauhiensis</i> : Boraginaceae. <i>Journal of the Brazilian Chemical Society</i> , 2005, 16, 662-665.	0.6	13
266	Pyrrolizidine alkaloids from <i>Heliotropium indicum</i> . <i>Journal of the Brazilian Chemical Society</i> , 2005, 16, 1410-1414.	0.6	25
267	Three new natural cyclopentenedione derivatives from <i>Piper carnifolium</i> . <i>Journal of the Brazilian Chemical Society</i> , 2004, 15, 140-145.	0.6	12
268	Antimicrobial activity and chemical investigation of Brazilian <i>Drosera</i> . <i>Memorias Do Instituto Oswaldo Cruz</i> , 2004, 99, 753-755.	0.8	17
269	Chemical constituents from <i>Vellozia graminifolia</i> (Velloziaceae). <i>Anais Da Academia Brasileira De Ciencias</i> , 2004, 76, 505-518.	0.3	14
270	Organic matter quality in a soil cultivated with perennial herbaceous legumes. <i>Scientia Agricola</i> , 2004, 61, 53-61.	0.6	22



#	ARTICLE	IF	CITATIONS
271	Cytotoxic Epimeric Withaphysalins from Leaves of <i>Acnistus arborescens</i> . <i>Planta Medica</i> , 2004, 70, 551-555.	0.7	26
272	Minor $\beta$ -Lactones from <i>Trichilia Catigua</i> (Meliaceae) and its precursors by GC-MS. <i>Natural Product Research</i> , 2004, 18, 433-438.	1.0	10
273	Anthraquinones and naphthopyrones from <i>Senna rugosa</i> . <i>Biochemical Systematics and Ecology</i> , 2004, 32, 363-365.	0.6	14
274	Distribution of flavonoids and N-trans-caffeoyl-tyramine in <i>Solanum</i> subg. <i>Leptostemonum</i> . <i>Biochemical Systematics and Ecology</i> , 2004, 32, 513-516.	0.6	16
275	Kaurene diterpenes and flavonoids from <i>Baccharis illinita</i> flowers. <i>Biochemical Systematics and Ecology</i> , 2004, 32, 837-840.	0.6	15
276	C-methylated flavonoids from the roots of <i>Piper carniconnectivum</i> C.DC. (Piperaceae). <i>Biochemical Systematics and Ecology</i> , 2004, 32, 1215-1217.	0.6	7
277	Bowdichine, a new diaza-adamantane alkaloid from <i>Bowdichia virgilioides</i> . <i>Journal of Asian Natural Products Research</i> , 2004, 6, 11-17.	0.7	25
278	Complete $^1\text{H}$ and $^{13}\text{C}$ NMR assignments for two new monodesmoside saponins from <i>Pentaclethra macroloba</i> (Willd.) Kuntze. <i>Magnetic Resonance in Chemistry</i> , 2004, 42, 695-699.	1.1	9
279	Alkaloids and Diterpenes From <i>Croton moritibensis</i> . <i>Pharmaceutical Biology</i> , 2004, 42, 62-67.	1.3	14
280	Cytotoxic Withaphysalins from the Leaves of <i>Acnistus arborescens</i> . <i>Journal of Natural Products</i> , 2004, 67, 710-713.	1.5	25
281	Sesquiterpenes and a Phenylpropanoid from <i>Cordia trichotoma</i> . <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2004, 59, 19-22.	0.6	16
282	Constituintes qu $\text{\AA}$ micos de <i>Ottonia corcovadensis</i> Miq. da floresta Amaz $\text{\AA}$ nica: atribui $\text{\AA}$ o dos deslocamentos qu $\text{\AA}$ micos dos $\text{\AA}$ tomos de hidrog $\text{\AA}$ nio e carbono. <i>Quimica Nova</i> , 2004, 27, .	0.3	12
283	Triterpenoid saponins from stem bark of <i>Pentaclethra macroloba</i> . <i>Journal of the Brazilian Chemical Society</i> , 2004, 15, 595-602.	0.6	14
284	A new aryl naphthalene type lignan from <i>Cordia rufescens</i> A. DC. (Boraginaceae). <i>Arkivoc</i> , 2004, 2004, 54-58.	0.3	23
285	$^1\text{H}$ and $^{13}\text{C}$ NMR structure determination of a new stereoisomer of isoreserpiline pseudoindoxyl from <i>Rauvolfia grandiflora</i> . <i>Magnetic Resonance in Chemistry</i> , 2003, 41, 287-290.	1.1	5
286	$^1\text{H}$ and $^{13}\text{C}$ NMR assignments of abietane diterpenes from <i>Aegiphila lhotzkyana</i> . <i>Magnetic Resonance in Chemistry</i> , 2003, 41, 731-734.	1.1	8
287	Structure elucidation and total assignment of $^1\text{H}$ and $^{13}\text{C}$ NMR data for a new bisdesmoside saponin from <i>Cordia piuihiensis</i> . <i>Magnetic Resonance in Chemistry</i> , 2003, 41, 735-738.	1.1	8
288	Structural elucidation and total assignment of the $^1\text{H}$ and $^{13}\text{C}$ NMR spectra of new chalcone dimers. <i>Magnetic Resonance in Chemistry</i> , 2003, 41, 1009-1014.	1.1	10

#	ARTICLE	IF	CITATIONS
289	Total assignments of <sup>1</sup> H and <sup>13</sup> C NMR spectra of biflorin and bis-biflorin from <i>Capraria biflora</i> . <i>Magnetic Resonance in Chemistry</i> , 2003, 41, 1038-1040.	1.1	20
290	Flavonoides glicosilados das folhas e flores de <i>Bauhinia forficata</i> (Leguminosae). <i>Quimica Nova</i> , 2003, 26, 466-469.	0.3	55
291	Alkaloids from <i>Annona dioica</i> . <i>Journal of the Brazilian Chemical Society</i> , 2003, 14, 369-400.	0.6	1
292	Outros constituintes químicos de <i>Diploptropis ferruginea</i> Benth. (Fabaceae). <i>Revista Brasileira De Farmacognosia</i> , 2003, 13, 44-46.	0.6	2
293	Isolamento e identificação de novos alcaloides de <i>Ocotea duckei</i> Vattimo (Lauraceae). <i>Revista Brasileira De Farmacognosia</i> , 2003, 13, 62-63.	0.6	11
294	Ocorrência de flavonas, flavonóis e seus glicosídeos em espécies do gênero <i>Solanum</i> (Solanaceae). <i>Quimica Nova</i> , 2003, 26, 517-522.	0.3	30
295	Two New Diprenylated Coumarins from <i>Flindersia Brayleyana</i> . <i>Natural Product Research</i> , 2002, 16, 291-295.	0.4	4
296	Two Epimeric Flavalignans from <i>Trichilia catigua</i> (Meliaceae) with Antimicrobial Activity. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2002, 57, 483-488.	0.6	52
297	New Volatile Sesquiterpene Alcohols of <i>Zanthoxylum syncarpum</i> Tull Root Oil. <i>Journal of Essential Oil Research</i> , 2002, 14, 274-275.	1.3	9
298	Prenylated Coumarins, Chalcone and New Cinnamic Acid and Dihydrocinnamic Acid Derivatives from <i>Brosimum gaudichaudii</i> . <i>Journal of the Brazilian Chemical Society</i> , 2002, 13, 281-287.	0.6	18
299	Constituintes químicos do extrato acetato de etila das partes aéreas de <i>Solanum paludosum</i> Moric. <i>Revista Brasileira De Farmacognosia</i> , 2002, 12, 85-86.	0.6	5
300	DNA topoisomerase inhibitors: biflavonoids from <i>Ouratea</i> species. <i>Brazilian Journal of Medical and Biological Research</i> , 2002, 35, 819-822.	0.7	33
301	New enamine derivatives of lapachol and biological activity. <i>Anais Da Academia Brasileira De Ciencias</i> , 2002, 74, 211-221.	0.3	65
302	Chemical constituents of <i>Simarouba versicolor</i> . <i>Anais Da Academia Brasileira De Ciencias</i> , 2002, 74, 415-424.	0.3	18
303	<i>Derris</i> ( <i>Lonchocarpus</i> ) <i>urucu</i> (Leguminosae) Extract Modifies the Peritrophic Matrix Structure of <i>Aedes aegypti</i> (Diptera:Culicidae). <i>Memorias Do Instituto Oswaldo Cruz</i> , 2002, 97, 371-375.	0.8	32
304	Constituintes químicos de <i>Lippia sidoides</i> (Cham.) Verbenaceae. <i>Revista Brasileira De Farmacognosia</i> , 2002, 12, 66-67.	0.6	24
305	Cytotoxic activities against Ehrlich carcinoma and human K562 leukaemia of alkaloids and flavonoid from two <i>Solanum</i> Species. <i>Journal of the Brazilian Chemical Society</i> , 2002, 13, 838-842.	0.6	41
306	Constituintes químicos isolados de <i>simira glaziovii</i> (K. schum) steyerem. e a atribuição dos deslocamentos químicos dos átomos de carbono e hidrogênio do alcaloide ofiorina e seus derivados. <i>Quimica Nova</i> , 2002, 25, 241-245.	0.3	9

#	ARTICLE	IF	CITATIONS
307	Flavonoids and an alkaloid from <i>Solanum paludosum</i> Moric.. <i>Biochemical Systematics and Ecology</i> , 2002, 30, 479-481.	0.6	15
308	1,2,3,4-tetrahydro-2-methyl- $\beta$ -carboline and solavetivone from <i>Solanum jabrense</i> . <i>Biochemical Systematics and Ecology</i> , 2002, 30, 1083-1085.	0.6	9
309	Detection and identification of quinonemethide triterpenes in <i>Peritassa campestris</i> by mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2002, 16, 627-633.	0.7	9
310	Biflavonoids and a glucopyranoside derivative from <i>Ouratea semiserrata</i> . <i>Phytochemical Analysis</i> , 2002, 13, 283-292.	1.2	34
311	Darcyibeirine, a novel pentacyclic indole alkaloid from <i>Rauvolfia grandiflora</i> Mart.. <i>Tetrahedron Letters</i> , 2002, 43, 1783-1787.	0.7	20
312	Bioatividade de Ácidos hêmicos: efeitos sobre o desenvolvimento radicular e sobre a bomba de prótons da membrana plasmática. <i>Pesquisa Agropecuaria Brasileira</i> , 2002, 37, 1301-1310.	0.9	53
313	Two 8C-methylated Flavonols from the Leaves of <i>Vellozia candida</i> Mikan (Velloziaceae). <i>Journal of the Brazilian Chemical Society</i> , 2002, 13, 318-323.	0.6	8
314	Chemical Constituents from <i>Lippia sidoides</i> and Cytotoxic Activity. <i>Journal of Natural Products</i> , 2001, 64, 792-795.	1.5	52
315	A new natural ataternary indole alkaloid isolated from <i>Tabernaemontana laeta</i> Mart. (Apocynaceae). <i>Journal of the Brazilian Chemical Society</i> , 2001, 12, 368-372.	0.6	12
316	Efeito da substituição por átomos de flúor no equilíbrio conformacional de chalcona. <i>Quimica Nova</i> , 2001, 24, 604-611.	0.3	6
317	Diterpenos, triterpenos e esteróides das flores de <i>Wedelia paludosa</i> . <i>Quimica Nova</i> , 2001, 24, 24-26.	0.3	21
318	Aumento da resolução de espectros de RMN $^{13}\text{C}$ de ácidos hêmicos em solução através do tratamento prévio com KCl 0,03 mol L <sup>-1</sup> . <i>Quimica Nova</i> , 2001, 24, 131.	0.3	2
319	Acyl-lupeol esters from <i>Parahancornia amapa</i> (Apocynaceae). <i>Journal of the Brazilian Chemical Society</i> , 2001, 12, 556-559.	0.6	11
320	Trichotomol, a New Cadinenediol from <i>Cordia trichotoma</i> . <i>Journal of the Brazilian Chemical Society</i> , 2001, 12, 787-790.	0.6	17
321	Further lipophilic flavonols in <i>Vellozia graminifolia</i> (Velloziaceae) by high temperature gas chromatography: quick detection of new compounds. <i>Phytochemical Analysis</i> , 2001, 12, 266-270.	1.2	18
322	Complete assignment of the $^1\text{H}$ and $^{13}\text{C}$ NMR spectra of the tetraisoprenylated benzophenone 15-epiclusianone. <i>Magnetic Resonance in Chemistry</i> , 2001, 39, 155-159.	1.1	18
323	A xanthone from <i>Shultesia guianensis</i> . <i>Fótooterapêutica</i> , 2001, 72, 715-716.	1.1	9
324	Bowdenol, a New 2,3-Dihydrobenzofuran Constituent from <i>Bowdichia Virgilioides</i> . <i>Natural Product Research</i> , 2001, 15, 261-266.	0.4	25

#	ARTICLE	IF	CITATIONS
325	Synthesis of Functionalized $\hat{I}^3$ -Spirolactone and 2-Oxabicyclo[3.3.0]octane Derivatives from Nucleophilic Oxirane Ring Opening. <i>Tetrahedron</i> , 2000, 56, 5289-5295.	1.0	8
326	Anthracene derivatives from <i>Auxemma oncocalyx</i> . <i>Phytochemistry</i> , 2000, 55, 793-797.	1.4	9
327	C-prenylflavonoids from roots of <i>Tephrosia tunicata</i> . <i>Phytochemistry</i> , 2000, 55, 799-804.	1.4	50
328	Constituents of <i>bowdichia virgilioides</i> . <i>FÃ-toterapÃ-Ãç</i> , 2000, 71, 211-212.	1.1	21
329	Chemical constituents from <i>Ouratea floribunda</i> : complete $^1H$ and $^{13}C$ NMR assignments of atranorin and its new acetyl derivative. <i>Journal of the Brazilian Chemical Society</i> , 2000, 11, 143-147.	0.6	24
330	Constituintes quÃmicos das raÃzes de <i>Pyrostegia Venusta</i> e consideraÃÃes sobre a sua importÃncia medicinal. <i>Quimica Nova</i> , 2000, 23, 42-46.	0.3	30
331	A new pentacyclic triterpene isolated from <i>Myroxylon balsamum</i> (syn. <i>Myroxylon peruiferum</i> ). <i>Journal of the Brazilian Chemical Society</i> , 2000, 11, 195-198.	0.6	12
332	Photochemistry of cyclic vicinal tricarbonyl compounds. Photochemical reaction of 1,2,3-Indanetrione with 2,3-dimethyl-2-butene: hydrogen abstraction and photocycloaddition. <i>Journal of the Brazilian Chemical Society</i> , 2000, 11, 479-485.	0.6	19
333	Further diterpenoids isolated from <i>Pterodon polygalaeflorus</i> . <i>Journal of the Brazilian Chemical Society</i> , 2000, 11, 187-190.	0.6	39
334	Synthesis and structural confirmation of natural 1,3-diarylpropanes. <i>Journal of the Brazilian Chemical Society</i> , 1999, 10, 347-353.	0.6	12
335	A new isoflavone isolated from <i>Harpalyce brasiliana</i> . <i>Journal of the Brazilian Chemical Society</i> , 1999, 10, 438-442.	0.6	12
336	20(R)- and 20(S)-Simarolide Epimers Isolated from <i>Simaba cuneata</i> : Chemical Shifts Assignment of Carbon and Hydrogen Atoms. <i>Journal of the Brazilian Chemical Society</i> , 1999, 10, 76-84.	0.6	9
337	A New Coumarin from <i>Brosimum Gaudichaudii</i> Trecul. <i>Natural Product Research</i> , 1999, 13, 47-52.	0.4	10
338	A flavone dimer from <i>Ouratea hexasperma</i> . <i>Phytochemistry</i> , 1999, 51, 833-838.	1.4	27
339	A triterpenoid saponin isolated from <i>Lafoensia glyptocarpa</i> . <i>Phytochemistry</i> , 1999, 52, 1617-1619.	1.4	11
340	Two known bis-indole alkaloids isolated from <i>Tabernaemontana laeta</i> : complete $^1H$ and $^{13}C$ chemical shift assignments. , 1999, 37, 676-681.		23
341	Total assignment of $^1H$ and $^{13}C$ NMR spectra of tectol and tecomaquinone I. , 1999, 37, 908-911.		11
342	Iridoids from <i>Borreria verticillata</i> . <i>Organic Letters</i> , 1999, 1, 1169-1171.	2.4	28

#	ARTICLE	IF	CITATIONS
343	Glaziovianol, a New Terpenoid Hydroquinone from <i>Auxemmaglazioviana</i> . <i>Journal of Natural Products</i> , 1999, 62, 1044-1045.	1.5	19
344	Brazilian phytochemical diversity: bioorganic compounds produced by secondary metabolism as a source of new scientific development, varied industrial applications and to enhance human health and the quality of life. <i>Pure and Applied Chemistry</i> , 1999, 71, 1663-1672.	0.9	10
345	Flavonoides das flores de <i>Stiffitia chrysantha</i> Mikan. <i>Quimica Nova</i> , 1999, 22, 182-184.	0.3	9
346	7-Epiclusianona, a nova benzofenona tetraprenilada e outros constituintes químicos dos frutos de <i>Rheedia gardneriana</i> . <i>Quimica Nova</i> , 1999, 22, 654-660.	0.3	36
347	<sup>1</sup> H and <sup>13</sup> C NMR of bioactive isochromanylacetylarylhydrazone derivatives. <i>Magnetic Resonance in Chemistry</i> , 1998, 36, 533-538.	1.1	6
348	Two monoisoprenylated flavonoids from <i>Vellozia graminifolia</i> . <i>Phytochemistry</i> , 1998, 47, 471-474.	1.4	15
349	Eletefine, a Stephaoxocane Alkaloid from <i>Cissampelos glaberrima</i> . <i>Journal of Natural Products</i> , 1998, 61, 1140-1142.	1.5	22
350	A New Isoflavone Glycoside from <i>Dalbergianigra</i> . <i>Journal of Natural Products</i> , 1998, 61, 1158-1161.	1.5	20
351	Novel Trichloro-and Tetrachloroisoflavone Isolated from <i>Ouratea Semiserrata</i> . <i>Natural Product Research</i> , 1998, 12, 191-198.	0.4	12
352	Novel 11 $\beta$ -O- $\beta$ -D-Glucopyranosylrotenoid Isolated from <i>Clitoria fairchildiana</i> . <i>Natural Product Research</i> , 1998, 11, 119-126.	0.4	8
353	Isoflavonoids and triterpenoids isolated from <i>Pterodon polygalaeflorus</i> . <i>Journal of the Brazilian Chemical Society</i> , 1998, 9, 295.	0.6	30
354	A New Depside Isolated from the Bark of <i>Rauwolfia mattfeldiana</i> . <i>Journal of the Brazilian Chemical Society</i> , 1998, 9, 91-95.	0.6	3
355	Ácido ent-16 $\alpha$ ,17-diidroxicauran-19-ico isolado de <i>Ouratea semiserrata</i> e os desafios estereoquímicos dos carbonos quirais C-4 e C-16. <i>Quimica Nova</i> , 1998, 21, 397-404.	0.3	19
356	Dibenzylbutyrolactone lignans and coumarins from <i>Ipomoea cairica</i> . <i>Journal of the Brazilian Chemical Society</i> , 1997, 8, 235-238.	0.6	21
357	The synthesis of new isochromanylacetylarylhydrazones designed as probable non-addictive analgesic agents. <i>Journal of the Brazilian Chemical Society</i> , 1997, 8, 471-478.	0.6	8
358	Synthesis of neoflavonoids: 4-(4'-methoxyphenyl)-3,4-dihydrocoumarins. <i>Journal of the Brazilian Chemical Society</i> , 1997, 8, 229-234.	0.6	7
359	Quenching of singlet molecular oxygen by natural furan diterpenes. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 1997, 38, 169-173.	1.7	14
360	Electrophilic aromatic thallation of phenol ethers: an improved experimental procedure. <i>Journal of Organometallic Chemistry</i> , 1996, 526, 15-19.	0.8	5

#	ARTICLE	IF	CITATIONS
361	A New Furanosesquiterpene from <i>Bursera Leptophloeos</i> Marth. Natural Product Research, 1996, 8, 285-289.	0.4	6
362	19-Epivoacristine, an Iboga Alkaloid Isolated from <i>Peschiera affinis</i> . Journal of the Brazilian Chemical Society, 1996, 7, 123-126.	0.6	8
363	Neolignan Aurein Rearrangement with Trifluoroacetic Acid. Journal of the Brazilian Chemical Society, 1996, 7, 275-286.	0.6	1
364	Cordiachromes from <i>Auxemma onocalyx</i> . Phytochemistry, 1995, 40, 1777-1786.	1.4	33
365	Dipeptide from the Roots of <i>Zeyhera digitalis</i> . Journal of the Brazilian Chemical Society, 1995, 6, 323-326.	0.6	5
366	Unambiguous <sup>1</sup> H- and <sup>13</sup> C-NMR Assignments of Isoflavones from <i>Virola caducifolia</i> . Journal of the Brazilian Chemical Society, 1995, 6, 349-352.	0.6	21
367	Eudesmanolide Lactones from <i>Wedelia paludosa</i> . Natural Product Research, 1994, 4, 1-7.	0.4	16
368	24-methyl-25-ethyl-dammarane derivatives from <i>Pilocarpus spicatus</i> . Phytochemistry, 1994, 35, 739-743.	1.4	9
369	Diterpenoids from <i>Pterodon polygalaeflorus</i> . Phytochemistry, 1994, 36, 403-406.	1.4	26
370	Isoflavanone dimers hexaspermone A, B and C from <i>Ouratea hexasperma</i> . Phytochemistry, 1994, 35, 1567-1572.	1.4	32
371	Triterpenes and flavonoids from <i>Combretum leprosum</i> . Phytochemistry, 1993, 32, 411-415.	1.4	50
372	<sup>1</sup> H and <sup>13</sup> C NMR of Synthetic Macrocyclic Lactones and Their Precursors. Journal of the Brazilian Chemical Society, 1993, 4, 158-164.	0.6	2
373	New Nor-Cucurbitacin Glucosides from <i>Wilbrandia</i> Species. Journal of the Brazilian Chemical Society, 1993, 4, 143-146.	0.6	0
374	Nor-cucurbitacin glucosides from <i>Wilbrandia</i> species. Phytochemistry, 1991, 30, 1020-1023.	1.4	23
375	Triterpenes from <i>Cedrela odorata</i> . Phytochemistry, 1991, 30, 1225-1229.	1.4	30
376	Triterpenoids Isolated from <i>Parahancornia amapa</i> . Journal of the Brazilian Chemical Society, 1991, 2, 15-20.	0.6	15
377	A nor-triterpenoid from <i>Lophanthera lactescens</i> . Phytochemistry, 1990, 29, 2257-2261.	1.4	19
378	Lignans from <i>Aristolochia birostris</i> . Phytochemistry, 1990, 29, 257-260.	1.4	21

#	ARTICLE	IF	CITATIONS
379	A New Casbane-Type Diterpenoid from <i>Croton nepetaefolius</i> . <i>Journal of Natural Products</i> , 1990, 53, 1566-1571.	1.5	19
380	Vismiaefolic Acid, a New Triterpene from <i>Vochysia vismiaefolia</i> . <i>Journal of Natural Products</i> , 1990, 53, 1436-1440.	1.5	20
381	Bicyclooctanoid neolignans from <i>Ocotea costulatum</i> . <i>Phytochemistry</i> , 1989, 28, 661-662.	1.4	8
382	Synthesis of three natural 1,3-diarylpropanes: Two revised structures. <i>Phytochemistry</i> , 1989, 28, 239-242.	1.4	10
383	Diarylheptanoids and isoflavonoids from <i>Centrolobium</i> species. <i>Phytochemistry</i> , 1989, 28, 2359-2362.	1.4	46
384	Six flavonoids from <i>Bursera leptophloeos</i> . <i>Phytochemistry</i> , 1989, 28, 2467-2470.	1.4	26
385	New diterpenoids from <i>Croton argyrophyloides</i> . <i>Phytochemistry</i> , 1988, 27, 3209-3212.	1.4	32
386	Allylphenols from <i>Ocotea cymbarum</i> . <i>Phytochemistry</i> , 1988, 27, 3992-3993.	1.4	16
387	Contribuição ao conhecimento químico de plantas do nordeste - <i>Lippia sidoides</i> Cham. <i>Acta Amazonica</i> , 1988, 18, 449-452.	0.3	3
388	The structure of 20-epiheyneanine acetone solvate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1987, 43, 762-764.	0.4	1
389	Naphthoquinoids from <i>Lippia sidoides</i> . <i>Journal of Natural Products</i> , 1986, 49, 310-312.	1.5	22
390	Quinovic acid glycosides from <i>Guettarda angelica</i> . <i>Phytochemistry</i> , 1986, 25, 1419-1422.	1.4	30
391	Structural confirmation of spiroelliptin from <i>Iryanthera elliptica</i> by synthesis. <i>Phytochemistry</i> , 1985, 24, 3023-3028.	1.4	6
392	The Chemistry of Brazilian Myristicaceae. <i>Planta Medica</i> , 1984, 50, 53-55.	0.7	16
393	3 <sup>β</sup> -hydroxy-21 <sup>e</sup> -cinnamoyloxyolean-12-en-28-oic acid, a triterpenoid from <i>enterolobium contortisiliquum</i> . <i>Phytochemistry</i> , 1984, 23, 2289-2292.	1.4	26
394	Triterpenoids from <i>guettarda angelica</i> . <i>Phytochemistry</i> , 1984, 23, 2589-2592.	1.4	21
395	New Tetracyclic Diterpenes from <i>Croton argyrophyloides</i> . <i>Journal of Natural Products</i> , 1984, 47, 55-58.	1.5	7
396	Two new diterpenes with a rosane skeleton from <i>velloziaceae</i> . <i>Tetrahedron Letters</i> , 1983, 24, 5043-5046.	0.7	9

#	ARTICLE	IF	CITATIONS
397	Î³-Lactones from <i>Iryanthera</i> species. <i>Phytochemistry</i> , 1983, 22, 711-713.	1.4	27
398	Natural abundance <sup>13</sup> C- <sup>13</sup> C coupling constants observed via double quantum coherence: structural elucidation of velloziolide, a diterpene with a novel skeleton. <i>Journal of the Chemical Society Chemical Communications</i> , 1982, , 293-295.	2.0	17
399	Natural abundance <sup>13</sup> C - <sup>13</sup> C coupling constants observed via double quantum coherence. Structural elucidation by the one- and the two-dimensional NMR experiments of velloziolone, a new seco-diterpene.. <i>Tetrahedron Letters</i> , 1982, 23, 5267-5270.	0.7	14
400	Lignans and neolignans from <i>Licaria armeniaca</i> . <i>Phytochemistry</i> , 1981, 20, 1963-1965.	1.4	20
401	Piplartine-dimer A, a new alkaloid from <i>Piper tuberculatum</i> . <i>Phytochemistry</i> , 1981, 20, 345-346.	1.4	55
402	Neolignans from <i>Licaria rigida</i> . <i>Phytochemistry</i> , 1981, 20, 2049-2050.	1.4	13
403	Isoflavone evolution in <i>Monopteryx</i> . <i>Phytochemistry</i> , 1981, 20, 235-236.	1.4	9
404	Sonderianin, a furanoid diterpene from <i>Croton sonderianus</i> . <i>Phytochemistry</i> , 1981, 20, 852-854.	1.4	15
405	Neolignans from <i>Aniba ferrea</i> . <i>Phytochemistry</i> , 1980, 19, 1191-1194.	1.4	21
406	Neolignans from a <i>Nectandra</i> species. <i>Phytochemistry</i> , 1980, 19, 659-662.	1.4	19
407	Cecilin, a 1-benzyl-Î²-carboline from <i>aniba santalodora</i> . <i>Phytochemistry</i> , 1980, 19, 1859-1860.	1.4	12
408	Pterocarpanes from <i>Swartzia laevis</i> . <i>Phytochemistry</i> , 1980, 19, 2003-2006.	1.4	21
409	Flavonoids from <i>Iryanthera laevis</i> . <i>Phytochemistry</i> , 1980, 19, 1195-1197.	1.4	30
410	Tetronic acid and diarylpropanes from <i>Iryanthera elliptica</i> . <i>Phytochemistry</i> , 1980, 19, 455-459.	1.4	39
411	Compactone, a new diterpenoid from <i>Vellozia compacta</i> . <i>Phytochemistry</i> , 1979, 18, 2036-2037.	1.4	18
412	(â€”) -Rubranine from <i>Aniba rosaeodora</i> . <i>Phytochemistry</i> , 1978, 17, 517-521.	1.4	21
413	Dihydroisocoumarins and phthalide from wood samples infested by fungi. <i>Phytochemistry</i> , 1978, 17, 511-516.	1.4	27
414	Hydrobenzofuranoid bicyclo[3.2.1]octanoid neolignan rearrangement. <i>Journal of the Chemical Society Chemical Communications</i> , 1978, , 831-832.	2.0	7



#	ARTICLE	IF	CITATIONS
415	20-Epiheyneanine, an iboga alkaloid from <i>Peschiera affinis</i> . <i>Phytochemistry</i> , 1976, 15, 551-553.	1.4	13
416	Diarylpropanoid from <i>Virola multinervia</i> . <i>Phytochemistry</i> , 1976, 15, 567-568.	1.4	8
417	<sup>13</sup> C-NMR. Spectroscopy of Naturally Occurring Substances. XLV. Iboga Alkaloids. <i>Helvetica Chimica Acta</i> , 1976, 59, 2437-2442.	1.0	50
418	Onychine, an alkaloid from <i>Onychopetalum amazonicum</i> . <i>Phytochemistry</i> , 1976, 15, 1186-1187.	1.4	47
419	A stilbene and two flavanones from <i>Derris rariflora</i> . <i>Phytochemistry</i> , 1975, 14, 261-263.	1.4	37
420	Flavonoids from <i>Derris</i> species. <i>Phytochemistry</i> , 1975, 14, 1454-1456.	1.4	53
421	Iso- and neo-flavonoids from <i>Dalbergia riparia</i> . <i>Phytochemistry</i> , 1973, 12, 1187-1188.	1.4	17
422	Porosin: A neolignan from <i>Ocotea porosa</i> . <i>Phytochemistry</i> , 1973, 12, 413-416.	1.4	28
423	Flavonoids from Amazonian leguminosae. <i>Phytochemistry</i> , 1973, 12, 1184-1186.	1.4	30
424	Coumarins from <i>Brosimum rubescens</i> . <i>Phytochemistry</i> , 1972, 11, 3307-3310.	1.4	24
425	Seselin from <i>Naucleopsis caloneura</i> . <i>Phytochemistry</i> , 1972, 11, 1184-1185.	1.4	5
426	Pterocarpanoids from <i>Dalbergia decipularis</i> . <i>Phytochemistry</i> , 1972, 11, 1517.	1.4	17
427	The flavones of <i>Apuleia leiocarpa</i> . <i>Phytochemistry</i> , 1971, 10, 2433-2450.	1.4	48
428	Xanthonenes of <i>Rheedia gardneriana</i> . <i>Phytochemistry</i> , 1970, 9, 673.	1.4	18
429	Rubrofusarina, um policetÃdeo natural inibidor da topoisomerase II- $\beta$ humana. <i>Revista Brasileira De Farmacognosia</i> , 0, 18, 703-708.	0.6	10
430	Brazoides A-D, New Alkaloids from <i>Justicia gendarussa</i> Burm. F. Species. <i>Journal of the Brazilian Chemical Society</i> , 0, , .	0.6	2
431	Anti-Inflammatory Meroterpenoids of <i>Cordia glazioviana</i> (Boraginaceae). <i>Journal of the Brazilian Chemical Society</i> , 0, , .	0.6	2
432	Phytochemistry investigation of <i>Casearia arborea</i> (Rich.) Urb. (Salicaceae) and antimicrobial analysis of its diterpene. <i>Quimica Nova</i> , 0, , .	0.3	0

#	ARTICLE	IF	CITATIONS
433	DOIS NOVOS ALCALOIDES AZAFENANTRENO DE <i>Anaxagorea dolichocarpa</i> Sprague & Sandwith. <i>Quimica Nova</i> , 0, , .	0.3	0