Shuang Li

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1061424/publications.pdf Version: 2024-02-01



SHUANGLI

#	Article	IF	CITATIONS
1	Generation of a MIR5004 knockout cell line from human induced pluripotent stem cells by CRISPR/Cas9 gene editing. Stem Cell Research, 2022, 62, 102805.	0.7	0
2	The lysine deacetylase activity of histone deacetylases 1 and 2 is required to safeguard zygotic genome activation in mice and cattle. Development (Cambridge), 2022, 149, .	2.5	11
3	ILâ€37â€induced activation of glycogen synthase kinase 3β promotes ILâ€1R8/Sigirr phosphorylation, internalization, and degradation in lung epithelial cells. Journal of Cellular Physiology, 2021, 236, 5676-5685.	4.1	8
4	NOTCH signaling pathway is required for bovine early embryonic development. Biology of Reproduction, 2021, 105, 332-344.	2.7	18
5	Functional roles of the chromatin remodeler SMARCA5 in mouse and bovine preimplantation embryosâ€. Biology of Reproduction, 2021, 105, 359-370.	2.7	9
6	Antibody-activated trans-endothelial delivery of mesoporous organosilica nanomedicine augments tumor extravasation and anti-cancer immunotherapy. Bioactive Materials, 2021, 6, 2158-2172.	15.6	12
7	Comparative genomic characterization of multidrug-resistant Citrobacter spp. strains in Fennec fox imported to China. Gut Pathogens, 2021, 13, 59.	3.4	4
8	Essential roles of HDAC1 and 2 in lineage development and genome-wide DNA methylation during mouse preimplantation development. Epigenetics, 2020, 15, 369-385.	2.7	21
9	Heterogeneous nuclear ribonucleoprotein A2/B1 is a negative regulator of human breast cancer metastasis by maintaining the balance of multiple genes and pathways. EBioMedicine, 2020, 51, 102583.	6.1	37
10	Fabrication of PCL Scaffolds by Supercritical CO2 Foaming Based on the Combined Effects of Rheological and Crystallization Properties. Polymers, 2020, 12, 780.	4.5	23
11	Cell type composition and circuit organization of clonally related excitatory neurons in the juvenile mouse neocortex. ELife, 2020, 9, .	6.0	37
12	Supercritical CO2 foamed composite scaffolds incorporating bioactive lipids promote vascularized bone regeneration via Hif-1α upregulation and enhanced type H vessel formation. Acta Biomaterialia, 2019, 94, 253-267.	8.3	58
13	Emergence and Comparative Genomics Analysis of Extended-Spectrum-β-Lactamase-Producing Escherichia coli Carrying mcr-1 in Fennec Fox Imported from Sudan to China. MSphere, 2019, 4, .	2.9	15
14	Phosphorylated E2F1 is stabilized by nuclear USP11 to drive Peg10 gene expression and activate lung epithelial cells. Journal of Molecular Cell Biology, 2018, 10, 60-73.	3.3	29
15	Evaluation of highly carbonated hydroxyapatite bioceramic implant coatings with hierarchical micro-/nanorod topography optimized for osseointegration. International Journal of Nanomedicine, 2018, Volume 13, 3643-3659.	6.7	37
16	Ubiquitination and deubiquitination emerge as players in idiopathic pulmonary fibrosis pathogenesis and treatment. JCI Insight, 2018, 3, .	5.0	26
17	Multimodal profiling of single-cell morphology, electrophysiology, and gene expression using Patch-seq. Nature Protocols, 2017, 12, 2531-2553.	12.0	126
18	AM966, an Antagonist of Lysophosphatidic Acid Receptor 1, Increases Lung Microvascular Endothelial Permeability through Activation of Rho Signaling Pathway and Phosphorylation of VE-Cadherin. Mediators of Inflammation, 2017, 2017, 1-12.	3.0	19

Shuang Li

#	Article	IF	CITATIONS
19	lh Equalizes Membrane Input Resistance in a Heterogeneous Population of Fusiform Neurons in the Dorsal Cochlear Nucleus. Frontiers in Cellular Neuroscience, 2016, 10, 249.	3.7	14
20	Response to Comment on "Principles of connectivity among morphologically defined cell types in adult neocortex― Science, 2016, 353, 1108-1108.	12.6	13
21	InÂvitro selection and characterization of deoxyribonucleic acid aptamers against connective tissue growth factor. Biochemical and Biophysical Research Communications, 2015, 457, 640-646.	2.1	6
22	Noise-induced plasticity of KCNQ2/3 and HCN channels underlies vulnerability and resilience to tinnitus. ELife, 2015, 4, .	6.0	52
23	Pathogenic plasticity of Kv7.2/3 channel activity is essential for the induction of tinnitus. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 9980-9985.	7.1	125
24	Attenuation of CCl4-Induced Hepatic Fibrosis in Mice by Vaccinating against TGF-β1. PLoS ONE, 2013, 8, e82190.	2.5	44
25	Diverse levels of an inwardly rectifying potassium conductance generate heterogeneous neuronal behavior in a population of dorsal cochlear nucleus pyramidal neurons. Journal of Neurophysiology, 2012, 107, 3008-3019.	1.8	42