

Abbas Sabahi Namini

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10620709/publications.pdf>

Version: 2024-02-01

84
papers

3,380
citations

101384

36
h-index

155451

55
g-index

86
all docs

86
docs citations

86
times ranked

1159
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of spark plasma sintering temperature on densification, hardness and thermal conductivity of titanium carbide. <i>Ceramics International</i> , 2018, 44, 14541-14546.	2.3	122
2	Microstructural development and mechanical properties of hot pressed SiC reinforced TiB ₂ based composite. <i>International Journal of Refractory Metals and Hard Materials</i> , 2015, 51, 169-179.	1.7	120
3	Effect of TiB ₂ content on the characteristics of spark plasma sintered Tiâ€“TiB w composites. <i>Advanced Powder Technology</i> , 2017, 28, 1564-1572.	2.0	111
4	Effect of TiB ₂ addition on the elevated temperature tribological behavior of spark plasma sintered Ti matrix composite. <i>Composites Part B: Engineering</i> , 2019, 172, 271-280.	5.9	107
5	Microstructure and thermomechanical characteristics of spark plasma sintered TiC ceramics doped with nano-sized WC. <i>Ceramics International</i> , 2019, 45, 2153-2160.	2.3	107
6	Characterization of hot pressed SiC whisker reinforced TiB ₂ based composites. <i>International Journal of Refractory Metals and Hard Materials</i> , 2016, 61, 84-90.	1.7	96
7	Influence of silicon carbide addition on the microstructural development of hot pressed zirconium and titanium diborides. <i>Ceramics International</i> , 2016, 42, 5375-5381.	2.3	95
8	Effects of sintering temperature on microstructure and mechanical properties of spark plasma sintered titanium. <i>Materials Chemistry and Physics</i> , 2018, 203, 266-273.	2.0	95
9	Spark plasma sintering of TiCâ€“SiCw ceramics. <i>Ceramics International</i> , 2019, 45, 19808-19821.	2.3	88
10	Reinforcing effects of SiC whiskers and carbon nanoparticles in spark plasma sintered ZrB ₂ matrix composites. <i>Ceramics International</i> , 2018, 44, 19932-19938.	2.3	85
11	Hybrid Ti matrix composites with TiB ₂ and TiC compounds. <i>Materials Today Communications</i> , 2019, 20, 100576.	0.9	76
12	Microstructureâ€“mechanical properties correlation in spark plasma sintered Tiâ€“4.8Åwt.% TiB ₂ composites. <i>Materials Chemistry and Physics</i> , 2019, 223, 789-796.	2.0	76
13	Aluminum nitride as an alternative ceramic for fabrication of microchannel heat exchangers: A numerical study. <i>Ceramics International</i> , 2020, 46, 11647-11657.	2.3	75
14	Characterization of triplet Tiâ€“TiBâ€“TiC composites: Comparison of in-situ formation and ex-situ addition of TiC. <i>Ceramics International</i> , 2020, 46, 11726-11734.	2.3	67
15	Electron microscopy investigation of spark plasma sintered ZrO ₂ added ZrB ₂ â€“SiC composite. <i>Ceramics International</i> , 2020, 46, 19646-19649.	2.3	66
16	Strengthening of TiC ceramics sintered by spark plasma via nano-graphite addition. <i>Ceramics International</i> , 2020, 46, 12400-12408.	2.3	66
17	Spark plasma sintering of ZrB ₂ -based composites co-reinforced with SiC whiskers and pulverized carbon fibers. <i>International Journal of Refractory Metals and Hard Materials</i> , 2019, 83, 104989.	1.7	65
18	Nano-diamond reinforced ZrB ₂ â€“SiC composites. <i>Ceramics International</i> , 2020, 46, 10172-10179.	2.3	62

#	ARTICLE	IF	CITATIONS
19	Triplet carbide composites of TiC, WC, and SiC. <i>Ceramics International</i> , 2020, 46, 9070-9078.	2.3	60
20	Role of nano-WC addition on microstructural, mechanical and thermal characteristics of TiC/SiCw composites. <i>International Journal of Refractory Metals and Hard Materials</i> , 2020, 90, 105248.	1.7	59
21	In situ preparation of g-C ₃ N ₄ nanosheet/FeOCl: Achievement and promoted photocatalytic nitrogen fixation activity. <i>Journal of Colloid and Interface Science</i> , 2021, 587, 538-549.	5.0	59
22	Influence of SiAlON addition on the microstructure development of hot-pressed ZrB ₂ /SiC composites. <i>Ceramics International</i> , 2020, 46, 19209-19216.	2.3	58
23	Role of graphite nano-flakes on the characteristics of ZrB ₂ -based composites reinforced with SiC whiskers. <i>Diamond and Related Materials</i> , 2020, 105, 107786.	1.8	57
24	Influence of Sintering Temperature on Microstructure and Mechanical Properties of Ti/Mo/B ₄ C Composites. <i>Metals and Materials International</i> , 2021, 27, 1092-1102.	1.8	57
25	Densification behavior and microstructure development in TiB ₂ ceramics doped with h-BN. <i>Ceramics International</i> , 2020, 46, 18970-18975.	2.3	56
26	On the simulation of spark plasma sintered TiB ₂ ultra high temperature ceramics: A numerical approach. <i>Ceramics International</i> , 2020, 46, 14787-14795.	2.3	56
27	Influence of TiB ₂ content on the properties of TiC/SiCw composites. <i>Ceramics International</i> , 2020, 46, 7403-7412.	2.3	54
28	Novel $\text{TiO}_2/\text{ZnBiO}_4$ Heterojunction Nanocomposite: TiO ₂ QDs/ZnBiO ₄ Photocatalyst with Considerably Enhanced Photocatalytic Activity under Visible-Light Irradiation. <i>Journal of Physical Chemistry C</i> , 2020, 124, 27519-27528.	1.5	54
29	Strengthening of novel TiAlN ceramic with in-situ synthesized Ti ₃ Al intermetallic compound. <i>Ceramics International</i> , 2020, 46, 14105-14113.	2.3	53
30	Combined role of SiC particles and SiC whiskers on the characteristics of spark plasma sintered ZrB ₂ ceramics. <i>Ceramics International</i> , 2020, 46, 5773-5778.	2.3	52
31	Role of nano-diamond addition on the characteristics of spark plasma sintered TiC ceramics. <i>Diamond and Related Materials</i> , 2020, 106, 107828.	1.8	49
32	Characterization of spark plasma sintered TiC ceramics reinforced with graphene nano-platelets. <i>Ceramics International</i> , 2020, 46, 18742-18749.	2.3	48
33	Microstructural and mechanical characterization of spark plasma sintered TiC ceramics with TiN additive. <i>Ceramics International</i> , 2020, 46, 18924-18932.	2.3	45
34	Effect of B ₄ C content on sintering behavior, microstructure and mechanical properties of Ti-based composites fabricated via spark plasma sintering. <i>Materials Chemistry and Physics</i> , 2020, 251, 123087.	2.0	44
35	Enhanced fracture toughness of ZrB ₂ /SiCw ceramics with graphene nano-platelets. <i>Ceramics International</i> , 2020, 46, 24906-24915.	2.3	43
36	A microstructural approach to the chemical reactions during the spark plasma sintering of novel TiC/BN ceramics. <i>Ceramics International</i> , 2020, 46, 15982-15990.	2.3	42

#	ARTICLE	IF	CITATIONS
37	Nanoindentational and conventional mechanical properties of spark plasma sintered Ti ⁶ Al ₄ Mo alloys. <i>Journal of Materials Research and Technology</i> , 2020, 9, 10647-10658.	2.6	36
38	Characteristics of quadruplet Ti ⁶ Al ₄ MoTiB ₂ TiC composites prepared by spark plasma sintering. <i>Ceramics International</i> , 2020, 46, 20885-20895.	2.3	36
39	Synthesis, characterization, and photocatalytic performance of Ag/AgFeO ₂ decorated on g-C ₃ N ₄ -nanosheet under the visible light irradiation. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2020, 115, 279-292.	2.7	35
40	Beneficial role of carbon black on the properties of TiC ceramics. <i>Ceramics International</i> , 2020, 46, 23544-23555.	2.3	35
41	Electrical and dielectric properties of Al/(PVP: Zn-TeO ₂)/p-Si heterojunction structures using current-voltage (I-V) and impedance-frequency (Z-f) measurements. <i>Applied Physics A: Materials Science and Processing</i> , 2020, 126, 1.	1.1	33
42	Enhanced densification of spark plasma sintered TiB ₂ ceramics with low content AlN additive. <i>Ceramics International</i> , 2020, 46, 22127-22133.	2.3	33
43	Role of co-addition of BN and SiC on microstructure of TiB ₂ -based composites densified by SPS method. <i>Ceramics International</i> , 2020, 46, 25341-25350.	2.3	32
44	High-impressive separation of photoinduced charge carriers on step-scheme ZnO/ZnSnO ₃ /Carbon dots heterojunction with efficient activity in photocatalytic NH ₃ production. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2021, 118, 140-151.	2.7	32
45	Electron microscopy characterization of porous ZrB ₂ -SiC-AlN composites prepared by pressureless sintering. <i>Ceramics International</i> , 2020, 46, 25415-25423.	2.3	30
46	Physical, mechanical and microstructural characterization of TiC-ZrN ceramics. <i>Ceramics International</i> , 2020, 46, 22154-22163.	2.3	30
47	Influence of SPS temperature on the properties of TiC-SiCw composites. <i>Ceramics International</i> , 2020, 46, 11735-11742.	2.3	30
48	Synthesis and characterization of novel ZnO/NiCr ₂ O ₄ nanocomposite for water purification by degradation of tetracycline and phenol under visible light irradiation. <i>Materials Research Bulletin</i> , 2021, 139, 111247.	2.7	30
49	Role of hot-pressing temperature on densification and microstructure of ZrB ₂ -SiC ultrahigh temperature ceramics. <i>International Journal of Refractory Metals and Hard Materials</i> , 2020, 93, 105355.	1.7	26
50	A novel TiC-based composite co-strengthened with AlN particulates and graphene nano-platelets. <i>International Journal of Refractory Metals and Hard Materials</i> , 2020, 92, 105331.	1.7	25
51	Microstructural, mechanical and friction properties of nano-graphite and h-BN added TiC-based composites. <i>Ceramics International</i> , 2020, 46, 28969-28979.	2.3	22
52	Electron microscopy study of ZrB ₂ -SiC-AlN composites: Hot-pressing vs. pressureless sintering. <i>Ceramics International</i> , 2020, 46, 29334-29338.	2.3	22
53	A novel spark plasma sintered TiC-ZrN-C composite with enhanced flexural strength. <i>Ceramics International</i> , 2020, 46, 29022-29032.	2.3	19
54	Combined role of SiC whiskers and graphene nano-platelets on the microstructure of spark plasma sintered ZrB ₂ ceramics. <i>Ceramics International</i> , 2021, 47, 12459-12466.	2.3	19

#	ARTICLE	IF	CITATIONS
55	The effect of cadmium impurities in the (PVP/TeO ₂) interlayer in Al/p-Si (MS) Schottky barrier diodes (SBDs): Exploring its electrophysical parameters. <i>Physica B: Condensed Matter</i> , 2021, 604, 412617.	1.3	18
56	Characterization of spark plasma sintered Ti/Si ₃ N ₄ ceramics. <i>International Journal of Refractory Metals and Hard Materials</i> , 2021, 95, 105444.	1.7	18
57	Cerium oxide nanoparticles as a new neuroprotective agent to promote functional recovery in a rat model of sciatic nerve crush injury. <i>British Journal of Neurosurgery</i> , 2020, , 1-6.	0.4	17
58	Ti/TiB ₂ composites consolidated by spark plasma sintering: Reaction mechanism, characteristics of in-situ formed phases and densification behavior. <i>Materials Chemistry and Physics</i> , 2020, 242, 122556.	2.0	16
59	Effect of (Co/TeO ₂ -doped polyvinylpyrrolidone) organic interlayer on the electrophysical characteristics of Al/p-Si (MS) structures. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 21909-21922.	1.1	16
60	On the physical and mechanical properties of spark plasma sintered pure Ti and Ti-TiB composite. <i>Materials Research Express</i> , 2018, 5, 126512.	0.8	14
61	On the electrical characteristics of Al/p-Si diodes with and without (PVP: Sn-TeO ₂) interlayer using current-voltage (I-V) measurements. <i>Applied Physics A: Materials Science and Processing</i> , 2020, 126, 1.	1.1	14
62	Characterization of reactive spark plasma sintered (Zr,Ti)B ₂ /ZrC/SiC composites. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2021, 119, 187-195.	2.7	14
63	A survey on spark plasma sinterability of CNT-added TiC ceramics. <i>International Journal of Refractory Metals and Hard Materials</i> , 2021, 96, 105471.	1.7	13
64	TEM characterization of hot-pressed ZrB ₂ -SiC-AlN composites. <i>Results in Physics</i> , 2020, 19, 103348.	2.0	12
65	Effects of SiC on densification, microstructure and nano-indentation properties of ZrB ₂ /BN composites. <i>Ceramics International</i> , 2021, 47, 9873-9880.	2.3	12
66	Liquid Phase Sintering of Leaded Tin Bronze Alloyed Powder. <i>Transactions of the Indian Institute of Metals</i> , 2016, 69, 1377-1388.	0.7	10
67	Microstructural evolution of TiB ₂ /SiC composites empowered with Si ₃ N ₄ , BN or TiN: A comparative study. <i>Ceramics International</i> , 2021, 47, 1002-1011.	2.3	10
68	Post hot rolling of spark plasma sintered Ti/Mo/B ₄ C composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021, 799, 140214.	2.6	10
69	Microstructure-property correlation in nano-diamond and TiN added TiC-based ceramics. <i>Ceramics International</i> , 2021, 47, 449-460.	2.3	10
70	Synergistic effects of Si ₃ N ₄ and CNT on densification and properties of TiC ceramics. <i>Ceramics International</i> , 2021, 47, 12941-12950.	2.3	10
71	Effects of discrete and simultaneous addition of SiC and Si ₃ N ₄ on microstructural development of TiB ₂ ceramics. <i>Ceramics International</i> , 2021, 47, 3520-3528.	2.3	9
72	Characterization of TiC ceramics with SiC and/or WC additives using electron microscopy and electron probe micro-analysis. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2021, , .	2.7	9

#	ARTICLE	IF	CITATIONS
73	HRTEM study and mechanical properties of ZrB ₂ -SiC composite: An insight into in-situ carbon formation over the SPS process. <i>International Journal of Refractory Metals and Hard Materials</i> , 2022, 104, 105789.	1.7	9
74	Role of TiCN addition on the characteristics of reactive spark plasma sintered ZrB ₂ -based novel composites. <i>Journal of Alloys and Compounds</i> , 2021, 875, 159901.	2.8	8
75	Microstructure of spark plasma sintered TiC-TiB ₂ -SiCw composite. <i>Materials Chemistry and Physics</i> , 2022, 281, 125877.	2.0	8
76	A TEM study on the microstructure of spark plasma sintered ZrB ₂ -based composite with nano-sized SiC dopant. <i>Progress in Natural Science: Materials International</i> , 2021, 31, 47-54.	1.8	7
77	Relationship between pore coarsening and mass loss during supersolidus liquid phase sintering of alpha brass. <i>Powder Metallurgy</i> , 2019, 62, 331-339.	0.9	5
78	ZrB ₂ SiCw composites with different carbonaceous additives. <i>International Journal of Refractory Metals and Hard Materials</i> , 2021, 95, 105457.	1.7	5
79	An interfacial survey on microstructure of ZrB ₂ -based ceramics codoped with carbon fibers and SiC whiskers. <i>Materials Chemistry and Physics</i> , 2022, 275, 125322.	2.0	5
80	Spark plasma sinterability of TiC ceramics with different nitride additives. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2021, , .	2.7	4
81	Nanoindentation and TEM investigation of spark plasma sintered TiB ₂ -SiC composite. <i>Ceramics International</i> , 2022, 48, 20285-20293.	2.3	4
82	Microstructural evolution during spark plasma sintering of TiC-AlN-graphene ceramics. <i>International Journal of Refractory Metals and Hard Materials</i> , 2021, 96, 105496.	1.7	2
83	HRTEM and XPS characterizations for probable formation of TiB _x N _y solid solution during sintering process of TiB ₂ -20SiC-5Si ₃ N ₄ composite. <i>Materials Chemistry and Physics</i> , 2022, 288, 126380.	2.0	2
84	Effect of iron nanoparticles on spark plasma sinterability of ZrB ₂ -based ceramics. <i>Journal of the Australian Ceramic Society</i> , 0, , .	1.1	2