

Aamod V Desai

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1062126/aamod-v-desai-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

64
papers

5,805
citations

35
h-index

70
g-index

70
ext. papers

6,878
ext. citations

7.8
avg, IF

6.4
L-index

#	Paper	IF	Citations
64	Rapid Microwave-Assisted Synthesis and Electrode Optimization of Organic Anode Materials in Sodium-Ion Batteries.. <i>Small Methods</i> , 2021 , 5, e2101016	12.8	2
63	2021 roadmap for sodium-ion batteries. <i>JPhys Energy</i> , 2021 , 3, 031503	4.9	24
62	A luminescent cationic MOF for bimodal recognition of chromium and arsenic based oxo-anions in water. <i>Dalton Transactions</i> , 2021 , 50, 10133-10141	4.3	5
61	Rapid, selective capture of toxic oxo-anions of Se(IV), Se(VI) and As(V) from water by an ionic metal-organic framework (iMOF). <i>Journal of Materials Chemistry A</i> , 2021 , 9, 6499-6507	13	19
60	Efficient Capture of Trace Acetylene by an Ultramicroporous Metal-Organic Framework with Purine Binding Sites. <i>Chemistry of Materials</i> , 2021 , 33, 5800-5808	9.6	3
59	A Water-Stable Ionic MOF for the Selective Capture of Toxic Oxoanions of Se and As and Crystallographic Insight into the Ion-Exchange Mechanism. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 7788-7792	16.4	34
58	A Water-Stable Ionic MOF for the Selective Capture of Toxic Oxoanions of SeVI and AsV and Crystallographic Insight into the Ion-Exchange Mechanism. <i>Angewandte Chemie</i> , 2020 , 132, 7862-7866	3.6	10
57	Specific recognition of toxic allyl alcohol by pore-functionalized metal-organic frameworks. <i>Molecular Systems Design and Engineering</i> , 2020 , 5, 469-476	4.6	6
56	Advances in Organic Anode Materials for Na-/K-Ion Rechargeable Batteries. <i>ChemSusChem</i> , 2020 , 13, 4866-4884	8.3	24
55	Conversion of a microwave synthesized alkali-metal MOF to a carbonaceous anode for Li-ion batteries.. <i>RSC Advances</i> , 2020 , 10, 13732-13736	3.7	6
54	Ultrastable Luminescent Hybrid Bromide [email-protected] Nanocomposites for the Degradation of Organic Pollutants in Water. <i>ACS Applied Nano Materials</i> , 2019 , 2, 1333-1340	5.6	61
53	N-donor linker based metal-organic frameworks (MOFs): Advancement and prospects as functional materials. <i>Coordination Chemistry Reviews</i> , 2019 , 395, 146-192	23.2	59
52	Advanced Porous Materials for Sensing, Capture and Detoxification of Organic Pollutants toward Water Remediation. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 7456-7478	8.3	109
51	Metal-organic frameworks for recognition and sequestration of toxic anionic pollutants 2019 , 95-140		6
50	Probing the Role of Anions in Influencing the Structure, Stability, and Properties in Neutral N-Donor Linker Based Metal-Organic Frameworks. <i>Crystal Growth and Design</i> , 2019 , 19, 7046-7054	3.5	13
49	Synthesis and structural elucidation of neutral N-donor linker based bi-porous isostructural cationic metal-organic frameworks. <i>Inorganica Chimica Acta</i> , 2019 , 486, 401-405	2.7	1
48	Hydrophobic Shielding of Outer Surface: Enhancing the Chemical Stability of Metal-Organic Polyhedra. <i>Angewandte Chemie</i> , 2019 , 131, 1053-1057	3.6	7

47	Hydrophobic Shielding of Outer Surface: Enhancing the Chemical Stability of Metal-Organic Polyhedra. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 1041-1045	16.4	31
46	Selective Recognition of Hg ion in Water by a Functionalized Metal-Organic Framework (MOF) Based Chemodosimeter. <i>Inorganic Chemistry</i> , 2018 , 57, 2360-2364	5.1	85
45	Base-Resistant Ionic Metal-Organic Framework as a Porous Ion-Exchange Sorbent. <i>IScience</i> , 2018 , 3, 21-30.1	37	
44	Potential of metal-organic frameworks for adsorptive separation of industrially and environmentally relevant liquid mixtures. <i>Coordination Chemistry Reviews</i> , 2018 , 367, 82-126	23.2	73
43	Chemically stable ionic viologen-organic network: an efficient scavenger of toxic oxo-anions from water. <i>Chemical Science</i> , 2018 , 9, 7874-7881	9.4	49
42	Multifunctional Behavior of Sulfonate-Based Hydrolytically Stable Microporous Metal-Organic Frameworks. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 39049-39055	9.5	16
41	Post-synthetically modified metal-organic framework as a scaffold for selective bisulphite recognition in water. <i>Polyhedron</i> , 2018 , 156, 1-5	2.7	13
40	Chemically stable microporous hyper-cross-linked polymer (HCP): an efficient selective cationic dye scavenger from an aqueous medium. <i>Materials Chemistry Frontiers</i> , 2017 , 1, 1384-1388	7.8	24
39	Metal-organic frameworks: functional luminescent and photonic materials for sensing applications. <i>Chemical Society Reviews</i> , 2017 , 46, 3242-3285	58.5	1829
38	Polar Pore Surface Guided Selective CO ₂ Adsorption in a Prefunctionalized Metal-Organic Framework. <i>Crystal Growth and Design</i> , 2017 , 17, 3581-3587	3.5	27
37	Enhanced proton conduction by post-synthetic covalent modification in a porous covalent framework. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 13659-13664	13	30
36	Toxic Aromatics Induced Responsive Facets for a Pore Surface Functionalized Luminescent Coordination Polymer. <i>Inorganic Chemistry</i> , 2017 , 56, 6864-6869	5.1	8
35	Aqueous phase sensing of cyanide ions using a hydrolytically stable metal-organic framework. <i>Chemical Communications</i> , 2017 , 53, 1253-1256	5.8	43
34	Guest-Responsive Metal-Organic Frameworks as Scaffolds for Separation and Sensing Applications. <i>Accounts of Chemical Research</i> , 2017 , 50, 2457-2469	24.3	183
33	Ultrahigh Ionic Conduction in Water-Stable Close-Packed Metal-Carbonate Frameworks. <i>Inorganic Chemistry</i> , 2017 , 56, 9710-9715	5.1	
32	Ionic metal-organic frameworks (iMOFs): Design principles and applications. <i>Coordination Chemistry Reviews</i> , 2016 , 307, 313-341	23.2	212
31	Neutral N-donor ligand based flexible metal-organic frameworks. <i>Dalton Transactions</i> , 2016 , 45, 4060-724.3	60	
30	A Water-Stable Cationic Metal-Organic Framework as a Dual Adsorbent of Oxoanion Pollutants. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 7811-5	16.4	252

29	A Post-Synthetically Modified MOF for Selective and Sensitive Aqueous-Phase Detection of Highly Toxic Cyanide Ions. <i>Chemistry - A European Journal</i> , 2016 , 22, 864-8	4.8	75
28	High hydroxide conductivity in a chemically stable crystalline metal-organic framework containing a water-hydroxide supramolecular chain. <i>Chemical Communications</i> , 2016 , 52, 8459-62	5.8	24
27	A Water-Stable Cationic Metal-Organic Framework as a Dual Adsorbent of Oxoanion Pollutants. <i>Angewandte Chemie</i> , 2016 , 128, 7942-7946	3.6	47
26	Engineering metal-organic frameworks for aqueous phase 2,4,6-trinitrophenol (TNP) sensing. <i>CrystEngComm</i> , 2016 , 18, 2994-3007	3.3	163
25	A Bifunctional Metal-Organic Framework: Striking CO ₂ -Selective Sorption Features along with Guest-Induced Tuning of Luminescence. <i>ChemPlusChem</i> , 2016 , 81, 702-707	2.8	12
24	Bimodal Functionality in a Porous Covalent Triazine Framework by Rational Integration of an Electron-Rich and -Deficient Pore Surface. <i>Chemistry - A European Journal</i> , 2016 , 22, 4931-7	4.8	30
23	Harnessing Lewis acidic open metal sites of metal-organic frameworks: the foremost route to achieve highly selective benzene sorption over cyclohexane. <i>Chemical Communications</i> , 2016 , 52, 8215-8	5.8	62
22	An Ultrahydrophobic Fluorous Metal-Organic Framework Derived Recyclable Composite as a Promising Platform to Tackle Marine Oil Spills. <i>Chemistry - A European Journal</i> , 2016 , 22, 10937-43	4.8	75
21	Hydrogen-Bonded Organic Frameworks (HOFs): A New Class of Porous Crystalline Proton-Conducting Materials. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 10667-71	16.4	209
20	Hydrogen-Bonded Organic Frameworks (HOFs): A New Class of Porous Crystalline Proton-Conducting Materials. <i>Angewandte Chemie</i> , 2016 , 128, 10825-10829	3.6	50
19	Aqueous phase nitric oxide detection by an amine-decorated metal-organic framework. <i>Chemical Communications</i> , 2015 , 51, 6111-4	5.8	69
18	Aqueous phase selective detection of 2,4,6-trinitrophenol using a fluorescent metal-organic framework with a pendant recognition site. <i>Dalton Transactions</i> , 2015 , 44, 15175-80	4.3	134
17	Exploiting Framework Flexibility of a Metal-Organic Framework for Selective Adsorption of Styrene over Ethylbenzene. <i>Inorganic Chemistry</i> , 2015 , 54, 4403-8	5.1	44
16	An Amide-Functionalized Dynamic Metal-Organic Framework Exhibiting Visual Colorimetric Anion Exchange and Selective Uptake of Benzene over Cyclohexane. <i>Chemistry - A European Journal</i> , 2015 , 21, 7071-6	4.8	52
15	Exploitation of Guest Accessible Aliphatic Amine Functionality of a Metal-Organic Framework for Selective Detection of 2,4,6-Trinitrophenol (TNP) in Water. <i>Crystal Growth and Design</i> , 2015 , 15, 4627-4634	3.5	110
14	A Electron deficient diaminotriazine functionalized MOF for selective sorption of benzene over cyclohexane. <i>Chemical Communications</i> , 2015 , 51, 15386-9	5.8	56
13	Selective anion exchange and tunable luminescent behaviors of metal-organic framework based supramolecular isomers. <i>Inorganic Chemistry</i> , 2015 , 54, 110-6	5.1	49
12	Selective and sensitive aqueous-phase detection of 2,4,6-trinitrophenol (TNP) by an amine-functionalized metal-organic framework. <i>Chemistry - A European Journal</i> , 2015 , 21, 965-9	4.8	263

11	A Nitro-Functionalized Metal-Organic Framework as a Reaction-Based Fluorescence Turn-On Probe for Rapid and Selective H ₂ S Detection. <i>Chemistry - A European Journal</i> , 2015 , 21, 9994-7	4.8	68
10	Coherent fusion of water array and protonated amine in a metal-sulfate-based coordination polymer for proton conduction. <i>Inorganic Chemistry</i> , 2015 , 54, 5366-71	5.1	14
9	Selective Detection of 2,4,6-Trinitrophenol (TNP) by a π -Stacked Organic Crystalline Solid in Water. <i>Crystal Growth and Design</i> , 2015 , 15, 3493-3497	3.5	61
8	Single-crystal-to-single-crystal transformation of an anion exchangeable dynamic metal-organic framework. <i>CrystEngComm</i> , 2015 , 17, 8796-8800	3.3	17
7	Metal-organic framework based highly selective fluorescence turn-on probe for hydrogen sulphide. <i>Scientific Reports</i> , 2014 , 4, 7053	4.9	91
6	Framework-flexibility driven selective sorption of p-xylene over other isomers by a dynamic metal-organic framework. <i>Scientific Reports</i> , 2014 , 4, 5761	4.9	60
5	Stimulus-responsive metal-organic frameworks. <i>Chemistry - an Asian Journal</i> , 2014 , 9, 2358-76	4.5	94
4	Guest-responsive function of a dynamic metal-organic framework with a π -Lewis acidic pore surface. <i>Chemistry - A European Journal</i> , 2014 , 20, 15303-8	4.8	41
3	Dynamic metal-organic framework with anion-triggered luminescence modulation behavior. <i>Inorganic Chemistry</i> , 2014 , 53, 12225-7	5.1	32
2	A fluorescent metal-organic framework for highly selective detection of nitro explosives in the aqueous phase. <i>Chemical Communications</i> , 2014 , 50, 8915-8	5.8	411
1	Anion-responsive tunable bulk-phase homochirality and luminescence of a cationic framework. <i>Chemistry - A European Journal</i> , 2014 , 20, 12399-404	4.8	30