## **Bruce Mickey**

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10627123/publications.pdf

Version: 2024-02-01

430442 500791 1,299 36 18 28 citations h-index g-index papers 41 41 41 2321 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Brain tumor IDH, 1p/19q, and MGMT molecular classification using MRI-based deep learning: an initial study on the effect of motion and motion correction. Journal of Medical Imaging, 2022, 9, 016001.	0.8	2
2	Unilateral versus Bilateral Craniotomy in Management of Olfactory Groove Meningiomas. Journal of Neurological Surgery, Part B: Skull Base, 2022, 83, .	0.4	0
3	Epigenetic and genomic profiling of chordoid meningioma: implications for clinical management. Acta Neuropathologica Communications, 2022, 10, 56.	2.4	6
4	BIMG-09. GLUTAMINE AND GLYCINE BY MR SPECTROSCOPY IDENTIFY AGGRESSIVE GLIOMAS. Neuro-Oncology Advances, 2021, 3, i2-i3.	0.4	0
5	A novel fully automated MRI-based deep-learning method for classification of $1p/19q$ co-deletion status in brain gliomas. Neuro-Oncology Advances, 2020, 2, iv42-iv48.	0.4	25
6	NIMG-24. GLYCINE AND GLUTAMINE BY MR SPECTROSCOPY ARE IMAGING BIOMARKERS OF GLIOMA AGGRESSIVENESS. Neuro-Oncology, 2020, 22, ii152-ii152.	0.6	0
7	RADI-33. DISTRIBUTED FRAMELESS GAMMA KNIFE RADIOSURGERY: A NEW TREATMENT PARADIGM FOR PATIENTS WITH BRAIN METASTASES. Neuro-Oncology Advances, 2019, 1, i28-i28.	0.4	0
8	RADI-36. FRAME-BASED VERSUS FRAMELESS GAMMA KNIFE RADIOSURGERY FOR BRAIN METASTASES. Neuro-Oncology Advances, 2019, 1, i29-i29.	0.4	0
9	Considerations of target surface area and the risk of radiosurgical toxicity. PLoS ONE, 2019, 14, e0224047.	1.1	4
10	NIMG-13. GLYCINE IS A METABOLIC BIOMARKER OF MALIGNANCY IN GLIOMAS: IN VIVO MAGNETIC RESONANCE SPECTROSCOPY STUDY. Neuro-Oncology, 2019, 21, vi164-vi164.	0.6	0
11	NIMG-08. 2-HYDROXYGLUTARATE MAGNETIC RESONANCE SPECTROSCOPY IN BRAINSTEM TUMOR PATIENTS IN VIVO. Neuro-Oncology, 2019, 21, vi163-vi163.	0.6	0
12	Improved Survival Outcomes for Kidney Cancer Patients With Brain Metastases. Clinical Genitourinary Cancer, 2019, 17, e263-e272.	0.9	19
13	Stereotactic Radiosurgery for Multiple Brain Metastases From Renal-Cell Carcinoma. Clinical Genitourinary Cancer, 2019, 17, e273-e280.	0.9	25
14	Intraspinal Dissemination and Local Recurrence of an Intracranial Hemangiopericytoma. World Neurosurgery, 2019, 123, 68-75.	0.7	10
15	Classification of brain tumor isocitrate dehydrogenase status using MRI and deep learning. Journal of Medical Imaging, 2019, 6, 1.	0.8	23
16	Noninvasive assessment of isocitrate dehydrogenase mutation status in cerebral gliomas by magnetic resonance spectroscopy in a clinical setting. Journal of Neurosurgery, 2018, 128, 391-398.	0.9	62
17	GENE-03. WILD-TYPE Tp53 UNDERGOES A CELL TYPE-SPECIFIC INACTIVATION BY SIRT1 IN DE NOVO GLIOBLASTOMA. Neuro-Oncology, 2018, 20, vi103-vi103.	0.6	О
18	Improved survival rates in kidney cancer patients with brain metastases treated with modern multidisciplinary approaches Journal of Clinical Oncology, 2018, 36, 601-601.	0.8	0

#	Article	IF	Citations
19	Oncogenes Activate an Autonomous Transcriptional Regulatory Circuit That Drives Glioblastoma. Cell Reports, 2017, 18, 961-976.	2.9	76
20	A TNF–JNK–Axl–ERK signaling axis mediates primary resistance to EGFR inhibition in glioblastoma. Nature Neuroscience, 2017, 20, 1074-1084.	7.1	82
21	Predictors of Postoperative Seizure Recurrence: A Longitudinal Study of Temporal and Extratemporal Resections. Epilepsy Research & Treatment, 2016, 2016, 1-7.	1.4	9
22	Hepatic gluconeogenesis influences 13C enrichment in lactate in human brain tumors during metabolism of [1,2-13C]acetate. Neurochemistry International, 2016, 97, 133-136.	1.9	7
23	Atypical Meningiomas: Recurrence, Reoperation, and Radiotherapy. World Neurosurgery, 2015, 84, 839-845.	0.7	78
24	Computed-tomography modeled polyether ether ketone (PEEK) implants in revision cranioplasty. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2015, 68, 329-338.	0.5	58
25	Conditions for 13C NMR detection of 2-hydroxyglutarate in tissue extracts from isocitrate dehydrogenase-mutated gliomas. Analytical Biochemistry, 2015, 481, 4-6.	1.1	10
26	Constitutive and ligand-induced EGFR signalling triggers distinct and mutually exclusive downstream signalling networks. Nature Communications, 2014, 5, 5811.	5.8	72
27	High expression of the stem cell marker nestin is an adverse prognostic factor in WHO grade II–III astrocytomas and oligoastrocytomas. Journal of Neuro-Oncology, 2014, 117, 183-189.	1.4	34
28	Subtypes of Post-Traumatic Epilepsy: Clinical, Electrophysiological, and Imaging Features. Journal of Neurotrauma, 2014, 31, 1439-1443.	1.7	98
29	Opposing Effect of EGFRWT on EGFRvIII-Mediated NF-κB Activation with RIP1 as a Cell Death Switch. Cell Reports, 2013, 4, 764-775.	2.9	38
30	A comparative study of short†and longâ€TE <sup>1</sup> H MRS at 3 T for <i>in vivo</i> detection of 2â€hydroxyglutarate in brain tumors. NMR in Biomedicine, 2013, 26, 1242-1250.	1.6	73
31	Glucose metabolism via the pentose phosphate pathway, glycolysis and Krebs cycle in an orthotopic mouse model of human brain tumors. NMR in Biomedicine, 2012, 25, 1177-1186.	1.6	66
32	The Role of the Le Fort I Maxillotomy in the Management of Incompletely Resected Pituitary Macroadenomas. Skull Base, 2007, 17, 369-378.	0.4	2
33	Neurophysiologic and Neuroradiologic Features of Intractable Epilepsy After Traumatic Brain Injury in Adults. Archives of Neurology, 2000, 57, 1611-6.	4.9	114
34	Molecular advances to treat cancer of the brain. Expert Opinion on Investigational Drugs, 2000, 9, 1207-1215.	1.9	5
35	Surgical Treatment of Cerebrospinal Fluid Fistulae Involving Lateral Extension of the Sphenoid Sinus. Neurosurgery, 1998, 42, 1101-1104.	0.6	78
36	Complications of Lumbar Spinal Fluid Drainage. Otolaryngology - Head and Neck Surgery, 1992, 107, 564-569.	1.1	102