

Shigenobu Kanba

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10627490/publications.pdf>

Version: 2024-02-01

235
papers

13,484
citations

22132

59
h-index

28275

105
g-index

240
all docs

240
docs citations

240
times ranked

13935
citing authors

#	ARTICLE	IF	CITATIONS
1	Network Analysis-Based Disentanglement of the Symptom Heterogeneity in Asian Patients with Schizophrenia: Findings from the Research on Asian Psychotropic Prescription Patterns for Antipsychotics. <i>Journal of Personalized Medicine</i> , 2022, 12, 33.	1.1	4
2	Personality classification enhances blood metabolome analysis and biotyping for major depressive disorders: two-species investigation. <i>Journal of Affective Disorders</i> , 2021, 279, 20-30.	2.0	8
3	Plasma acetylcholine and nicotinic acid are correlated with focused preference for photographed females in depressed males: an economic game study. <i>Scientific Reports</i> , 2021, 11, 2199.	1.6	2
4	Canadian Network for Mood and Anxiety Treatments (CANMAT) and International Society for Bipolar Disorders (ISBD) recommendations for the management of patients with bipolar disorder with mixed presentations. <i>Bipolar Disorders</i> , 2021, 23, 767-788.	1.1	32
5	Neurodevelopmental Outcomes of High-Risk Preterm Infants. <i>Neurology: Clinical Practice</i> , 2021, 11, 398-405.	0.8	3
6	A Call for a Rational Polypharmacy Policy: International Insights From Psychiatrists. <i>Psychiatry Investigation</i> , 2021, 18, 1058-1067.	0.7	2
7	Blood metabolic signatures of hikikomori, pathological social withdrawal. <i>Dialogues in Clinical Neuroscience</i> , 2021, 23, 14-28.	1.8	4
8	Neuroanatomical substrate of chronic psychosis in epilepsy: an MRI study. <i>Brain Imaging and Behavior</i> , 2020, 14, 1382-1387.	1.1	9
9	Decline in Handgrip Strength From Midlife to Late-Life is Associated With Dementia in a Japanese Community: The Hisayama Study. <i>Journal of Epidemiology</i> , 2020, 30, 15-23.	1.1	26
10	Defining pathological social withdrawal: proposed diagnostic criteria for hikikomori. <i>World Psychiatry</i> , 2020, 19, 116-117.	4.8	79
11	Clinical characteristics of boys with comorbid autism spectrum disorder and attention deficit/hyperactivity disorder. <i>Pediatrics International</i> , 2020, 62, 151-157.	0.2	14
12	The Self-Concept Scale: A Potential Tool for Predicting Subjective Well-Being of Individuals With Autism Spectrum Disorder. <i>Autism Research</i> , 2020, 13, 947-958.	2.1	4
13	Autism spectrum conditions in hikikomori: A pilot case-control study. <i>Psychiatry and Clinical Neurosciences</i> , 2020, 74, 652-658.	1.0	24
14	Coprescription of mood stabilizers in schizophrenia, dosing, and clinical correlates: An international study. <i>Human Psychopharmacology</i> , 2020, 35, 1-7.	0.7	9
15	GNAO1 organizes the cytoskeletal remodeling and firing of developing neurons. <i>FASEB Journal</i> , 2020, 34, 16601-16621.	0.2	14
16	Impacts of Stressful Life Events and Traumatic Experiences on Onset of Obsessive-Compulsive Disorder. <i>Frontiers in Psychiatry</i> , 2020, 11, 561266.	1.3	15
17	Forskolin rapidly enhances neuron-like morphological change of directly induced neuronal cells from neurofibromatosis type 1 patients. <i>Neuropsychopharmacology Reports</i> , 2020, 40, 396-400.	1.1	3
18	Study design and baseline characteristics of a population-based prospective cohort study of dementia in Japan: the Japan Prospective Studies Collaboration for Aging and Dementia (JPSC-AD). <i>Environmental Health and Preventive Medicine</i> , 2020, 25, 64.	1.4	47

#	ARTICLE	IF	CITATIONS
19	Patterns of long acting injectable antipsychotic use and associated clinical factors in schizophrenia among 15 Asian countries and region. <i>Asia-Pacific Psychiatry</i> , 2020, 12, e12393.	1.2	16
20	Longitudinal evaluation of visual P300 amplitude in clinical high-risk subjects: An event-related potential study. <i>Psychiatry and Clinical Neurosciences</i> , 2020, 74, 527-534.	1.0	17
21	Social withdrawal in major depressive disorder: a case-control study of hikikomori in japan. <i>Journal of Affective Disorders</i> , 2020, 274, 1142-1146.	2.0	36
22	Association of self-reported religiosity with the development of major depression in multireligious country Japan. <i>Psychiatry and Clinical Neurosciences</i> , 2020, 74, 535-541.	1.0	9
23	Clinical characteristics of hoarding disorder in Japanese patients. <i>Heliyon</i> , 2020, 6, e03527.	1.4	3
24	Auditory Cortex Volume and Gamma Oscillation Abnormalities in Schizophrenia. <i>Clinical EEG and Neuroscience</i> , 2020, 51, 244-251.	0.9	40
25	Lifetime cumulative incidence of dementia in a community-dwelling elderly population in Japan. <i>Neurology</i> , 2020, 95, e508-e518.	1.5	10
26	Network analysis of the depressive symptom profiles in Asian patients with depressive disorders: Findings from the Research on Asian Psychotropic Prescription Patterns for Antidepressants (REAPAD). <i>Psychiatry and Clinical Neurosciences</i> , 2020, 74, 344-353.	1.0	16
27	Development of 5-day hikikomori intervention program for family members: A single-arm pilot trial. <i>Heliyon</i> , 2020, 6, e03011.	1.4	27
28	Cuprizone-treated mice, a possible model of schizophrenia, highlighting the simultaneous abnormalities of GABA, serine and glycine in hippocampus. <i>Schizophrenia Research</i> , 2019, 210, 326-328.	1.1	4
29	Clarifying Deeper Psychological Characteristics of Hikikomori Using the Rorschach Comprehensive System: A Pilot Case-Control Study. <i>Frontiers in Psychiatry</i> , 2019, 10, 412.	1.3	22
30	Long-term mood/antidepressant effects of quetiapine extended-release formulation: an open-label, non-controlled extension study in Japanese patients with bipolar depression. <i>BMC Psychiatry</i> , 2019, 19, 198.	1.1	6
31	Cannabis use correlates with aggressive behavior and long-acting injectable antipsychotic treatment in Asian patients with schizophrenia. <i>Nordic Journal of Psychiatry</i> , 2019, 73, 323-330.	0.7	10
32	Dysfunction between dorsal caudate and salience network associated with impaired cognitive flexibility in obsessive-compulsive disorder: A resting-state fMRI study. <i>NeuroImage: Clinical</i> , 2019, 24, 102004.	1.4	21
33	Serum elaidic acid concentration and risk of dementia. <i>Neurology</i> , 2019, 93, e2053-e2064.	1.5	11
34	NT-proBNP and Risk of Dementia in a General Japanese Elderly Population: The Hisayama Study. <i>Journal of the American Heart Association</i> , 2019, 8, e011652.	1.6	16
35	Suicide and Microglia: Recent Findings and Future Perspectives Based on Human Studies. <i>Frontiers in Cellular Neuroscience</i> , 2019, 13, 31.	1.8	62
36	Hikikomori: Multidimensional understanding, assessment, and future international perspectives. <i>Psychiatry and Clinical Neurosciences</i> , 2019, 73, 427-440.	1.0	138

#	ARTICLE	IF	CITATIONS
37	Progressive reduction of auditory evoked gamma in first episode schizophrenia but not clinical high risk individuals. <i>Schizophrenia Research</i> , 2019, 208, 145-152.	1.1	20
38	Pathophysiology and treatment of hoarding disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2019, 73, 370-375.	1.0	15
39	Development and validation of the 22-item Tarumi's Modern-type Depression Trait Scale: Avoidance of Social Roles, Complaint, and Low Self-esteem (TACS-22). <i>Psychiatry and Clinical Neurosciences</i> , 2019, 73, 448-457.	1.0	28
40	Making psychiatry a clinical neuroscience-based medicine. <i>Psychiatry and Clinical Neurosciences</i> , 2019, 73, 1-1.	1.0	3
41	Psychotropic drug-prescribing correlates of disorganized speech in Asians with schizophrenia: The REAP-AP study. <i>Saudi Pharmaceutical Journal</i> , 2019, 27, 246-253.	1.2	12
42	Concurrent antipsychotic use in older adults treated with antidepressants in Asia. <i>Psychogeriatrics</i> , 2019, 19, 333-339.	0.6	7
43	Innovations and changes in the ICD-11 classification of mental, behavioural and neurodevelopmental disorders. <i>World Psychiatry</i> , 2019, 18, 3-19.	4.8	505
44	Serum Soluble Triggering Receptor Expressed on Myeloid Cells 2 as a Biomarker for Incident Dementia: The Hisayama Study. <i>Annals of Neurology</i> , 2019, 85, 47-58.	2.8	45
45	Concurrent benzodiazepine use in older adults treated with antidepressants in Asia. <i>International Psychogeriatrics</i> , 2019, 31, 685-691.	0.6	8
46	In Vitro Modeling of the Bipolar Disorder and Schizophrenia Using Patient-Derived Induced Pluripotent Stem Cells with Copy Number Variations of <i>PCDH15</i> and <i>RELN</i> . <i>ENEURO</i> , 2019, 6, ENEURO.0403-18.2019.	0.9	54
47	Urban Mental Health in the Twenty-First Century. , 2019, , 657-678.		0
48	Blood biomarkers of Hikikomori, a severe social withdrawal syndrome. <i>Scientific Reports</i> , 2018, 8, 2884.	1.6	46
49	p66Shc Signaling Mediates Diabetes-Related Cognitive Decline. <i>Scientific Reports</i> , 2018, 8, 3213.	1.6	21
50	Hikikomori: experience in Japan and international relevance. <i>World Psychiatry</i> , 2018, 17, 105-106.	4.8	95
51	Modulating Microglial Activation As a Possible Therapeutic Target for Depression. , 2018, , 209-219.		0
52	Canadian Network for Mood and Anxiety Treatments (CANMAT) and International Society for Bipolar Disorders (ISBD) 2018 guidelines for the management of patients with bipolar disorder. <i>Bipolar Disorders</i> , 2018, 20, 97-170.	1.1	1,079
53	Development of a 2-h suicide prevention program for medical staff including nurses and medical residents: A two-center pilot trial. <i>Journal of Affective Disorders</i> , 2018, 225, 569-576.	2.0	27
54	Phase-Amplitude Coupling of the Electroencephalogram in the Auditory Cortex in Schizophrenia. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2018, 3, 69-76.	1.1	30

#	ARTICLE	IF	CITATIONS
55	To use the brief psychiatric rating scale to detect disorganized speech in schizophrenia: Findings from the REAP-AP study. <i>Kaohsiung Journal of Medical Sciences</i> , 2018, 34, 113-119.	0.8	8
56	Development of MHFA-based 2-h educational program for early intervention in depression among office workers: A single-arm pilot trial. <i>PLoS ONE</i> , 2018, 13, e0208114.	1.1	16
57	Postgraduate training in psychiatry in Asia. <i>Current Opinion in Psychiatry</i> , 2018, 31, 396-402.	3.1	19
58	Differences in High Dose Antipsychotic Prescriptions in Patients with Schizophrenia in Asian Countries/Areas: Findings from the REAP-AP Study. <i>Psychiatry Investigation</i> , 2018, 15, 1007-1008.	0.7	8
59	Revising <i>Diagnostic and Statistical Manual of Mental Disorders</i>, Fifth Edition, criteria for the bipolar disorders: Phase I of the AREDOC project. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 1173-1182.	1.3	18
60	Clinical utility of ICD-11 diagnostic guidelines for high-burden mental disorders: results from mental health settings in 13 countries. <i>World Psychiatry</i> , 2018, 17, 306-315.	4.8	62
61	The ICD-11 developmental field study of reliability of diagnoses of high-burden mental disorders: results among adult patients in mental health settings of 13 countries. <i>World Psychiatry</i> , 2018, 17, 174-186.	4.8	89
62	Neurocognitive disorders in ICD-11: the debate and its outcome. <i>World Psychiatry</i> , 2018, 17, 229-230.	4.8	12
63	Association between the ratio of serum arachidonic acid to eicosapentaenoic acid and the presence of depressive symptoms in a general Japanese population: the Hisayama Study. <i>Journal of Affective Disorders</i> , 2018, 237, 73-79.	2.0	19
64	Development and validation of the 25-item Hikikomori Questionnaire (HQ-25). <i>Psychiatry and Clinical Neurosciences</i> , 2018, 72, 780-788.	1.0	76
65	Multi-center, randomized, double-blind, placebo-controlled study of quetiapine extended-release formulation in Japanese patients with bipolar depression. <i>Psychopharmacology</i> , 2018, 235, 2859-2869.	1.5	23
66	Physical comorbidities in older adults receiving antidepressants in Asia. <i>Psychogeriatrics</i> , 2018, 18, 351-356.	0.6	3
67	A unique increase in prefrontal gray matter volume in hoarding disorder compared to obsessive-compulsive disorder. <i>PLoS ONE</i> , 2018, 13, e0200814.	1.1	12
68	Neuron-related blood inflammatory markers as an objective evaluation tool for major depressive disorder: An exploratory pilot case-control study. <i>Journal of Affective Disorders</i> , 2018, 240, 88-98.	2.0	45
69	Is a Socio-Cultural Analysis of Depressive Disorders a Matter of Concern? Response to Kaiya. <i>American Journal of Psychiatry</i> , 2018, 175, 483-484.	4.0	7
70	Association Between Daily Sleep Duration and Risk of Dementia and Mortality in a Japanese Community. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 1911-1918.	1.3	64
71	Trends in dementia prevalence, incidence, and survival rate in a Japanese community. <i>Neurology</i> , 2017, 88, 1925-1932.	1.5	154
72	A comparison of clinical characteristics of older adults treated with antidepressants in general and psychiatric hospitals in Asia. <i>Psychogeriatrics</i> , 2017, 17, 348-355.	0.6	2

#	ARTICLE	IF	CITATIONS
73	Pattern of c-Fos expression induced by tail suspension test in the mouse brain. <i>Heliyon</i> , 2017, 3, e00316.	1.4	17
74	Right hemisphere pitch-mismatch negativity reduction in patients with major depression: An MEG study. <i>Journal of Affective Disorders</i> , 2017, 215, 225-229.	2.0	39
75	Neurocognitive profile of euthymic Japanese patients with bipolar disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2017, 71, 373-382.	1.0	9
76	Dysregulated gene expressions of MEX3D, FOS and BCL2 in human induced-neuronal (iN) cells from NF1 patients: a pilot study. <i>Scientific Reports</i> , 2017, 7, 13905.	1.6	13
77	Modern-Type Depression as an "Adjustment" Disorder in Japan: The Intersection of Collectivistic Society Encountering an Individualistic Performance-Based System. <i>American Journal of Psychiatry</i> , 2017, 174, 1051-1053.	4.0	43
78	Fibromyalgia and microglial TNF- α : Translational research using human blood induced microglia-like cells. <i>Scientific Reports</i> , 2017, 7, 11882.	1.6	34
79	Clinical Use of Mood Stabilizers With Antidepressants in Asia. <i>Journal of Clinical Psychopharmacology</i> , 2017, 37, 255-259.	0.7	7
80	Progressive brain atrophy and cognitive decline along with multiple episodes of delirium. <i>Psychiatry and Clinical Neurosciences</i> , 2017, 71, 418-419.	1.0	0
81	A pilot study exploring the association of morphological changes with 5-HTTLPR polymorphism in OCD patients. <i>Annals of General Psychiatry</i> , 2017, 16, 2.	1.2	10
82	Can "Pokemon GO" rescue shut-ins (<i>hikikomori</i>) from their isolated world?. <i>Psychiatry and Clinical Neurosciences</i> , 2017, 71, 75-76.	1.0	46
83	Clinical Characteristics and Psychotropic Prescribing Patterns Associated with impaired Concentration in Asians with Depressive Disorders: The REAP-AD Study. <i>Tohoku Journal of Experimental Medicine</i> , 2017, 242, 151-156.	0.5	1
84	Loneliness and Single-Person Households: Issues of Kodoku-Shi and Hikikomori in Japan. <i>Mental Health and Illness Worldwide</i> , 2017, , 1-15.	0.1	4
85	Plasma Metabolites Predict Severity of Depression and Suicidal Ideation in Psychiatric Patients-A Multicenter Pilot Analysis. <i>PLoS ONE</i> , 2016, 11, e0165267.	1.1	103
86	A Potential VEP Biomarker for Mild Cognitive Impairment: Evidence from Selective Visual Deficit of Higher-Level Dorsal Pathway. <i>Journal of Alzheimer's Disease</i> , 2016, 53, 661-676.	1.2	21
87	Effect of acute imipramine administration on the pattern of forced swim-induced c-Fos expression in the mouse brain. <i>Neuroscience Letters</i> , 2016, 629, 119-124.	1.0	15
88	Directly Induced Glial/Neuronal Cells from Human Peripheral Tissues: A Novel Translational Research Tool for Neuropsychiatric Disorders. <i>Advances in Neuroimmune Biology</i> , 2016, 6, 95-105.	0.7	1
89	Suicidal thoughts/acts and clinical correlates in patients with depressive disorders in Asians: results from the REAP-AD study. <i>Acta Neuropsychiatrica</i> , 2016, 28, 337-345.	1.0	16
90	Aripiprazole inhibits polyI:C-induced microglial activation possibly via TRPM7. <i>Schizophrenia Research</i> , 2016, 178, 35-43.	1.1	38

#	ARTICLE	IF	CITATIONS
91	Increased BOLD Signals Elicited by High Gamma Auditory Stimulation of the Left Auditory Cortex in Acute State Schizophrenia. <i>EBioMedicine</i> , 2016, 12, 143-149.	2.7	8
92	Current viewpoints on <sc>DSM</sc>â€”5 in Japan. <i>Psychiatry and Clinical Neurosciences</i> , 2016, 70, 371-393.	1.0	9
93	Multidimensional anatomy of â€”modern type depressionâ€”™ in <sc>J</sc>apan: A proposal for a different diagnostic approach to depression beyond the <sc>DSM</sc>â€”5. <i>Psychiatry and Clinical Neurosciences</i> , 2016, 70, 7-23.	1.0	60
94	Boundless syndromes in modern society: An interconnected world producing novel psychopathology in the 21st century. <i>Psychiatry and Clinical Neurosciences</i> , 2016, 70, 1-2.	1.0	25
95	Antidepressants Modulate Microglia Beyond the Neurotransmitters Doctrine of Mood Disorders. , 2016, , 611-620.		0
96	ICD-11 Beta Draft Survey in Japan. <i>Psychiatry and Clinical Neurosciences</i> , 2016, 70, 422-423.	1.0	0
97	Factors Associated With Antidepressant Dosing in Asia. <i>Journal of Clinical Psychopharmacology</i> , 2016, 36, 716-719.	0.7	9
98	TNF-Î± from hippocampal microglia induces working memory deficits by acute stress in mice. <i>Brain, Behavior, and Immunity</i> , 2016, 55, 17-24.	2.0	62
99	Differentiation between major depressive disorder and bipolar disorder by auditory steady-state responses. <i>Journal of Affective Disorders</i> , 2016, 190, 800-806.	2.0	76
100	The long-term association between physical activity and risk of dementia in the community: the Hisayama Study. <i>European Journal of Epidemiology</i> , 2016, 31, 267-274.	2.5	67
101	A 39-Year-Old â€”Adultolescentâ€” Understanding Social Withdrawal in Japan. <i>American Journal of Psychiatry</i> , 2016, 173, 112-114.	4.0	40
102	Microglial CD206 Gene Has Potential as a State Marker of Bipolar Disorder. <i>Frontiers in Immunology</i> , 2016, 7, 676.	2.2	36
103	Midlife and Lateâ€”Life Smoking and Risk of Dementia in the Community: The Hisayama Study. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 2332-2339.	1.3	56
104	Biological heterogeneity of obsessiveâ€”compulsive disorder: A voxelâ€”based morphometric study based on dimensional assessment. <i>Psychiatry and Clinical Neurosciences</i> , 2015, 69, 411-421.	1.0	41
105	International study on antidepressant prescription pattern at 40 major psychiatric institutions and hospitals in <sc>A</sc>sia: A 10â€”year comparison study. <i>Asia-Pacific Psychiatry</i> , 2015, 7, 366-374.	1.2	23
106	Country variations in depressive symptoms profile in Asian countries: Findings of the Research on Asia Psychotropic Prescription (REAP) studies. <i>Asia-Pacific Psychiatry</i> , 2015, 7, 276-285.	1.2	12
107	Introducing directly induced microglia-like (iMC) cells from fresh human monocytes: a novel translational research tool for psychiatric disorders. <i>Frontiers in Cellular Neuroscience</i> , 2015, 9, 184.	1.8	43
108	Relationship between Trusting Behaviors and Psychometrics Associated with Social Network and Depression among Young Generation: A Pilot Study. <i>PLoS ONE</i> , 2015, 10, e0120183.	1.1	17

#	ARTICLE	IF	CITATIONS
109	Spontaneous Gamma Activity in Schizophrenia. <i>JAMA Psychiatry</i> , 2015, 72, 813.	6.0	216
110	Psychopathology associated with social withdrawal: Idiopathic and comorbid presentations. <i>Psychiatry Research</i> , 2015, 228, 182-183.	1.7	54
111	Identification of the hikikomori syndrome of social withdrawal: Psychosocial features and treatment preferences in four countries. <i>International Journal of Social Psychiatry</i> , 2015, 61, 64-72.	1.6	155
112	Early Integration Processing between Faces and Vowel Sounds in Human Brain: An MEG Investigation. <i>Neuropsychobiology</i> , 2015, 71, 187-195.	0.9	3
113	Conquering depression. <i>Psychiatry and Clinical Neurosciences</i> , 2015, 69, 1-2.	1.0	3
114	Progressive Reduction of Visual P300 Amplitude in Patients With First-Episode Schizophrenia: An ERP Study. <i>Schizophrenia Bulletin</i> , 2015, 41, 460-470.	2.3	31
115	Theory of mind ability predicts prognosis of outpatients with major depressive disorder. <i>Psychiatry Research</i> , 2015, 230, 604-608.	1.7	19
116	A placebo-controlled, double-blind study of the efficacy and safety of aripiprazole for the treatment of acute manic or mixed episodes in Asian patients with bipolar I disorder (the AMAZE study). <i>World Journal of Biological Psychiatry</i> , 2014, 15, 113-121.	1.3	29
117	Brain-derived Neurotrophic Factor (BDNF) Induces Sustained Intracellular Ca ²⁺ Elevation through the Up-regulation of Surface Transient Receptor Potential 3 (TRPC3) Channels in Rodent Microglia. <i>Journal of Biological Chemistry</i> , 2014, 289, 18549-18555.	1.6	75
118	Minocycline, a Microglial Inhibitor, Diminishes Terminal Patients' Delirium?. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 314-315.	0.6	8
119	Neurobiological model of obsessive-compulsive disorder: Evidence from recent neuropsychological and neuroimaging findings. <i>Psychiatry and Clinical Neurosciences</i> , 2014, 68, 587-605.	1.0	168
120	Bipolar treatment efficacy – Authors' reply. <i>Lancet Psychiatry</i> , 2014, 1, 418-419.	3.7	0
121	Mechanisms for Interferon- γ -Induced Depression and Neural Stem Cell Dysfunction. <i>Stem Cell Reports</i> , 2014, 3, 73-84.	2.3	61
122	Efficacy of olanzapine in the treatment of bipolar mania with mixed features defined by DSM-5. <i>Journal of Affective Disorders</i> , 2014, 168, 136-141.	2.0	28
123	Safety and efficacy of olanzapine in the long-term treatment of Japanese patients with bipolar disorder, depression: An integrated analysis. <i>Psychiatry and Clinical Neurosciences</i> , 2014, 68, 498-505.	1.0	6
124	Comparative efficacy and tolerability of pharmacological treatments in the maintenance treatment of bipolar disorder: a systematic review and network meta-analysis. <i>Lancet Psychiatry</i> , 2014, 1, 351-359.	3.7	280
125	Efficacy of olanzapine monotherapy in the treatment of bipolar depression with mixed features. <i>Journal of Affective Disorders</i> , 2014, 164, 57-62.	2.0	37
126	Direct induction of ramified microglia-like cells from human monocytes: Dynamic microglial dysfunction in Nasu-Hakola disease. <i>Scientific Reports</i> , 2014, 4, 4957.	1.6	107

#	ARTICLE	IF	CITATIONS
127	Efficacy and safety of olanzapine for treatment of patients with bipolar depression: Japanese subpopulation analysis of a randomized, double-blind, placebo-controlled study. <i>BMC Psychiatry</i> , 2013, 13, 138.	1.1	20
128	Guideline for treatment of bipolar disorder by the Japanese Society of Mood Disorders, 2012. <i>Psychiatry and Clinical Neurosciences</i> , 2013, 67, 285-300.	1.0	59
129	The International Society for Bipolar Disorders (ISBD) Task Force Report on Antidepressant Use in Bipolar Disorders. <i>American Journal of Psychiatry</i> , 2013, 170, 1249-1262.	4.0	579
130	Undergraduate medical students' attitudes towards psychiatry: An international cross-sectional survey between India and Japan. <i>International Review of Psychiatry</i> , 2013, 25, 378-384.	1.4	10
131	Pretreatment of aripiprazole and minocycline, but not haloperidol, suppresses oligodendrocyte damage from interferon- β -stimulated microglia in co-culture model. <i>Schizophrenia Research</i> , 2013, 151, 20-28.	1.1	64
132	Aripiprazole augmentation to antidepressant therapy in Japanese patients with major depressive disorder: A randomized, double-blind, placebo-controlled study (ADMIRE study). <i>Journal of Affective Disorders</i> , 2013, 151, 899-905.	2.0	56
133	Neuroinflammation in schizophrenia especially focused on the role of microglia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 42, 115-121.	2.5	265
134	Immuno-inflammatory, oxidative and nitrosative stress, and neuroprogressive pathways in the etiology, course and treatment of schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 42, 1-4.	2.5	128
135	Differential neural network of checking versus washing symptoms in obsessive-compulsive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 40, 160-166.	2.5	31
136	FTD with catatonia-like signs that temporarily resolved with zolpidem. <i>Neurology: Clinical Practice</i> , 2013, 3, 354-357.	0.8	13
137	Neuron-Glia Interaction as a Possible Clue to Translate the Mind-Brain Gap: A Novel Multi-Dimensional Approach Toward Psychology and Psychiatry (R1). <i>Frontiers in Psychiatry</i> , 2013, 4, 139.	1.3	24
138	Review of neurophysiological findings in patients with schizophrenia. <i>Psychiatry and Clinical Neurosciences</i> , 2013, 67, 461-470.	1.0	65
139	Minocycline, a microglial inhibitor, reduces "honey trap" risk in human economic exchange. <i>Scientific Reports</i> , 2013, 3, 1685.	1.6	19
140	Altered visual information processing systems in bipolar disorder: evidence from visual MMN and P3. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 403.	1.0	31
141	Missing and Possible Link between Neuroendocrine Factors, Neuropsychiatric Disorders, and Microglia. <i>Frontiers in Integrative Neuroscience</i> , 2013, 7, 53.	1.0	37
142	Neurophysiological findings in patients with bipolar disorder. <i>Supplements To Clinical Neurophysiology</i> , 2013, 62, 197-206.	2.1	32
143	Are microglia minding us? Digging up the unconscious mind-brain relationship from a neuropsychanalytic approach. <i>Frontiers in Psychology</i> , 2013, 7, 13.	1.1	30
144	Risk factors for anxiety and depression in patients with glaucoma. <i>British Journal of Ophthalmology</i> , 2012, 96, 821-825.	2.1	71

#	ARTICLE	IF	CITATIONS
145	Randomised, double-blind, placebo-controlled study of olanzapine in patients with bipolar I depression. <i>British Journal of Psychiatry</i> , 2012, 201, 376-382.	1.7	103
146	A deficit of dorsal stream function in patients with mild cognitive impairment and Alzheimer's disease. , 2012, , .		2
147	Altered face inversion effect and association between face N170 reduction and social dysfunction in patients with schizophrenia. <i>Clinical Neurophysiology</i> , 2012, 123, 1762-1768.	0.7	41
148	Gamma Band Neural Synchronization Deficits for Auditory Steady State Responses in Bipolar Disorder Patients. <i>PLoS ONE</i> , 2012, 7, e39955.	1.1	84
149	Does the "hikikomori"™ syndrome of social withdrawal exist outside Japan? A preliminary international investigation. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 1061-1075.	1.6	188
150	Does minocycline, an antibiotic with inhibitory effects on microglial activation, sharpen a sense of trust in social interaction?. <i>Psychopharmacology</i> , 2012, 220, 551-557.	1.5	29
151	Successful Treatment of Poststroke Emotional Incontinence with Yokukansan, An Asian Herbal Medicine: Report of Two Cases. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 379-381.	1.3	5
152	Efficacy and safety of olanzapine in the treatment of Japanese patients with bipolar I disorder in a current manic or mixed episode: A randomized, double-blind, placebo- and haloperidol-controlled study. <i>Journal of Affective Disorders</i> , 2012, 136, 476-484.	2.0	24
153	Minocycline Modulates Human Social Decision-Making: Possible Impact of Microglia on Personality-Oriented Social Behaviors. <i>PLoS ONE</i> , 2012, 7, e40461.	1.1	34
154	Stability of the Rayleigh distribution. , 2011, , .		1
155	Aripiprazole inhibits superoxide generation from phorbol-myristate-acetate (PMA)-stimulated microglia in vitro: Implication for antioxidative psychotropic actions via microglia. <i>Schizophrenia Research</i> , 2011, 129, 172-182.	1.1	60
156	Reduced high and low frequency gamma synchronization in patients with chronic schizophrenia. <i>Schizophrenia Research</i> , 2011, 133, 99-105.	1.1	103
157	fMRI of patients with social anxiety disorder during a social situation task. <i>Neuroscience Research</i> , 2011, 69, 67-72.	1.0	72
158	Top-down and bottom-up visual information processing of non-social stimuli in high-functioning autism spectrum disorder. <i>Research in Autism Spectrum Disorders</i> , 2011, 5, 201-209.	0.8	28
159	Are Japan's hikikomori and depression in young people spreading abroad?. <i>Lancet, The</i> , 2011, 378, 1070.	6.3	104
160	A simple and high-yield method for preparation of rat microglial cultures utilizing Aclar plastic film. <i>Neuropathology</i> , 2011, 31, 215-222.	0.7	6
161	Apolipoprotein Genotype for Prediction of Alzheimer's Disease in Older Japanese: The Hisayama Study. <i>Journal of the American Geriatrics Society</i> , 2011, 59, 1074-1079.	1.3	24
162	Introducing the concept of modern depression in Japan; an international case vignette survey. <i>Journal of Affective Disorders</i> , 2011, 135, 66-76.	2.0	40

#	ARTICLE	IF	CITATIONS
163	Midlife and Late-Life Blood Pressure and Dementia in Japanese Elderly. <i>Hypertension</i> , 2011, 58, 22-28.	1.3	214
164	Predictors of treatment response to fluvoxamine in obsessive-compulsive disorder: An fMRI study. <i>Journal of Psychiatric Research</i> , 2010, 44, 193-200.	1.5	56
165	Regional gray and white matter volume abnormalities in obsessive-compulsive disorder: A voxel-based morphometry study. <i>Psychiatry Research - Neuroimaging</i> , 2010, 184, 29-37.	0.9	73
166	Peritraumatic Distress Inventory as a predictor of post-traumatic stress disorder after a severe motor vehicle accident. <i>Psychiatry and Clinical Neurosciences</i> , 2010, 64, 149-156.	1.0	73
167	Development of 2-hour suicide intervention program among medical residents: First pilot trial. <i>Psychiatry and Clinical Neurosciences</i> , 2010, 64, 531-540.	1.0	55
168	Impact of biopsychosocial factors on psychiatric training in Japan and overseas: Are psychiatrists oriented to mind, brain, or sociocultural issues?. <i>Psychiatry and Clinical Neurosciences</i> , 2010, 64, 520-530.	1.0	5
169	Differentiation between bipolar disorder and schizophrenia revealed by neural oscillation to speech sounds: an MEG study. <i>Bipolar Disorders</i> , 2010, 12, 804-812.	1.1	50
170	Auditory gating deficit to human voices in schizophrenia: A MEG study. <i>Schizophrenia Research</i> , 2010, 117, 61-67.	1.1	49
171	Inhibitory effects of SSRIs on IFN- γ induced microglial activation through the regulation of intracellular calcium. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 1306-1316.	2.5	96
172	Locked to Stimulation: Significance Level of the Phase-Locking Factor. , 2009, , .		4
173	Brain-Derived Neurotrophic Factor Induces Sustained Elevation of Intracellular Ca ²⁺ in Rodent Microglia. <i>Journal of Immunology</i> , 2009, 183, 7778-7786.	0.4	61
174	Working memory dysfunction in obsessive-compulsive disorder: A neuropsychological and functional MRI study. <i>Journal of Psychiatric Research</i> , 2009, 43, 784-791.	1.5	118
175	Reliability and validity of the Japanese version of the Peritraumatic Distress Inventory. <i>General Hospital Psychiatry</i> , 2009, 31, 75-79.	1.2	38
176	Duration effect of obsessive-compulsive disorder on cognitive function: a functional MRI study. <i>Depression and Anxiety</i> , 2009, 26, 814-823.	2.0	25
177	Cytokines and schizophrenia: Microglia hypothesis of schizophrenia. <i>Psychiatry and Clinical Neurosciences</i> , 2009, 63, 257-265.	1.0	414
178	The International Society for Bipolar Disorders (ISBD) Task Force report on the nomenclature of course and outcome in bipolar disorders. <i>Bipolar Disorders</i> , 2009, 11, 453-473.	1.1	401
179	Effect of yokukansan on the behavioral and psychological symptoms of dementia in elderly patients with Alzheimer's disease. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 308-311.	2.5	97
180	Preattentive visual change detection as reflected by the mismatch negativity (MMN)—Evidence for a memory-based process. <i>Neuroscience Research</i> , 2009, 65, 107-112.	1.0	28

#	ARTICLE	IF	CITATIONS
181	Decreased spatial frequency sensitivities for processing faces in male patients with chronic schizophrenia. <i>Clinical Neurophysiology</i> , 2009, 120, 1525-1533.	0.7	44
182	Clinicopathological Outline of Dementia with Lewy Bodies Applying the Revised Criteria: The Hisayama Study. <i>Brain Pathology</i> , 2008, 18, 317-325.	2.1	71
183	Inhibitory effects of aripiprazole on interferon- γ -induced microglial activation via intracellular Ca^{2+} regulation <i>in vitro</i> . <i>Journal of Neurochemistry</i> , 2008, 106, 815-825.	2.1	111
184	Functional MRI study of brain activation alterations in patients with obsessive-compulsive disorder after symptom improvement. <i>Psychiatry Research - Neuroimaging</i> , 2008, 163, 236-247.	0.9	113
185	The effect of atypical antipsychotics, perospirone, ziprasidone and quetiapine on microglial activation induced by interferon- γ . <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 42-48.	2.5	140
186	Are patients after severe injury who drop out of a longitudinal study at high risk of mental disorder?. <i>Comprehensive Psychiatry</i> , 2008, 49, 393-398.	1.5	13
187	Abnormal Neural Oscillatory Activity to Speech Sounds in Schizophrenia: A Magnetoencephalography Study. <i>Journal of Neuroscience</i> , 2008, 28, 4897-4903.	1.7	66
188	High Prevalence of Anxiety and Depression in Patients With Primary Open-angle Glaucoma. <i>Journal of Glaucoma</i> , 2008, 17, 552-557.	0.8	139
189	Altered Expression of COX-2 in Subdivisions of the Hippocampus during Aging and in Alzheimer's Disease: The Hisayama Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2007, 23, 423-431.	0.7	38
190	Evidence for Visual Analogue of Auditory Mismatch Negativity. , 2007, , .		0
191	Antidepressants inhibit interferon- γ -induced microglial production of IL-6 and nitric oxide. <i>Experimental Neurology</i> , 2007, 206, 33-42.	2.0	175
192	Phospholipids modulate superoxide and nitric oxide production by lipopolysaccharide and phorbol 12-myristate-13-acetate-activated microglia. <i>Neurochemistry International</i> , 2007, 50, 499-506.	1.9	20
193	Risperidone significantly inhibits interferon- γ -induced microglial activation <i>in vitro</i> . <i>Schizophrenia Research</i> , 2007, 92, 108-115.	1.1	156
194	Phosphatidylserine and phosphatidylcholine-containing liposomes inhibit amyloid β^2 and interferon- γ -induced microglial activation. <i>Free Radical Biology and Medicine</i> , 2007, 42, 945-954.	1.3	76
195	Effect of illness duration on cognitive function of OCD: a neuropsychological and functional neuroimaging study. <i>Annals of General Psychiatry</i> , 2006, 5, 1.	1.2	0
196	Assessment of the Dexamethasone/CRH Test as a State-Dependent Marker for Hypothalamic-Pituitary-Adrenal (HPA) Axis Abnormalities in Major Depressive Episode: A Multicenter Study. <i>Neuropsychopharmacology</i> , 2006, 31, 212-220.	2.8	181
197	Impairment of theory of mind in patients in remission following first episode of schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2006, 256, 326-328.	1.8	67
198	Suppression of Cell Proliferation by Interferon-Alpha through Interleukin-1 Production in Adult Rat Dentate Gyrus. <i>Neuropsychopharmacology</i> , 2006, 31, 2619-2626.	2.8	134

#	ARTICLE	IF	CITATIONS
199	Neuroscience of Emotional Memory and Posttraumatic Stress Disorder. , 2006, , 47-53.		0
200	Age-related disturbance of memory and CREB phosphorylation in CA1 area of hippocampus of rats. Brain Research, 2005, 1054, 30-37.	1.1	62
201	Functional characterization of mismatch negativity to a visual stimulus. Clinical Neurophysiology, 2005, 116, 2392-2402.	0.7	89
202	Aconiti tuber increases plasma nitrite and nitrate levels in humans. Journal of Ethnopharmacology, 2005, 96, 165-169.	2.0	47
203	Amyloid- β fibril formation is not necessarily required for microglial activation by the peptides. Neurochemistry International, 2005, 47, 369-376.	1.9	31
204	Brain activation of patients with obsessive-compulsive disorder during neuropsychological and symptom provocation tasks before and after symptom improvement: A functional magnetic resonance imaging study. Biological Psychiatry, 2005, 57, 901-910.	0.7	275
205	Deficiency of theory of mind in patients with remitted mood disorder. Journal of Affective Disorders, 2004, 82, 403-9.	2.0	175
206	A selective increase in phosphorylation of cyclic AMP response element-binding protein in hippocampal CA1 region of male, but not female, rats following contextual fear and passive avoidance conditioning. Brain Research, 2004, 1024, 233-243.	1.1	52
207	Long-Term Imipramine Treatment Increases Nitrate Levels in the Rat Hypothalamus. Cellular and Molecular Neurobiology, 2003, 23, 953-962.	1.7	10
208	Elderly people often have naps that are not subjectively recognized as naps. Sleep and Biological Rhythms, 2003, 1, 141-142.	0.5	1
209	Antipsychotic, antidepressant, anxiolytic, and anticonvulsant drugs induce type II nitric oxide synthase mRNA in rat brain. Neuroscience Letters, 2002, 333, 217-219.	1.0	26
210	The Genetic Structure of Cloninger's Seven-Factor Model of Temperament and Character in a Japanese Sample. Journal of Personality, 2002, 70, 583-610.	1.8	69
211	The Estrogen-Occupied Estrogen Receptor Functions as a Negative Regulator to Inhibit Cell Proliferation Induced by Insulin/IGF-1: A Cell Context-Specific Antimitogenic Action of Estradiol on Rat Lactotrophs in Culture. Endocrinology, 2002, 143, 2750-2758.	1.4	10
212	Basic and Clinical Aspects of Psychoimmunology. Zen Nihon Shinkyu Gakkai Zasshi (Journal of the) Tj ETQq0 0 0 rgBTj/Overlock 10 Tf 50 0.1 0		
213	Elevated plasma nitrate levels in depressive states. Journal of Affective Disorders, 2001, 63, 221-224.	2.0	212
214	Seasonal changes in human sleep-wake rhythm in Antarctica and Japan. Psychiatry and Clinical Neurosciences, 2000, 54, 361-362.	1.0	19
215	Validity of sleep log compared with actigraphic sleep-wake state II. Psychiatry and Clinical Neurosciences, 1999, 53, 183-184.	1.0	22
216	Validity of sleep log compared with actigraphic Sleep-wake state. Psychiatry and Clinical Neurosciences, 1998, 52, 161-163.	1.0	6

#	ARTICLE	IF	CITATIONS
217	Immobilization stress increases mRNA levels of interleukin-1 receptor antagonist in various rat brain regions. Cellular and Molecular Neurobiology, 1997, 17, 557-562.	1.7	46
218	Monoamine oxidase genes polymorphisms and mood disorder. , 1997, 74, 494-496.		34
219	Association between dopamine D4 receptor (D4DR) Exon III polymorphism and novelty seeking in Japanese subjects. American Journal of Medical Genetics Part A, 1997, 74, 501-503.	2.4	130
220	Serotonin transporter gene regulatory region polymorphism and anxiety-related traits in the Japanese. , 1997, 74, 544-545.		80
221	The Clinical Effectiveness of Oren-gedoku-to in the Treatment of Schizophrenia.. Kampo Medicine, 1997, 47, 603-607.	0.1	2
222	Somatoform Disorders among Patients Who Visit Kampo Clinic.. Kampo Medicine, 1997, 48, 23-29.	0.1	1
223	Clinical Effectiveness of Oren-Gedoku-To for Insomnia associated with Acute Schizophrenia and Other Psychotic Disorders.. Kampo Medicine, 1997, 47, 827-831.	0.1	1
224	Induction of interleukin-1 β and interleukin-1 receptor antagonist mRNA by chronic treatment with various psychotropics in widespread area of rat brain. Neuroscience Letters, 1996, 215, 201-204.	1.0	51
225	Dopamine D2, D3 and D4 receptor and transporter gene polymorphisms and mood disorders. Journal of Affective Disorders, 1996, 40, 7-13.	2.0	101
226	Effectiveness of Shakuyaku-kanzo-to in neuroleptio induced hyperprolactinemia: A preliminary report. Psychiatry and Clinical Neurosciences, 1996, 50, 341-342.	1.0	20
227	Role of interleukin-1 in stress responses. Molecular Neurobiology, 1995, 10, 47-71.	1.9	87
228	Effectiveness of nilvadipine in two cases of chronic schizophrenia. Psychiatry and Clinical Neurosciences, 1995, 49, 237-238.	1.0	5
229	Coping Style of Schizophrenic Patients in the Recovery from Acute Psychotic State: A Preliminary Study.. Keio Journal of Medicine, 1991, 40, 129-131.	0.5	0
230	Mortality rate of schizophrenic patients with tardive dyskinesia during 10 years: A controlled study.. Keio Journal of Medicine, 1989, 38, 70-72.	0.5	17
231	[3H]Neurotensin(8?13) Binds in Human Brain to the Same Sites as Does [3H]Neurotensin but with Higher Affinity. Journal of Neurochemistry, 1988, 50, 131-137.	2.1	37
232	Binding of [3H]Neurotensin in Human Brain: Properties and Distribution. Journal of Neurochemistry, 1986, 46, 946-952.	2.1	56
233	Lithium ions inhibit function of lowbut not high-affinity muscarinic receptors of murine neuroblastoma cells (clone N1E-115). Psychopharmacology, 1985, 86, 413-416.	1.5	20
234	Histamine H1 receptors in human brain labelled with [3H]Doxepin. Brain Research, 1984, 304, 1-7.	1.1	83

#	ARTICLE	IF	CITATIONS
235	Antidepressants are weak competitive antagonists of histamine H2 receptors in dissociated brain tissue. <i>European Journal of Pharmacology</i> , 1983, 94, 313-318.	1.7	29