

# Fengyu Xie

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/1063685/fengyu-xie-publications-by-citations.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

122  
papers

14,387  
citations

63  
h-index

119  
g-index

123  
ext. papers

16,851  
ext. citations

8.4  
avg, IF

7.15  
L-index

#	Paper	IF	Citations
122	Self-supported nanoporous cobalt phosphide nanowire arrays: an efficient 3D hydrogen-evolving cathode over the wide range of pH 0-14. <i>Journal of the American Chemical Society</i> , <b>2014</b> , 136, 7587-90	16.4	1859
121	NiSe Nanowire Film Supported on Nickel Foam: An Efficient and Stable 3D Bifunctional Electrode for Full Water Splitting. <i>Angewandte Chemie - International Edition</i> , <b>2015</b> , 54, 9351-5	16.4	1100
120	A cost-effective 3D hydrogen evolution cathode with high catalytic activity: FeP nanowire array as the active phase. <i>Angewandte Chemie - International Edition</i> , <b>2014</b> , 53, 12855-9	16.4	736
119	Closely interconnected network of molybdenum phosphide nanoparticles: a highly efficient electrocatalyst for generating hydrogen from water. <i>Advanced Materials</i> , <b>2014</b> , 26, 5702-7	24	722
118	Fe-Doped CoP Nanoarray: A Monolithic Multifunctional Catalyst for Highly Efficient Hydrogen Generation. <i>Advanced Materials</i> , <b>2017</b> , 29, 1602441	24	690
117	Electrochemical Ammonia Synthesis via Nitrogen Reduction Reaction on a MoS Catalyst: Theoretical and Experimental Studies. <i>Advanced Materials</i> , <b>2018</b> , 30, e1800191	24	524
116	High-Performance Electrolytic Oxygen Evolution in Neutral Media Catalyzed by a Cobalt Phosphate Nanoarray. <i>Angewandte Chemie - International Edition</i> , <b>2017</b> , 56, 1064-1068	16.4	305
115	Electrodeposited Co-doped NiSe <sub>2</sub> nanoparticles film: a good electrocatalyst for efficient water splitting. <i>Nanoscale</i> , <b>2016</b> , 8, 3911-5	7.7	299
114	Ambient N <sub>2</sub> fixation to NH <sub>3</sub> at ambient conditions: Using Nb <sub>2</sub> O <sub>5</sub> nanofiber as a high-performance electrocatalyst. <i>Nano Energy</i> , <b>2018</b> , 52, 264-270	17.1	256
113	Greatly Improving Electrochemical N Reduction over TiO Nanoparticles by Iron Doping. <i>Angewandte Chemie - International Edition</i> , <b>2019</b> , 58, 18449-18453	16.4	250
112	MoO <sub>3</sub> nanosheets for efficient electrocatalytic N <sub>2</sub> fixation to NH <sub>3</sub> . <i>Journal of Materials Chemistry A</i> , <b>2018</b> , 6, 12974-12977	13	227
111	Electrochemical N fixation to NH under ambient conditions: MoN nanorod as a highly efficient and selective catalyst. <i>Chemical Communications</i> , <b>2018</b> , 54, 8474-8477	5.8	224
110	High-Performance Electrohydrogenation of N <sub>2</sub> to NH <sub>3</sub> Catalyzed by Multishelled Hollow Cr <sub>2</sub> O <sub>3</sub> Microspheres under Ambient Conditions. <i>ACS Catalysis</i> , <b>2018</b> , 8, 8540-8544	13.1	218
109	Ag nanosheets for efficient electrocatalytic N fixation to NH under ambient conditions. <i>Chemical Communications</i> , <b>2018</b> , 54, 11427-11430	5.8	185
108	Boron Nanosheet: An Elemental Two-Dimensional (2D) Material for Ambient Electrocatalytic N <sub>2</sub> -to-NH <sub>3</sub> Fixation in Neutral Media. <i>ACS Catalysis</i> , <b>2019</b> , 9, 4609-4615	13.1	180
107	Enabling Effective Electrocatalytic N Conversion to NH by the TiO Nanosheets Array under Ambient Conditions. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 28251-28255	9.5	174
106	Three-Dimensional Ni <sub>2</sub> P Nanoarray: An Efficient Catalyst Electrode for Sensitive and Selective Nonenzymatic Glucose Sensing with High Specificity. <i>Analytical Chemistry</i> , <b>2016</b> , 88, 7885-9	7.8	172

105	Identifying the Origin of Ti Activity toward Enhanced Electrocatalytic N Reduction over TiO Nanoparticles Modulated by Mixed-Valent Copper. <i>Advanced Materials</i> , <b>2020</b> , 32, e2000299	24	171
104	Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> (T = F, OH) MXene nanosheets: conductive 2D catalysts for ambient electrohydrogenation of N <sub>2</sub> to NH <sub>3</sub> . <i>Journal of Materials Chemistry A</i> , <b>2018</b> , 6, 24031-24035	13	169
103	Efficient Electrochemical N <sub>2</sub> Reduction to NH <sub>3</sub> on MoN Nanosheets Array under Ambient Conditions. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2018</b> , 6, 9550-9554	8.3	164
102	Self-assembled graphene platelet-glucose oxidase nanostructures for glucose biosensing. <i>Biosensors and Bioelectronics</i> , <b>2011</b> , 26, 4491-6	11.8	158
101	Aqueous electrocatalytic N <sub>2</sub> reduction for ambient NH <sub>3</sub> synthesis: recent advances in catalyst development and performance improvement. <i>Journal of Materials Chemistry A</i> , <b>2020</b> , 8, 1545-1556	13	158
100	Co-MOF nanosheet array: A high-performance electrochemical sensor for non-enzymatic glucose detection. <i>Sensors and Actuators B: Chemical</i> , <b>2019</b> , 278, 126-132	8.5	151
99	An amorphous Co-carbonate-hydroxide nanowire array for efficient and durable oxygen evolution reaction in carbonate electrolytes. <i>Nanoscale</i> , <b>2017</b> , 9, 16612-16615	7.7	145
98	Ambient N fixation to NH electrocatalyzed by a spinel FeO nanorod. <i>Nanoscale</i> , <b>2018</b> , 10, 14386-14389	7.7	142
97	S-Doped Carbon Nanospheres: An Efficient Electrocatalyst toward Artificial N <sub>2</sub> Fixation to NH <sub>3</sub> . <i>Small Methods</i> , <b>2019</b> , 3, 1800251	12.8	135
96	Ni foam: a novel three-dimensional porous sensing platform for sensitive and selective nonenzymatic glucose detection. <i>Analyst, The</i> , <b>2013</b> , 138, 417-20	5	134
95	Sulfur-doped graphene for efficient electrocatalytic N-to-NH fixation. <i>Chemical Communications</i> , <b>2019</b> , 55, 3371-3374	5.8	131
94	High-Efficiency Electrosynthesis of Ammonia with High Selectivity under Ambient Conditions Enabled by VN Nanosheet Array. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2018</b> , 6, 9545-9549	8.3	127
93	Greatly Enhanced Electrocatalytic N <sub>2</sub> Reduction on TiO <sub>2</sub> via V Doping. <i>Small Methods</i> , <b>2019</b> , 3, 1900356	12.8	117
92	Ambient NH synthesis via electrochemical reduction of N over cubic sub-micron SnO particles. <i>Chemical Communications</i> , <b>2018</b> , 54, 12966-12969	5.8	115
91	Copper-Nitride Nanowires Array: An Efficient Dual-Functional Catalyst Electrode for Sensitive and Selective Non-Enzymatic Glucose and Hydrogen Peroxide Sensing. <i>Chemistry - A European Journal</i> , <b>2017</b> , 23, 4986-4989	4.8	114
90	Recent progress in the electrochemical ammonia synthesis under ambient conditions. <i>EnergyChem</i> , <b>2019</b> , 1, 100011	36.9	105
89	An Fe(TCNQ) nanowire array on Fe foil: an efficient non-noble-metal catalyst for the oxygen evolution reaction in alkaline media. <i>Chemical Communications</i> , <b>2018</b> , 54, 2300-2303	5.8	102
88	Mn O Nanocube: An Efficient Electrocatalyst Toward Artificial N Fixation to NH. <i>Small</i> , <b>2018</b> , 14, e180311	11	100

87	Insights into defective TiO in electrocatalytic N reduction: combining theoretical and experimental studies. <i>Nanoscale</i> , <b>2019</b> , 11, 1555-1562	7.7	95
86	Boron-Doped TiO <sub>2</sub> for Efficient Electrocatalytic N <sub>2</sub> Fixation to NH <sub>3</sub> at Ambient Conditions. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2019</b> , 7, 117-122	8.3	94
85	Electrocatalytic Hydrogenation of N to NH by MnO: Experimental and Theoretical Investigations. <i>Advanced Science</i> , <b>2019</b> , 6, 1801182	13.6	92
84	Hexagonal boron nitride nanosheet for effective ambient N <sub>2</sub> fixation to NH <sub>3</sub> . <i>Nano Research</i> , <b>2019</b> , 12, 919-924	10	88
83	Sulfur dots-graphene nanohybrid: a metal-free electrocatalyst for efficient N-to-NH fixation under ambient conditions. <i>Chemical Communications</i> , <b>2019</b> , 55, 3152-3155	5.8	88
82	Defect-rich fluorographene nanosheets for artificial N fixation under ambient conditions. <i>Chemical Communications</i> , <b>2019</b> , 55, 4266-4269	5.8	87
81	Boosting electrocatalytic N reduction to NH on FeOOH by fluorine doping. <i>Chemical Communications</i> , <b>2019</b> , 55, 3987-3990	5.8	86
80	Ambient electrohydrogenation of N <sub>2</sub> for NH <sub>3</sub> synthesis on non-metal boron phosphide nanoparticles: the critical role of P in boosting the catalytic activity. <i>Journal of Materials Chemistry A</i> , <b>2019</b> , 7, 16117-16121	13	84
79	Electrocatalytic N-to-NH conversion with high faradaic efficiency enabled using a Bi nanosheet array. <i>Chemical Communications</i> , <b>2019</b> , 55, 5263-5266	5.8	84
78	Ternary NiCoP nanosheet array on a Ti mesh: a high-performance electrochemical sensor for glucose detection. <i>Chemical Communications</i> , <b>2016</b> , 52, 14438-14441	5.8	84
77	Iron-group electrocatalysts for ambient nitrogen reduction reaction in aqueous media. <i>Nano Research</i> , <b>2021</b> , 14, 555-569	10	84
76	Cobalt phosphide nanowire array as an effective electrocatalyst for non-enzymatic glucose sensing. <i>Journal of Materials Chemistry B</i> , <b>2017</b> , 5, 1901-1904	7.3	83
75	Boosting electrocatalytic N reduction by MnO with oxygen vacancies. <i>Chemical Communications</i> , <b>2019</b> , 55, 4627-4630	5.8	83
74	CrO Nanoparticle-Reduced Graphene Oxide Hybrid: A Highly Active Electrocatalyst for N Reduction at Ambient Conditions. <i>Inorganic Chemistry</i> , <b>2019</b> , 58, 2257-2260	5.1	79
73	Electrochemical non-enzymatic glucose sensors: recent progress and perspectives. <i>Chemical Communications</i> , <b>2020</b> , 56, 14553-14569	5.8	79
72	FeP nanorod arrays on carbon cloth: a high-performance anode for sodium-ion batteries. <i>Chemical Communications</i> , <b>2018</b> , 54, 9341-9344	5.8	76
71	Honeycomb Carbon Nanofibers: A Superhydrophilic O <sub>2</sub> -Entrapping Electrocatalyst Enables Ultrahigh Mass Activity for the Two-Electron Oxygen Reduction Reaction. <i>Angewandte Chemie - International Edition</i> , <b>2021</b> , 60, 10583-10587	16.4	76
70	Rational design of a multidimensional N-doped porous carbon/MoS <sub>2</sub> /CNT nano-architecture hybrid for high performance lithium-sulfur batteries. <i>Journal of Materials Chemistry A</i> , <b>2018</b> , 6, 13835-13847	13	74

69	An Fe-MOF nanosheet array with superior activity towards the alkaline oxygen evolution reaction. <i>Inorganic Chemistry Frontiers</i> , <b>2018</b> , 5, 1405-1408	6.8	73
68	An MnO <sub>2</sub> @i3C2Tx MXene nanohybrid: an efficient and durable electrocatalyst toward artificial N <sub>2</sub> fixation to NH <sub>3</sub> under ambient conditions. <i>Journal of Materials Chemistry A</i> , <b>2019</b> , 7, 18823-18827	13	73
67	Spinel LiMnO Nanofiber: An Efficient Electrocatalyst for N Reduction to NH under Ambient Conditions. <i>Inorganic Chemistry</i> , <b>2019</b> , 58, 9597-9601	5.1	72
66	Enhancing Electrocatalytic N <sub>2</sub> Reduction to NH <sub>3</sub> by CeO <sub>2</sub> Nanorod with Oxygen Vacancies. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2019</b> , 7, 2889-2893	8.3	71
65	Ammonia Synthesis from Electrocatalytic N <sub>2</sub> Reduction under Ambient Conditions by Fe <sub>2</sub> O <sub>3</sub> Nanorods. <i>ChemCatChem</i> , <b>2018</b> , 10, 4530-4535	5.2	67
64	Mn <sub>3</sub> O <sub>4</sub> nanoparticles@reduced graphene oxide composite: An efficient electrocatalyst for artificial N <sub>2</sub> fixation to NH <sub>3</sub> at ambient conditions. <i>Nano Research</i> , <b>2019</b> , 12, 1093-1098	10	66
63	Efficient electrohydrogenation of N to NH by oxidized carbon nanotubes under ambient conditions. <i>Chemical Communications</i> , <b>2019</b> , 55, 4997-5000	5.8	66
62	Metal-organic framework-derived shuttle-like V <sub>2</sub> O <sub>3</sub> /C for electrocatalytic N <sub>2</sub> reduction under ambient conditions. <i>Inorganic Chemistry Frontiers</i> , <b>2019</b> , 6, 391-395	6.8	65
61	Fe(III)-based coordination polymer nanoparticles: peroxidase-like catalytic activity and their application to hydrogen peroxide and glucose detection. <i>Catalysis Science and Technology</i> , <b>2012</b> , 2, 432-436	5.5	64
60	Electrocatalytic N-to-NH conversion using oxygen-doped graphene: experimental and theoretical studies. <i>Chemical Communications</i> , <b>2019</b> , 55, 7502-7505	5.8	63
59	High-performance non-enzymatic glucose detection: using a conductive Ni-MOF as an electrocatalyst. <i>Journal of Materials Chemistry B</i> , <b>2020</b> , 8, 5411-5415	7.3	63
58	Greatly Enhanced Electrocatalytic N <sub>2</sub> Reduction over V <sub>2</sub> O <sub>3</sub> /C by P Doping. <i>ChemNanoMat</i> , <b>2020</b> , 6, 1315-1319	13.19	62
57	Porous LaFeO <sub>3</sub> nanofiber with oxygen vacancies as an efficient electrocatalyst for N <sub>2</sub> conversion to NH <sub>3</sub> under ambient conditions. <i>Journal of Energy Chemistry</i> , <b>2020</b> , 50, 402-408	12	62
56	WO nanosheets rich in oxygen vacancies for enhanced electrocatalytic N reduction to NH. <i>Nanoscale</i> , <b>2019</b> , 11, 19274-19277	7.7	61
55	2020 Roadmap on gas-involved photo- and electro- catalysis. <i>Chinese Chemical Letters</i> , <b>2019</b> , 30, 2089-2109	10.9	59
54	A perovskite LaTiO nanosheet as an efficient electrocatalyst for artificial N fixation to NH in acidic media. <i>Chemical Communications</i> , <b>2019</b> , 55, 6401-6404	5.8	58
53	Bi nanodendrites for efficient electrocatalytic N fixation to NH under ambient conditions. <i>Chemical Communications</i> , <b>2020</b> , 56, 2107-2110	5.8	55
52	A Biomass-Derived Carbon-Based Electrocatalyst for Efficient N Fixation to NH under Ambient Conditions. <i>Chemistry - A European Journal</i> , <b>2019</b> , 25, 1914-1917	4.8	51

51	Bimetal-organic framework MIL-53(Co-Fe): an efficient and robust electrocatalyst for the oxygen evolution reaction. <i>Nanoscale</i> , <b>2020</b> , 12, 67-71	7.7	50
50	Unique nanosheet-nanowire structured CoMnFe layered triple hydroxide arrays as self-supporting electrodes for a high-efficiency oxygen evolution reaction. <i>Journal of Materials Chemistry A</i> , <b>2019</b> , 7, 13130-13141	13	49
49	NiS <sub>2</sub> nanosheet array: A high-active bifunctional electrocatalyst for hydrazine oxidation and water reduction toward energy-efficient hydrogen production. <i>Materials Today Energy</i> , <b>2017</b> , 3, 9-14	7	47
48	Commercial indium-tin oxide glass: A catalyst electrode for efficient N <sub>2</sub> reduction at ambient conditions. <i>Chinese Journal of Catalysis</i> , <b>2021</b> , 42, 1024-1029	11.3	44
47	Electrocatalytic N <sub>2</sub> Fixation over Hollow VO <sub>2</sub> Microspheres at Ambient Conditions. <i>ChemElectroChem</i> , <b>2019</b> , 6, 1014-1018	4.3	43
46	Biomass-derived oxygen-doped hollow carbon microtubes for electrocatalytic N-to-NH fixation under ambient conditions. <i>Chemical Communications</i> , <b>2019</b> , 55, 2684-2687	5.8	39
45	Hierarchically structured bimetallic electrocatalyst synthesized via template-directed fabrication MOF arrays for high-efficiency oxygen evolution reaction. <i>Electrochimica Acta</i> , <b>2019</b> , 298, 525-532	6.7	39
44	Activator-induced tuning of micromorphology and electrochemical properties in biomass carbonaceous materials derived from mushroom for lithium-sulfur batteries. <i>Electrochimica Acta</i> , <b>2017</b> , 242, 146-158	6.7	38
43	CuP nanoparticle-reduced graphene oxide hybrid: an efficient electrocatalyst to realize N-to-NH conversion under ambient conditions. <i>Chemical Communications</i> , <b>2020</b> , 56, 9328-9331	5.8	38
42	TiB <sub>2</sub> thin film enabled efficient NH <sub>3</sub> electrosynthesis at ambient conditions. <i>Materials Today Physics</i> , <b>2021</b> , 18, 100396	8	37
41	Enabling electrochemical conversion of N <sub>2</sub> to NH <sub>3</sub> under ambient conditions by a CoP <sub>3</sub> nanoneedle array. <i>Journal of Materials Chemistry A</i> , <b>2020</b> , 8, 17956-17959	13	35
40	An Eco-friendly Microorganism Method To Activate Biomass for Cathode Materials for High-Performance Lithium-Sulfur Batteries. <i>Energy &amp; Fuels</i> , <b>2018</b> , 32, 9997-10007	4.1	35
39	Ambient electrochemical N <sub>2</sub> -to-NH <sub>3</sub> fixation enabled by Nb <sub>2</sub> O <sub>5</sub> nanowire array. <i>Inorganic Chemistry Frontiers</i> , <b>2019</b> , 6, 423-427	6.8	33
38	Recent Advances in Nonprecious Metal Oxide Electrocatalysts and Photocatalysts for N <sub>2</sub> Reduction Reaction under Ambient Condition. <i>Small Science</i> , <b>2021</b> , 1, 2000069		33
37	Nitrogen-Doped Hierarchical Porous Carbon Framework Derived from Waste Pig Nails for High-Performance Supercapacitors. <i>ChemElectroChem</i> , <b>2017</b> , 4, 3181-3187	4.3	32
36	Hierarchical CoTe <sub>2</sub> Nanowire Array: An Effective Oxygen Evolution Catalyst in Alkaline Media. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2018</b> , 6, 4481-4485	8.3	32
35	Electrocatalytic N <sub>2</sub> reduction to NH <sub>3</sub> with high Faradaic efficiency enabled by vanadium phosphide nanoparticle on V foil. <i>Nano Research</i> , <b>2020</b> , 13, 2967-2972	10	32
34	TiO Nanoparticles with Ti Sites toward Efficient NH <sub>3</sub> Electrosynthesis under Ambient Conditions. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 41715-41722	9.5	32

33	Hollow Bi <sub>2</sub> MoO <sub>6</sub> Sphere Effectively Catalyzes the Ambient Electroreduction of N <sub>2</sub> to NH <sub>3</sub> . <i>ACS Sustainable Chemistry and Engineering</i> , <b>2019</b> , 7, 12692-12696	8.3	31
32	Greatly Improving Electrochemical N <sub>2</sub> Reduction over TiO <sub>2</sub> Nanoparticles by Iron Doping. <i>Angewandte Chemie</i> , <b>2019</b> , 131, 18620-18624	3.6	31
31	La <sub>2</sub> O <sub>3</sub> nanoplate: An efficient electrocatalyst for artificial N <sub>2</sub> fixation to NH <sub>3</sub> with excellent selectivity at ambient condition. <i>Electrochimica Acta</i> , <b>2019</b> , 298, 106-111	6.7	31
30	Ti self-doped TiO nanowires for efficient electrocatalytic N reduction to NH. <i>Chemical Communications</i> , <b>2020</b> , 56, 1074-1077	5.8	29
29	Enabling the electrocatalytic fixation of N <sub>2</sub> to NH <sub>3</sub> by C-doped TiO <sub>2</sub> nanoparticles under ambient conditions. <i>Nanoscale Advances</i> , <b>2019</b> , 1, 961-964	5.1	29
28	Ambient electrocatalytic N <sub>2</sub> reduction to NH <sub>3</sub> by metal fluorides. <i>Journal of Materials Chemistry A</i> , <b>2019</b> , 7, 17761-17765	13	26
27	CuMoO Nanosheet Array as a High-Efficiency Oxygen Evolution Electrode in Alkaline Solution. <i>Inorganic Chemistry</i> , <b>2018</b> , 57, 1220-1225	5.1	24
26	Nanostructured Bromide-Derived Ag Film: An Efficient Electrocatalyst for N Reduction to NH under Ambient Conditions. <i>Inorganic Chemistry</i> , <b>2018</b> , 57, 14692-14697	5.1	22
25	Cycling- and heating-induced evolution of piezoelectric and ferroelectric properties of CuO-doped K <sub>0.5</sub> Na <sub>0.5</sub> NbO <sub>3</sub> ceramic. <i>Journal of the American Ceramic Society</i> , <b>2019</b> , 102, 351-361	3.8	21
24	Synergistic electrocatalytic N <sub>2</sub> reduction using a PTCA nanorod/GO hybrid. <i>Journal of Materials Chemistry A</i> , <b>2019</b> , 7, 12446-12450	13	19
23	Oxygen-Doped Porous Carbon Nanosheet for Efficient N <sub>2</sub> Fixation to NH <sub>3</sub> at Ambient Conditions. <i>ChemistrySelect</i> , <b>2019</b> , 4, 3547-3550	1.8	19
22	Defect-driven evolution of piezoelectric and ferroelectric properties in CuSb <sub>2</sub> O <sub>6</sub> -doped K <sub>0.5</sub> Na <sub>0.5</sub> NbO <sub>3</sub> lead-free ceramics. <i>Journal of the American Ceramic Society</i> , <b>2017</b> , 100, 5610-5619	3.8	19
21	Hierarchical nitrogen-doped porous carbon/carbon nanotube composites for high-performance supercapacitor. <i>Superlattices and Microstructures</i> , <b>2019</b> , 130, 50-60	2.8	18
20	Porous NiTe <sub>2</sub> nanosheet array: An effective electrochemical sensor for glucose detection. <i>Sensors and Actuators B: Chemical</i> , <b>2018</b> , 274, 427-432	8.5	18
19	Modulating Oxygen Vacancies of TiO <sub>2</sub> Nanospheres by Mn-Doping to Boost Electrocatalytic N <sub>2</sub> Reduction. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2021</b> , 9, 1512-1517	8.3	18
18	La-doped TiO <sub>2</sub> nanorods toward boosted electrocatalytic N <sub>2</sub> -to-NH <sub>3</sub> conversion at ambient conditions. <i>Chinese Journal of Catalysis</i> , <b>2021</b> , 42, 1755-1762	11.3	14
17	Honeycomb Carbon Nanofibers: A Superhydrophilic O <sub>2</sub> -Entrapping Electrocatalyst Enables Ultrahigh Mass Activity for the Two-Electron Oxygen Reduction Reaction. <i>Angewandte Chemie</i> , <b>2021</b> , 133, 10677-10681	3.6	12
16	Ambient electrochemical N reduction to NH under alkaline conditions enabled by a layered KTiO nanobelt. <i>Chemical Communications</i> , <b>2019</b> , 55, 7546-7549	5.8	10

15	One-Step Synthesis of a Coral-Like Cobalt Iron Oxyhydroxide Porous Nanoarray: An Efficient Catalyst for Oxygen Evolution Reactions. <i>ChemPlusChem</i> , <b>2019</b> , 84, 1681-1687	2.8	10
14	A comparative study of electrocatalytic oxidation of glucose on conductive Ni-MOF nanosheet arrays with different ligands. <i>New Journal of Chemistry</i> , <b>2020</b> , 44, 17849-17853	3.6	10
13	3D shell-core structured NiCu-OH@Cu(OH) <sub>2</sub> nanorod: A high-performance catalytic electrode for non-enzymatic glucose detection. <i>Journal of Electroanalytical Chemistry</i> , <b>2020</b> , 876, 114477	4.1	10
12	Ambient electrochemical N <sub>2</sub> -to-NH <sub>3</sub> conversion catalyzed by TiO <sub>2</sub> decorated juncus effusus-derived carbon microtubes. <i>Inorganic Chemistry Frontiers</i> , <b>2022</b> , 9, 1514-1519	6.8	9
11	Structured Polyaniline: An Efficient and Durable Electrocatalyst for the Nitrogen Reduction Reaction in Acidic Media. <i>ChemElectroChem</i> , <b>2019</b> , 6, 2215-2218	4.3	8
10	Vanadium Doped Nickel Phosphide Nanosheets Self-Assembled Microspheres as a High-Efficiency Oxygen Evolution Catalyst. <i>ChemCatChem</i> , <b>2020</b> , 12, 917-925	5.2	8
9	Hornwort-like hollow porous MoO <sub>3</sub> /NiF <sub>2</sub> heterogeneous nanowires as high-performance electrocatalysts for efficient water oxidation. <i>Electrochimica Acta</i> , <b>2021</b> , 379, 138146	6.7	6
8	Modulation of the Crystal Structure and Ultralong Life Span of a Na <sub>3</sub> V <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> -Based Cathode for a High-Performance Sodium-Ion Battery by Niobium/Vanadium Substitution. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2020</b> , 59, 21039-21046	3.9	5
7	Ag@TiO <sub>2</sub> as an Efficient Electrocatalyst for N <sub>2</sub> Fixation to NH <sub>3</sub> under Ambient Conditions. <i>ChemistrySelect</i> , <b>2021</b> , 6, 5271-5274	1.8	3
6	Metal-Organic Framework-Derived ZnSe- and CoSe-Filled Porous Nitrogen-Doped Carbon Nanocubes Interconnected by Reduced Graphene Oxide for Sodium-Ion Battery Anodes. <i>Inorganic Chemistry</i> , <b>2021</b> , 60, 11693-11702	5.1	3
5	Highly Enhanced OER Performance by Er-Doped Fe-MOF Nanoarray at Large Current Densities. <i>Nanomaterials</i> , <b>2021</b> , 11,	5.4	3
4	Hydrangea flower-like nanostructure of dysprosium-doped Fe-MOF for highly efficient oxygen evolution reaction. <i>Rare Metals</i> , <b>2021</b> , 41, 844	5.5	2
3	In Situ Derived Bi Nanoparticles Confined in Carbon Rods as an Efficient Electrocatalyst for Ambient N Reduction to NH <sub>3</sub> . <i>Inorganic Chemistry</i> , <b>2021</b> , 60, 7584-7589	5.1	2
2	Electrocatalysis enabled transformation of earth-abundant water, nitrogen and carbon dioxide for a sustainable future. <i>Materials Advances</i> ,	3.3	1
1	Mn-Doped NiFe Layered Double Hydroxide Nanosheets Decorated by Co(OH) <sub>2</sub> Nanosheets: A 3-Dimensional Core-Shell Catalyst for Efficient Oxygen Evolution Reaction. <i>Catalysis Letters</i> , <b>2021</b> , 1	2.8	1