

Yvan Vander Heyden

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/10637500/yvan-vander-heyden-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

63

papers

2,588

citations

28

h-index

50

g-index

64

ext. papers

2,786

ext. citations

3.9

avg, IF

5.27

L-index

#	Paper	IF	Citations
63	Validation of gas chromatographic methods 2021 , 547-560		
62	Quality Control of Herbal Medicines: From Traditional Techniques to State-of-the-art Approaches. <i>Planta Medica</i> , 2021 , 87, 964-988	3.1	7
61	Rendering A Chiral Screening Step In Supercritical Fluid Chromatography Mass-Spectrometry Compatible. <i>Journal of Chromatography A</i> , 2020 , 1624, 461201	4.5	3
60	Recent developments in liquid and supercritical fluid chromatographic enantioseparations. <i>Handbook of Analytical Separations</i> , 2020 , 8, 453-521	0.7	5
59	Defining a system suitability limit to decide on column deterioration and to facilitate column transfers in chiral supercritical fluid chromatography. <i>Analytical and Bioanalytical Chemistry</i> , 2020 , 412, 6221-6230	4.4	1
58	Recent advances in untargeted and targeted approaches applied in herbal-extracts and essential-oils fingerprinting - A review. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 177, 112849	3.5	35
57	Experimental Design Methodologies for the Optimization of Chiral Separations: An Overview. <i>Methods in Molecular Biology</i> , 2019 , 1985, 453-478	1.4	5
56	Assessing mixtures of supercharging agents to increase the abundance of a specific charge state of Neuromedin U. <i>Talanta</i> , 2019 , 198, 206-214	6.2	3
55	Interinstrumental Transfer of a Chiral Capillary Electrophoretic Method: The Use of Robustness Test Information to Overcome Differences in Detector and Data-Handling Specifications. <i>Chromatographia</i> , 2018 , 81, 335-348	2.1	4
54	Liquid Chromatography for Plant Metabolite Profiling in the Field of Drug Discovery 2018 , 73-109		
53	Investigation of the effect of mobile phase composition on selectivity using a solvent-triangle based approach in achiral SFC. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 132, 247-257	3.5	15
52	A comprehensive strategy using chromatographic profiles combined with chemometric methods: Application to quality control of <i>Polygonum cuspidatum</i> Sieb. et Zucc. <i>Journal of Chromatography A</i> , 2016 , 1466, 67-75	4.5	11
51	Determination of optimal extraction conditions for phenolic compounds from <i>Pistacia atlantica</i> leaves using the response surface methodology. <i>Analytical Methods</i> , 2016 , 8, 6107-6114	3.2	26
50	An improved microbore UHPLC method with electrochemical detection for the simultaneous determination of low monoamine levels in in vivo brain microdialysis samples. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 127, 136-46	3.5	18
49	Antioxidant activities of <i>Pistacia atlantica</i> extracts modeled as a function of chromatographic fingerprints in order to identify antioxidant markers. <i>Microchemical Journal</i> , 2016 , 128, 208-217	4.8	27
48	The use of chemometrics to study multifunctional indole alkaloids from <i>Psychotria nemorosa</i> (Palicourea comb. nov.). Part I: Extraction and fractionation optimization based on metabolic profiling. <i>Journal of Chromatography A</i> , 2016 , 1463, 60-70	4.5	14
47	Characterization and classification of stationary phases in HPLC and SFC a review. <i>Analytica Chimica Acta</i> , 2015 , 886, 1-15	6.6	51

46	Characterizing and optimizing magnetosome production of <i>Magnetospirillum</i> sp. XM-1 isolated from Xi'an City Moat, China. <i>FEMS Microbiology Letters</i> , 2015 , 362,	2.9	12
45	Method development for impurity profiling in SFC: The selection of a dissimilar set of stationary phases. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 111, 333-43	3.5	28
44	Improved sensitivity of the nano ultra-high performance liquid chromatography-tandem mass spectrometric analysis of low-concentrated neuropeptides by reducing aspecific adsorption and optimizing the injection solvent. <i>Journal of Chromatography A</i> , 2014 , 1360, 217-28	4.5	34
43	Development and validation of an ion-exchange chromatography method for heparin and its impurities in heparin products. <i>Journal of Separation Science</i> , 2014 , 37, 3195-204	3.4	9
42	Inter-instrumental method transfer of chiral capillary electrophoretic methods using robustness test information. <i>Journal of Chromatography A</i> , 2014 , 1353, 148-59	4.5	6
41	Generic chiral method development in supercritical fluid chromatography and ultra-performance supercritical fluid chromatography. <i>Journal of Chromatography A</i> , 2014 , 1363, 311-22	4.5	42
40	Exploratory data analysis as a tool for similarity assessment and clustering of chiral polysaccharide-based systems used to separate pharmaceuticals in supercritical fluid chromatography. <i>Journal of Chromatography A</i> , 2014 , 1326, 110-24	4.5	14
39	Similarity analyses of chromatographic herbal fingerprints: a review. <i>Analytica Chimica Acta</i> , 2013 , 804, 16-28	6.6	114
38	Updating a generic screening approach in sub- or supercritical fluid chromatography for the enantioresolution of pharmaceuticals. <i>Journal of Supercritical Fluids</i> , 2013 , 80, 50-59	4.2	28
37	Experimental design methodologies in the optimization of chiral CE or CEC separations: an overview. <i>Methods in Molecular Biology</i> , 2013 , 970, 409-27	1.4	12
36	Chromatographic Development, Validation and Data Handling of Tea Fingerprints 2013 , 323-333		1
35	Supercritical fluid chromatography for the enantioseparation of pharmaceuticals. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 69, 77-92	3.5	142
34	Enantioselectivity of polysaccharide-based chiral stationary phases in supercritical fluid chromatography using methanol-containing carbon dioxide mobile phases. <i>Journal of Chromatography A</i> , 2012 , 1269, 336-45	4.5	48
33	Test-set reduction in the screening step definition of a chiral separation strategy in polar organic solvents chromatography. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012 , 910, 95-102	3.2	5
32	Validation of Gas Chromatographic Methods 2012 , 435-449		1
31	Bilinear decomposition based alignment of chromatographic profiles. <i>Analytical Chemistry</i> , 2012 , 84, 5653-60	7.8	18
30	Combined use of isopropylamine and trifluoroacetic acid in methanol-containing mobile phases for chiral supercritical fluid chromatography. <i>Journal of Chromatography A</i> , 2012 , 1234, 72-9	4.5	52
29	Quality control of <i>Citri reticulatae</i> pericarpium: exploratory analysis and discrimination. <i>Analytica Chimica Acta</i> , 2011 , 705, 111-22	6.6	24

28	Chiral separations in normal-phase liquid chromatography: Enantioselectivity of recently commercialized polysaccharide-based selectors. Part II. Optimization of enantioselectivity. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 56, 521-37	3.5	31
27	Chromatographic separation techniques and data handling methods for herbal fingerprints: a review. <i>Analytica Chimica Acta</i> , 2011 , 690, 148-61	6.6	222
26	Capillary electrochromatographic testing of monolithic silica columns synthesized according to an experimental design approach. <i>Journal of Separation Science</i> , 2011 , 34, 2305-13	3.4	4
25	Chiral separations in normal phase liquid chromatography: enantioselectivity of recently commercialized polysaccharide-based selectors. Part I: enantioselectivity under generic screening conditions. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 55, 414-23	3.5	50
24	Experimental designs and their recent advances in set-up, data interpretation, and analytical applications. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 56, 141-58	3.5	213
23	Recent developments in chromatographic fingerprints from herbal products: set-up and data analysis. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2010 , 13, 900-22	1.3	36
22	Emerging analytical separation techniques with high-throughput potential for pharmaceutical analysis, part II: Novel chromatographic modes. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2010 , 13, 530-47	1.3	8
21	High-Throughput Screening and Method Development Strategies to Separate Chiral Drug Compounds in HPLC, SFC, and CE 2010 , 383-416		
20	Chiral separations in sub- and supercritical fluid chromatography. <i>Journal of Separation Science</i> , 2008 , 31, 1252-73	3.4	96
19	Fast generic chiral separation strategies using electrophoretic and liquid chromatographic techniques. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008 , 48, 288-94	3.5	26
18	Set-up and evaluation of interlaboratory studies. <i>Journal of Chromatography A</i> , 2007 , 1158, 158-67	4.5	42
17	Ruggedness and robustness testing. <i>Journal of Chromatography A</i> , 2007 , 1158, 138-57	4.5	163
16	Enantiomeric impurity determination in capillary electrophoresis using a highly-sulfated cyclodextrins-based method. <i>Biomedical Chromatography</i> , 2006 , 20, 696-709	1.7	28
15	Interlaboratory study of a NACE method for the determination of R-timolol content in S-timolol maleate: assessment of uncertainty. <i>Electrophoresis</i> , 2006 , 27, 2386-99	3.6	21
14	Precision study on capillary electrophoresis methods for metacycline. <i>Electrophoresis</i> , 2006 , 27, 2317-29	3.6	12
13	Chiral separation strategy in polar organic solvent chromatography and performance comparison with normal-phase liquid and supercritical-fluid chromatography. <i>Journal of Separation Science</i> , 2006 , 29, 1353-62	3.4	46
12	Screening approach for chiral separation of pharmaceuticals IV. Polar organic solvent chromatography. <i>Journal of Chromatography A</i> , 2006 , 1111, 48-61	4.5	72
11	Sequential uniform designs for fingerprints development of Ginkgo biloba extracts by capillary electrophoresis. <i>Journal of Chromatography A</i> , 2006 , 1128, 273-81	4.5	47

10	Pretreatments of chromatographic fingerprints for quality control of herbal medicines. <i>Journal of Chromatography A</i> , 2006 , 1134, 253-9	4.5	98
9	Screening approach for chiral separation of pharmaceuticals. Part III. Supercritical fluid chromatography for analysis and purification in drug discovery. <i>Journal of Chromatography A</i> , 2005 , 1088, 67-81	4.5	161
8	Development, optimization and validation of a fingerprint of Ginkgo biloba extracts by high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 2005 , 1066, 97-104	4.5	85
7	Strategy for the chiral separation of non-acidic pharmaceuticals using capillary electrochromatography. <i>Electrophoresis</i> , 2005 , 26, 3930-41	3.6	24
6	Influence of peak measurement parameters on the quality of chiral electrophoretic separations. <i>Electrophoresis</i> , 2003 , 24, 2469-80	3.6	13
5	Enantioseparations of basic and bifunctional pharmaceuticals by capillary electrochromatography using polysaccharide stationary phases. <i>Electrophoresis</i> , 2003 , 24, 2567-76	3.6	40
4	Derivation of system suitability test limits from a robustness test on an LC assay with complex antibiotic samples. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2002 , 30, 1197-206	3.5	16
3	Rapid screening for chiral separations by short-end injection capillary electrophoresis using highly sulfated cyclodextrins as chiral selectors. <i>Electrophoresis</i> , 2001 , 22, 3203-15	3.6	80
2	Supersaturated designs for robustness testing. <i>Analytical Chemistry</i> , 2000 , 72, 2869-74	7.8	17
1	Reappraisal of Hypothesis Testing for Method Validation: Detection of Systematic Error by Comparing the Means of Two Methods or of Two Laboratories. <i>Analytical Chemistry</i> , 1995 , 67, 4491-4499	7.8	122