

# Hui Li

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1064092/publications.pdf>

Version: 2024-02-01

14  
papers

319  
citations

1163117

8  
h-index

1058476

14  
g-index

14  
all docs

14  
docs citations

14  
times ranked

515  
citing authors

#	ARTICLE	IF	CITATIONS
1	Selenium Deficiency Leads to Changes in Renal Fibrosis Marker Proteins and Wnt/ $\beta$ 2-Catenin Signaling Pathway Components. <i>Biological Trace Element Research</i> , 2022, 200, 1127-1139.	3.5	10
2	Selenium Deficiency-Induced Damage and Altered Expression of Mitochondrial Biogenesis Markers in the Kidneys of Mice. <i>Biological Trace Element Research</i> , 2021, 199, 185-196.	3.5	25
3	Identification of biomarkers for acute leukemia via machine learning-based stemness index. <i>Gene</i> , 2021, 804, 145903.	2.2	7
4	mRNAsi Index: Machine Learning in Mining Lung Adenocarcinoma Stem Cell Biomarkers. <i>Genes</i> , 2020, 11, 257.	2.4	79
5	Knockdown of Trnau1ap inhibits the proliferation and migration of NIH3T3, JEG-3 and Bewo cells via the PI3K/Akt signaling pathway. <i>Biochemical and Biophysical Research Communications</i> , 2018, 503, 521-527.	2.1	8
6	Selenoprotein K Mediates the Proliferation, Migration, and Invasion of Human Choriocarcinoma Cells by Negatively Regulating Human Chorionic Gonadotropin Expression via ERK, p38 MAPK, and Akt Signaling Pathway. <i>Biological Trace Element Research</i> , 2018, 184, 47-59.	3.5	20
7	Loss of selenocysteine insertion sequence binding protein 2 suppresses the proliferation, migration/invasion and hormone secretion of human trophoblast cells via the PI3K/Akt and ERK signaling pathway. <i>Placenta</i> , 2017, 55, 81-89.	1.5	18
8	MicroRNA-328 is involved in the effect of selenium on hydrogen peroxide-induced injury in H9c2 cells. <i>Journal of Biochemical and Molecular Toxicology</i> , 2017, 31, e21920.	3.0	10
9	Role of tRNA selenocysteine 1 associated protein 1 in the proliferation and apoptosis of cardiomyocyte-like H9c2 cells. <i>Molecular Medicine Reports</i> , 2017, 15, 988-994.	2.4	6
10	Dishevelled-1 (Dvl-1) Protein: a Potential Participant of Oxidative Stress Induced by Selenium Deficiency. <i>Biological Trace Element Research</i> , 2014, 157, 45-50.	3.5	4
11	A mutually beneficial relationship between hepatocytes and cardiomyocytes mitigates doxorubicin-induced toxicity. <i>Toxicology Letters</i> , 2014, 227, 157-163.	0.8	7
12	mmu-miR-702 functions as an anti-apoptotic mirtron by mediating ATF6 inhibition in mice. <i>Gene</i> , 2013, 531, 235-242.	2.2	30
13	Tetrodotoxin attenuates isoproterenol-induced hypertrophy in H9c2 rat cardiac myocytes. <i>Molecular and Cellular Biochemistry</i> , 2012, 371, 77-88.	3.1	10
14	MicroRNA-421 functions as an oncogenic miRNA in biliary tract cancer through down-regulating farnesoid X receptor expression. <i>Gene</i> , 2012, 493, 44-51.	2.2	85