## Alejandro Calderón-Urrea

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1064650/publications.pdf

Version: 2024-02-01

23

all docs

22 389 10 papers citations h-index

23

docs citations

h-index g-index

23
454
times ranked citing authors

794594

19

#	Article	IF	Citations
1	Appropriate Ammonium/Nitrate Mitigates Low Light Stress in Brassica pekinensis by Regulating the Nitrogen Metabolism and Expression Levels of Key Proteins. Journal of Plant Growth Regulation, 2021, 40, 574-593.	5.1	7
2	Bacterial communities as indicators of soil health under a continuous cropping system. Land Degradation and Development, 2021, 32, 2393-2408.	3.9	13
3	5-Aminolevulinic Acid Improves Morphogenesis and Na+ Subcellular Distribution in the Apical Cells of Cucumis sativus L. Under Salinity Stress. Frontiers in Plant Science, 2021, 12, 636121.	3.6	10
4	Proteomic analysis reveals key proteins involved in ethylene-induced adventitious root development in cucumber ( <i>Cucumis sativus</i> L.). PeerJ, 2021, 9, e10887.	2.0	6
5	<i>ptxD/</i> Phi as alternative selectable marker system for genetic transformation for bio-safety concerns: a review. PeerJ, 2021, 9, e11809.	2.0	9
6	Soil Fungal Diversity Loss and Appearance of Specific Fungal Pathogenic Communities Associated With the Consecutive Replant Problem (CRP) in Lily. Frontiers in Microbiology, 2020, 11, 1649.	3.5	12
7	Transcriptome Analysis Reveals the Different Response to Toxic Stress in Rootstock Grafted and Non-Grafted Cucumber Seedlings. International Journal of Molecular Sciences, 2020, 21, 774.	4.1	17
8	Promoting pepper (Capsicum annuum) photosynthesis via chloroplast ultrastructure and enzyme activities by optimising the ammonium to nitrate ratio. Functional Plant Biology, 2020, 47, 303.	2.1	8
9	Foliar application of abscisic acid mitigates cadmium stress and increases food safety of cadmium-sensitive lettuce ( <i>Lactuca sativa</i> L.) genotype. Peerl, 2020, 8, e9270.	2.0	15
10	Nitric Oxide Is Involved in the Regulation of the Ascorbate–Glutathione Cycle Induced by the Appropriate Ammonium: Nitrate to Mitigate Low Light Stress in Brassica pekinensis. Plants, 2019, 8, 489.	3.5	10
11	Root tolerance and biochemical response of Chinese lettuce ( <i>Lactuca sativa</i> L.) genotypes to cadmium stress. PeerJ, 2019, 7, e7530.	2.0	6
12	Different exogenous sugars affect the hormone signal pathway and sugar metabolism in "Red Globe― (Vitis vinifera L.) plantlets grown in vitro as shown by transcriptomic analysis. Planta, 2017, 246, 537-552.	3.2	15
13	Effects of elicitors on trichothecene accumulation and Tri genes expression in potato tubers inoculated with Fusarium sulphureum. European Journal of Plant Pathology, 2017, 148, 673-685.	1.7	13
14	Selection and validation of reference genes for RT-qPCR analysis in potato under abiotic stress. Plant Methods, 2017, 13, 85.	4.3	104
15	Transcriptome Analysis of Pepper (Capsicum annuum) Revealed a Role of 24-Epibrassinolide in Response to Chilling. Frontiers in Plant Science, 2016, 7, 1281.	3.6	51
16	Anatomical changes to protect organelle integrity account for tolerance to alkali and salt stresses in Melilotus officinalis. Plant and Soil, 2016, 406, 327-340.	3.7	20
17	Autotoxicity in cucumber (Cucumis sativus L.) seedlings is alleviated by silicon through an increase in the activity of antioxidant enzymes and by mitigating lipid peroxidation. Journal of Plant Biology, 2016, 59, 247-259.	2.1	34
18	Early development of the root-knot nematode Meloidogyne incognita. BMC Developmental Biology, 2016, 16, 10.	2.1	19

#	Article	IF	CITATIONS
19	Damage to <i>Trichothecium roseum</i> caused by sodium silicate is independent from pH. Canadian Journal of Microbiology, 2016, 62, 161-172.	1.7	17
20	Overexpression of sense and antisense ced-9 in tobacco plants confers resistance to Meloidogyne incognita. Plant Biotechnology Reports, 2012, 6, 263-274.	1.5	1
21	Expression of the cell death protein CED-4 of Caenorhabditis elegans in transgenic tobacco plants confers resistance to Meloidogyne incognita. Plant Biotechnology Reports, 2012, 6, 275-284.	1.5	2
22	Grafting-enhanced tolerance of cucumber to toxic stress is associated with regulation of phenolic and other aromatic acids metabolism. PeerJ, 0, 10, e13521.	2.0	0