Marco Vimercati

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10646597/publications.pdf

Version: 2024-02-01

1040056 1474206 9 896 9 9 citations h-index g-index papers 9 9 9 994 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | Monitored Atrial Fibrillation Duration Predicts Arterial Embolic Events in Patients Suffering From Bradycardia and Atrial Fibrillation Implanted With Antitachycardia Pacemakers. Journal of the American College of Cardiology, 2005, 46, 1913-1920. | 2.8 | 375 |
| 2 | Presence and Duration of Atrial Fibrillation Detected by Continuous Monitoring: Crucial Implications for the Risk of Thromboembolic Events. Journal of Cardiovascular Electrophysiology, 2009, 20, 241-248. | 1.7 | 341 |
| 3 | New-generation atrial antitachycardia pacing (Reactive ATP) is associated with reduced risk of persistent or permanent atrial fibrillation in patients with bradycardia: Results from the MINERVA randomized multicenter international trial. Heart Rhythm, 2015, 12, 1717-1725. | 0.7 | 56 |
| 4 | Improving Thromboprophylaxis Using Atrial Fibrillation Diagnostic Capabilities in Implantable Cardioverter-Defibrillators. Circulation: Cardiovascular Quality and Outcomes, 2012, 5, 182-188. | 2.2 | 33 |
| 5 | Temporal variability of atrial tachyarrhythmia burden in bradycardia–tachycardia syndrome patients. European Heart Journal, 2005, 26, 165-172. | 2.2 | 30 |
| 6 | Predictors of Atrial Antitachycardia Pacing Efficacy in Patients Affected by Brady-Tachy Form of Sick Sinus Syndrome and Implanted with a DDDRP Device. Journal of Cardiovascular Electrophysiology, 2005, 16, 714-723. | 1.7 | 22 |
| 7 | The Drug And Pace Health cliNical Evaluation (DAPHNE) study: A randomized trial comparing sotalol versus Î ² -blockers to treat symptomatic atrial fibrillation in patients with brady-tachycardia syndrome implanted with an antitachycardia pacemaker. American Heart Journal, 2008, 156, 373.e1-373.e8. | 2.7 | 19 |
| 8 | Rate control in patients with pacemaker affected by brady-tachy form of sick sinus syndrome. American Heart Journal, 2007, 154, 193-200. | 2.7 | 10 |
| 9 | Temporal Variability of Atrial Fibrillation in Pacemaker Recipients for Bradycardia: Implications for Crossover Designed Trials, Study Sample Size, and Identification of Responder Patients by Means of Arrhythmia Burden. Journal of Cardiovascular Electrophysiology, 2007, 18, 250-257. | 1.7 | 10 |