

Marco Vimercati

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10646597/publications.pdf>

Version: 2024-02-01

9
papers

896
citations

1040056

9
h-index

1474206

9
g-index

9
all docs

9
docs citations

9
times ranked

994
citing authors

#	ARTICLE	IF	CITATIONS
1	New-generation atrial antitachycardia pacing (Reactive ATP) is associated with reduced risk of persistent or permanent atrial fibrillation in patients with bradycardia: Results from the MINERVA randomized multicenter international trial. <i>Heart Rhythm</i> , 2015, 12, 1717-1725.	0.7	56
2	Improving Thromboprophylaxis Using Atrial Fibrillation Diagnostic Capabilities in Implantable Cardioverter-Defibrillators. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2012, 5, 182-188.	2.2	33
3	Presence and Duration of Atrial Fibrillation Detected by Continuous Monitoring: Crucial Implications for the Risk of Thromboembolic Events. <i>Journal of Cardiovascular Electrophysiology</i> , 2009, 20, 241-248.	1.7	341
4	The Drug And Pace Health cliNical Evaluation (DAPHNE) study: A randomized trial comparing sotalol versus β -blockers to treat symptomatic atrial fibrillation in patients with brady-tachycardia syndrome implanted with an antitachycardia pacemaker. <i>American Heart Journal</i> , 2008, 156, 373.e1-373.e8.	2.7	19
5	Rate control in patients with pacemaker affected by brady-tachy form of sick sinus syndrome. <i>American Heart Journal</i> , 2007, 154, 193-200.	2.7	10
6	Temporal Variability of Atrial Fibrillation in Pacemaker Recipients for Bradycardia: Implications for Crossover Designed Trials, Study Sample Size, and Identification of Responder Patients by Means of Arrhythmia Burden. <i>Journal of Cardiovascular Electrophysiology</i> , 2007, 18, 250-257.	1.7	10
7	Predictors of Atrial Antitachycardia Pacing Efficacy in Patients Affected by Brady-Tachy Form of Sick Sinus Syndrome and Implanted with a DDDRP Device. <i>Journal of Cardiovascular Electrophysiology</i> , 2005, 16, 714-723.	1.7	22
8	Temporal variability of atrial tachyarrhythmia burden in bradycardia-tachycardia syndrome patients. <i>European Heart Journal</i> , 2005, 26, 165-172.	2.2	30
9	Monitored Atrial Fibrillation Duration Predicts Arterial Embolic Events in Patients Suffering From Bradycardia and Atrial Fibrillation Implanted With Antitachycardia Pacemakers. <i>Journal of the American College of Cardiology</i> , 2005, 46, 1913-1920.	2.8	375