

# D Flemming Hansen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10649060/publications.pdf>

Version: 2024-02-01

74  
papers

3,377  
citations

136740

32  
h-index

149479

56  
g-index

75  
all docs

75  
docs citations

75  
times ranked

2764  
citing authors

#	ARTICLE	IF	CITATIONS
1	Solution structure of a minor and transiently formed state of a T4 lysozyme mutant. <i>Nature</i> , 2011, 477, 111-114.	13.7	265
2	An Improved <sup>15</sup> N Relaxation Dispersion Experiment for the Measurement of Millisecond Time-Scale Dynamics in Proteins. <i>Journal of Physical Chemistry B</i> , 2008, 112, 5898-5904.	1.2	196
3	Structures of invisible, excited protein states by relaxation dispersion NMR spectroscopy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 11766-11771.	3.3	186
4	Measurement of bond vector orientations in invisible excited states of proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 18473-18477.	3.3	172
5	Fractional <sup>13</sup> C enrichment of isolated carbons using [1- <sup>13</sup> C]- or [2- <sup>13</sup> C]-glucose facilitates the accurate measurement of dynamics at backbone C $\alpha$ and side-chain methyl positions in proteins. <i>Journal of Biomolecular NMR</i> , 2007, 38, 199-212.	1.6	160
6	Probing Chemical Shifts of Invisible States of Proteins with Relaxation Dispersion NMR Spectroscopy: How Well Can We Do?. <i>Journal of the American Chemical Society</i> , 2008, 130, 2667-2675.	6.6	155
7	Visualizing the Molecular Recognition Trajectory of an Intrinsically Disordered Protein Using Multinuclear Relaxation Dispersion NMR. <i>Journal of the American Chemical Society</i> , 2015, 137, 1220-1229.	6.6	128
8	Using relaxation dispersion NMR spectroscopy to determine structures of excited, invisible protein states. <i>Journal of Biomolecular NMR</i> , 2008, 41, 113-120.	1.6	112
9	Determination of Isoleucine Side-Chain Conformations in Ground and Excited States of Proteins from Chemical Shifts. <i>Journal of the American Chemical Society</i> , 2010, 132, 7589-7591.	6.6	88
10	NMR structure of chaperone Chz1 complexed with histones H2A.Z-H2B. <i>Nature Structural and Molecular Biology</i> , 2008, 15, 868-869.	3.6	87
11	Mechanism of Crosstalk between the LSD1 Demethylase and HDAC1 Deacetylase in the CoREST Complex. <i>Cell Reports</i> , 2020, 30, 2699-2711.e8.	2.9	74
12	Determination of Leu Side-Chain Conformations in Excited Protein States by NMR Relaxation Dispersion. <i>Journal of the American Chemical Society</i> , 2010, 132, 42-43.	6.6	72
13	Accurate Measurement of Alpha Proton Chemical Shifts of Excited Protein States by Relaxation Dispersion NMR Spectroscopy. <i>Journal of the American Chemical Society</i> , 2009, 131, 1915-1926.	6.6	68
14	An Exchange-Free Measure of <sup>15</sup> N Transverse Relaxation: An NMR Spectroscopy Application to the Study of a Folding Intermediate with Pervasive Chemical Exchange. <i>Journal of the American Chemical Society</i> , 2007, 129, 11468-11479.	6.6	66
15	Measurement of carbonyl chemical shifts of excited protein states by relaxation dispersion NMR spectroscopy: comparison between uniformly and selectively <sup>13</sup> C labeled samples. <i>Journal of Biomolecular NMR</i> , 2008, 42, 35-47.	1.6	65
16	Probing Dynamic Conformations of the High-Molecular-Weight $\beta$ -Crystallin Heat Shock Protein Ensemble by NMR Spectroscopy. <i>Journal of the American Chemical Society</i> , 2012, 134, 15343-15350.	6.6	63
17	Using Deep Neural Networks to Reconstruct Non-uniformly Sampled NMR Spectra. <i>Journal of Biomolecular NMR</i> , 2019, 73, 577-585.	1.6	62
18	<sup>13</sup> C <sub>2</sub> Methyl Group Probes of Millisecond Time Scale Exchange in Proteins by <sup>1</sup> H Relaxation Dispersion: An Application to Proteasome Gating Residue Dynamics. <i>Journal of the American Chemical Society</i> , 2010, 132, 10992-10995.	6.6	60

#	ARTICLE	IF	CITATIONS
19	Probing Structure in Invisible Protein States with Anisotropic NMR Chemical Shifts. <i>Journal of the American Chemical Society</i> , 2008, 130, 2734-2735.	6.6	58
20	Selective Characterization of Microsecond Motions in Proteins by NMR Relaxation. <i>Journal of the American Chemical Society</i> , 2009, 131, 16257-16265.	6.6	54
21	Characterization of Conformational Exchange of a Histidine Side Chain: Protonation, Rotamerization, and Tautomerization of His61 in Plastocyanin from <i>Anabaena variabilis</i> . <i>Journal of the American Chemical Society</i> , 2008, 130, 8460-8470.	6.6	51
22	Determining Valine Side-Chain Rotamer Conformations in Proteins from Methyl <sup>13</sup> C Chemical Shifts: Application to the 360 kDa Half-Proteasome. <i>Journal of the American Chemical Society</i> , 2011, 133, 8272-8281.	6.6	51
23	Excited States of Nucleic Acids Probed by Proton Relaxation Dispersion NMR Spectroscopy. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 12008-12012.	7.2	48
24	Isotope labeling methods for studies of excited protein states by relaxation dispersion NMR spectroscopy. <i>Nature Protocols</i> , 2009, 4, 1641-1648.	5.5	46
25	CPMG relaxation dispersion NMR experiments measuring glycine <sup>1</sup> H and <sup>13</sup> C chemical shifts in the "invisible" excited states of proteins. <i>Journal of Biomolecular NMR</i> , 2009, 45, 45-55.	1.6	41
26	Solution structure of the major factor VIII binding region on von Willebrand factor. <i>Blood</i> , 2014, 123, 4143-4151.	0.6	41
27	Improved magnetization alignment schemes for spin-lock relaxation experiments. <i>Journal of Biomolecular NMR</i> , 2007, 37, 245-255.	1.6	35
28	Loop Interactions and Dynamics Tune the Enzymatic Activity of the Human Histone Deacetylase 8. <i>Journal of the American Chemical Society</i> , 2013, 135, 17862-17868.	6.6	35
29	Determination of the geometric structure of the metal site in a blue copper protein by paramagnetic NMR. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 1738-1743.	3.3	34
30	Quantifying Two-Bond <sup>1</sup> H- <sup>13</sup> C and One-Bond <sup>1</sup> H- <sup>13</sup> C Dipolar Couplings of Invisible Protein States by Spin-State Selective Relaxation Dispersion NMR Spectroscopy. <i>Journal of the American Chemical Society</i> , 2008, 130, 8397-8405.	6.6	34
31	Probing Arginine Side-Chains and Their Dynamics with Carbon-Detected NMR Spectroscopy: Application to the 42 kDa Human Histone Deacetylase 8 at High pH. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 3145-3147.	7.2	34
32	Measurement of Methyl Axis Orientations in Invisible, Excited States of Proteins by Relaxation Dispersion NMR Spectroscopy. <i>Journal of the American Chemical Society</i> , 2009, 131, 11939-11948.	6.6	33
33	Importance of the Force Field Choice in Capturing Functionally Relevant Dynamics in the von Willebrand Factor. <i>Journal of Physical Chemistry Letters</i> , 2019, 10, 1928-1934.	2.1	32
34	FID-Net: A versatile deep neural network architecture for NMR spectral reconstruction and virtual decoupling. <i>Journal of Biomolecular NMR</i> , 2021, 75, 179-191.	1.6	32
35	Implications of using approximate Bloch-McConnell equations in NMR analyses of chemically exchanging systems: application to the electron self-exchange of plastocyanin. <i>Journal of Magnetic Resonance</i> , 2003, 163, 215-227.	1.2	30
36	Measurement of Methyl Group Motional Parameters of Invisible, Excited Protein States by NMR Spectroscopy. <i>Journal of the American Chemical Society</i> , 2009, 131, 12745-12754.	6.6	30

#	ARTICLE	IF	CITATIONS
37	Detection of Short-Lived Transient Protein-Protein Interactions by Intermolecular Nuclear Paramagnetic Relaxation: Plastocyanin from <i>Anabaena variabilis</i> . <i>Journal of the American Chemical Society</i> , 2003, 125, 6858-6859.	6.6	27
38	Measuring the Signs of $^1\text{H}$ Chemical Shift Differences Between Ground and Excited Protein States by Off-Resonance Spin-Lock $^1\text{H}$ NMR Spectroscopy. <i>Journal of the American Chemical Society</i> , 2009, 131, 10832-10833.	6.6	27
39	A simple method for measuring signs of $^1\text{HN}$ chemical shift differences between ground and excited protein states. <i>Journal of Biomolecular NMR</i> , 2010, 47, 135-141.	1.6	26
40	Molecular Recognition of Lipid II by Lantibiotics: Synthesis and Conformational Studies of Analogues of Nisin and Mutacin Rings A and B. <i>Journal of Organic Chemistry</i> , 2019, 84, 11493-11512.	1.7	26
41	Characterising side chains in large proteins by protonless $^{13}\text{C}$ -detected NMR spectroscopy. <i>Nature Communications</i> , 2019, 10, 1747.	5.8	26
42	A distal regulatory region of a class I human histone deacetylase. <i>Nature Communications</i> , 2020, 11, 3841.	5.8	25
43	A $^{13}\text{C}$ -detected $^{15}\text{N}$ double-quantum NMR experiment to probe arginine side-chain guanidinium $^{15}\text{N}$ chemical shifts. <i>Journal of Biomolecular NMR</i> , 2017, 69, 123-132.	1.6	23
44	A General Method for Determining the Electron Self-Exchange Rates of Blue Copper Proteins by Longitudinal NMR Relaxation. <i>Journal of the American Chemical Society</i> , 2002, 124, 4093-4096.	6.6	22
45	Binding Kinetics of Histone Chaperone Chz1 and Variant Histone H2A.Z-H2B by Relaxation Dispersion NMR Spectroscopy. <i>Journal of Molecular Biology</i> , 2009, 387, 1-9.	2.0	22
46	Measurement of signs of chemical shift differences between ground and excited protein states: a comparison between H(S/M)QC and R $^1\text{H}$ methods. <i>Journal of Biomolecular NMR</i> , 2010, 46, 205-216.	1.6	22
47	Using $^{15}\text{N}$ -Ammonium to Characterise and Map Potassium Binding Sites in Proteins by NMR Spectroscopy. <i>ChemBioChem</i> , 2014, 15, 543-548.	1.3	22
48	On the use of pseudocontact shifts in the structure determination of metalloproteins. <i>Magnetic Resonance in Chemistry</i> , 2006, 44, 294-301.	1.1	21
49	Mapping the Electronic Structure of the Blue Copper Site in Plastocyanin by NMR Relaxation. <i>Journal of the American Chemical Society</i> , 2004, 126, 1247-1252.	6.6	20
50	Accurate Structure and Dynamics of the Metal-Site of Paramagnetic Metalloproteins from NMR Parameters Using Natural Bond Orbitals. <i>Journal of the American Chemical Society</i> , 2012, 134, 4670-4682.	6.6	17
51	Virtual Homonuclear Decoupling in Direct Detection Nuclear Magnetic Resonance Experiments Using Deep Neural Networks. <i>Journal of the American Chemical Society</i> , 2021, 143, 16935-16942.	6.6	17
52	Characterizing Active Site Conformational Heterogeneity along the Trajectory of an Enzymatic Phosphoryl Transfer Reaction. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 11533-11537.	7.2	16
53	A Chemical Biology Approach to Understanding Molecular Recognition of Lipid II by Nisin(1-12): Synthesis and NMR Ensemble Analysis of Nisin(1-12) and Analogues. <i>Chemistry - A European Journal</i> , 2019, 25, 14572-14582.	1.7	16
54	Multiquantum Chemical Exchange Saturation Transfer NMR to Quantify Symmetrical Exchange: Application to Rotational Dynamics of the Guanidinium Group in Arginine Side Chains. <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 5649-5654.	2.1	16

#	ARTICLE	IF	CITATIONS
55	Divided-Evolution-Based Pulse Scheme for Quantifying Exchange Processes in Proteins: Powerful Complement to Relaxation Dispersion Experiments. <i>Journal of the American Chemical Society</i> , 2011, 133, 1935-1945.	6.6	15
56	Determining rotational dynamics of the guanidino group of arginine side chains in proteins by carbon-detected NMR. <i>Chemical Communications</i> , 2017, 53, 10062-10065.	2.2	15
57	Post-translational insertion of boron in proteins to probe and modulate function. <i>Nature Chemical Biology</i> , 2021, 17, 1245-1261.	3.9	15
58	Intra-residue methyl-methyl correlations for valine and leucine residues in large proteins from a 3D-HMBC-HMQC experiment. <i>Journal of Biomolecular NMR</i> , 2019, 73, 749-757.	1.6	14
59	Reinvestigation of the method used to map the electronic structure of blue copper proteins by NMR relaxation. <i>Journal of Biological Inorganic Chemistry</i> , 2006, 11, 277-285.	1.1	12
60	Measuring 1HN temperature coefficients in invisible protein states by relaxation dispersion NMR spectroscopy. <i>Journal of Biomolecular NMR</i> , 2011, 50, 13-18.	1.6	12
61	Relaxation Dispersion NMR Spectroscopy. <i>Biological Magnetic Resonance</i> , 2015, , 75-132.	0.4	11
62	CPMG Experiments for Protein Minor Conformer Structure Determination. <i>Methods in Molecular Biology</i> , 2018, 1688, 223-242.	0.4	11
63	Determining isoleucine side-chain rotamer-sampling in proteins from <sup>13</sup> C chemical shift. <i>Chemical Communications</i> , 2019, 55, 14107-14110.	2.2	10
64	Potent non-hydroxamate inhibitors of histone deacetylase-8: Role and scope of an isoindolin-2-yl linker with an $\alpha$ -amino amide as the zinc-binding unit. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2020, 30, 126926.	1.0	10
65	Interaction Between the $\alpha 3$ Region of Factor VIII and the TIL <sup>TM</sup> Domains of the von Willebrand Factor. <i>Biophysical Journal</i> , 2019, 117, 479-489.	0.2	9
66	Excited States of Nucleic Acids Probed by Proton Relaxation Dispersion NMR Spectroscopy. <i>Angewandte Chemie</i> , 2016, 128, 12187-12191.	1.6	8
67	Arginine Side-Chain Hydrogen Exchange: Quantifying Arginine Side-Chain Interactions in Solution. <i>ChemPhysChem</i> , 2019, 20, 252-259.	1.0	8
68	Methodological advancements for characterising protein side chains by NMR spectroscopy. <i>Current Opinion in Structural Biology</i> , 2021, 70, 61-69.	2.6	8
69	Towards autonomous analysis of chemical exchange saturation transfer experiments using deep neural networks. <i>Journal of Biomolecular NMR</i> , 2022, 76, 75-86.	1.6	7
70	Heteronuclear transverse and longitudinal relaxation in AX <sub>4</sub> spin systems: Application to 15N relaxations in 15NH <sub>4</sub> <sup>+</sup> . <i>Journal of Magnetic Resonance</i> , 2014, 246, 136-148.	1.2	6
71	Aromatic side-chain flips orchestrate the conformational sampling of functional loops in human histone deacetylase 8. <i>Chemical Science</i> , 2021, 12, 9318-9327.	3.7	5
72	Measurement of 15 N longitudinal relaxation rates in 15 NH <sub>4</sub> <sup>+</sup> spin systems to characterise rotational correlation times and chemical exchange. <i>Journal of Magnetic Resonance</i> , 2017, 279, 91-98.	1.2	4

#	ARTICLE	IF	CITATIONS
73	Characterizing Active Site Conformational Heterogeneity along the Trajectory of an Enzymatic Phosphoryl Transfer Reaction. <i>Angewandte Chemie</i> , 2016, 128, 11705-11709.	1.6	0
74	Structural mass spectrometry decodes domain interaction and dynamics of the full-length Human Histone Deacetylase 2. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2022, 1870, 140759.	1.1	0