## Sanjay Basu

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/10652500/sanjay-basu-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| 83          | 48,594                | 55      | 84      |
|-------------|-----------------------|---------|---------|
| papers      | citations             | h-index | g-index |
| 84          | 66,818 ext. citations | 23      | 5.88    |
| ext. papers |                       | avg, IF | L-index |

| #  | Paper   | IF   | Citations |
|----|---|------|-----------|
| 83 | Burden of non-communicable diseases among adolescents aged 10-24 years in the EU, 1990-2019: a systematic analysis of the Global Burden of Diseases Study 2019 <i>The Lancet Child and Adolescent Health</i> , <b>2022</b> ,  | 14.5 | 4         |
| 82 | Global, regional, and national mortality among young people aged 10-24 years, 1950-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , <b>2021</b> , 398, 1593-1618   | 40   | 8         |
| 81 | Spatial, temporal, and demographic patterns in prevalence of chewing tobacco use in 204 countries and territories, 1990-2019: a systematic analysis from the Global Burden of Disease Study 2019.<br>Lancet Public Health, The, <b>2021</b> , 6, e482-e499                              | 22.4 | 11        |
| 80 | Subnational mapping of HIV incidence and mortality among individuals aged 15-49 years in sub-Saharan Africa, 2000-18: a modelling study. <i>Lancet HIV,the</i> , <b>2021</b> , 8, e363-e375   | 7.8  | 10        |
| 79 | Spatial, temporal, and demographic patterns in prevalence of smoking tobacco use and attributable disease burden in 204 countries and territories, 1990-2019: a systematic analysis from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , <b>2021</b> , 397, 2337-2360     | 40   | 97        |
| 78 | Global, regional, and national progress towards Sustainable Development Goal 3.2 for neonatal and child health: all-cause and cause-specific mortality findings from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , <b>2021</b> , 398, 870-905                           | 40   | 43        |
| 77 | Global, regional, and national sex differences in the global burden of tuberculosis by HIV status, 1990-2019: results from the Global Burden of Disease Study 2019. <i>Lancet Infectious Diseases, The</i> , <b>2021</b> ,  | 25.5 | 6         |
| 76 | Global, regional, and national sex-specific burden and control of the HIV epidemic, 1990-2019, for 204 countries and territories: the Global Burden of Diseases Study 2019. <i>Lancet HIV,the</i> , <b>2021</b> , 8, e633-  | e&59 | 9         |
| 75 | Global, regional, and national burden of stroke and its risk factors, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet Neurology, The</i> , <b>2021</b> , 20, 795-820  | 24.1 | 229       |
| 74 | Global Burden of Cardiovascular Diseases and Risk Factors, 1990-2019: Update From the GBD 2019 Study. <i>Journal of the American College of Cardiology</i> , <b>2020</b> , 76, 2982-3021  | 15.1 | 922       |
| 73 | Global, regional, and national burden of chronic kidney disease, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , <b>2020</b> , 395, 709-733  | 40   | 1021      |
| 72 | Health sector spending and spending on HIV/AIDS, tuberculosis, and malaria, and development assistance for health: progress towards Sustainable Development Goal 3. <i>Lancet, The</i> , <b>2020</b> , 396, 693-7   | 24°  | 32        |
| 71 | Cost-Effectiveness Of A Workplace Ban On Sugar-Sweetened Beverage Sales: A Microsimulation Model. <i>Health Affairs</i> , <b>2020</b> , 39, 1140-1148   | 7    | 7         |
| 70 | Global burden of 369 diseases and injuries in 204 countries and territories, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , <b>2020</b> , 396, 1204-1222  | 40   | 1847      |
| 69 | Global burden of 87 risk factors in 204 countries and territories, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , <b>2020</b> , 396, 1223-1249  | 40   | 1013      |
| 68 | Global age-sex-specific fertility, mortality, healthy life expectancy (HALE), and population estimates in 204 countries and territories, 1950-2019: a comprehensive demographic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , <b>2020</b> , 396, 1160-1203 | 40   | 228       |
| 67 | Five insights from the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1135-1159   | 40   | 113       |

| 66 | Mapping geographical inequalities in oral rehydration therapy coverage in low-income and middle-income countries, 2000-17. <i>The Lancet Global Health</i> , <b>2020</b> , 8, e1038-e1060   | 13.6              | 12          |
|----|---|-------------------|-------------|
| 65 | Measuring universal health coverage based on an index of effective coverage of health services in 204 countries and territories, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , <b>2020</b> , 396, 1250-1284  | 40                | 112         |
| 64 | Evaluation of a Machine Learning Model Based on Pretreatment Symptoms and Electroencephalographic Features to Predict Outcomes of Antidepressant Treatment in Adults With Depression: A Prespecified Secondary Analysis of a Randomized Clinical Trial. <i>JAMA Network</i>   | 10.4              | 15          |
| 63 | Open, <b>2020</b> , 3, e206653  Mapping local patterns of childhood overweight and wasting in low- and middle-income countries between 2000 and 2017. <i>Nature Medicine</i> , <b>2020</b> , 26, 750-759  | 50.5              | 21          |
| 62 | Global, regional, and national incidence, prevalence, and mortality of HIV, 1980-2017, and forecasts to 2030, for 195 countries and territories: a systematic analysis for the Global Burden of Diseases, Injuries, and Risk Factors Study 2017. <i>Lancet HIV,the</i> , <b>2019</b> , 6, e831-e859                       | 7.8               | 191         |
| 61 | The association of county-level socioeconomic factors with individual tobacco and alcohol use: a longitudinal study of U.S. adults. <i>BMC Public Health</i> , <b>2019</b> , 19, 390  | 4.1               | 6           |
| 60 | Global, regional, and national burden of stroke, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , <b>2019</b> , 18, 439-458   | 24.1              | 1102        |
| 59 | Personalizing Medical Treatment Decisions: Integrating Meta-analytic Treatment Comparisons with Patient-Specific Risks and Preferences. <i>Medical Decision Making</i> , <b>2019</b> , 39, 998-1009   | 2.5               | 4           |
| 58 | Implications of scaling up cardiovascular disease treatment in South Africa: a microsimulation and cost-effectiveness analysis. <i>The Lancet Global Health</i> , <b>2019</b> , 7, e270-e280  | 13.6              | 22          |
| 57 | Estimation of global insulin use for type 2 diabetes, 2018-30: a microsimulation analysis. <i>Lancet Diabetes and Endocrinology,the</i> , <b>2019</b> , 7, 25-33  | 18.1              | 76          |
| 56 | Higher temperatures increase suicide rates in the United States and Mexico. <i>Nature Climate Change</i> , <b>2018</b> , 8, 723-729   | 21.4              | 149         |
| 55 | Global, regional, and national age-sex-specific mortality and life expectancy, 1950-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , <b>2018</b> , 392, 1684-1735  | 40                | 483         |
| 54 | Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , <b>2018</b> , 392, 1736-1788   | 40                | 2850        |
| 53 | Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , <b>2018</b> , 392, 1923-1994 | 40                | 1964        |
| 52 | Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The,</i> <b>2018</b> , 392, 2091-2138   | 40                | <b>2</b> 10 |
| 51 | Reducing chronic disease through changes in food aid: A microsimulation of nutrition and cardiometabolic disease among Palestinian refugees in the Middle East. <i>PLoS Medicine</i> , <b>2018</b> , 15, e1007  | 2700 <sup>6</sup> | 11          |
| 50 | Global, Regional, and Country-Specific Lifetime Risks of Stroke, 1990 and 2016. <i>New England Journal of Medicine</i> , <b>2018</b> , 379, 2429-2437   | 59.2              | 495         |
| 49 | Measuring performance on the Healthcare Access and Quality Index for 195 countries and territories and selected subnational locations: a systematic analysis from the Global Burden of Disease Study 2016. <i>Lancet, The</i> , <b>2018</b> , 391, 2236-2271  | 40                | 381         |

| 48 | Global Cardiovascular and Renal Outcomes of Reduced GFR. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2017</b> , 28, 2167-2179   | 12.7 | 127  |
|----|---|------|------|
| 47 | Healthcare Access and Quality Index based on mortality from causes amenable to personal health care in 195 countries and territories, 1990-2015: a novel analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , <b>2017</b> , 390, 231-266   | 40   | 352  |
| 46 | Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , <b>2017</b> , 390, 1260-1344                 | 40   | 1152 |
| 45 | Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , <b>2017</b> , 390, 1211-1259  | 40   | 3432 |
| 44 | Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. <i>Lancet, The</i> , <b>2017</b> , 390, 1423-1459  | 40   | 224  |
| 43 | Global, regional, and national deaths, prevalence, disability-adjusted life years, and years lived with disability for chronic obstructive pulmonary disease and asthma, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet Respiratory Medicine, the</i> , <b>2017</b> , 5, 691-706 | 35.1 | 1119 |
| 42 | Diabetes in sub-Saharan Africa: from clinical care to health policy. <i>Lancet Diabetes and Endocrinology,the</i> , <b>2017</b> , 5, 622-667  | 18.1 | 193  |
| 41 | Benefit and harm of intensive blood pressure treatment: Derivation and validation of risk models using data from the SPRINT and ACCORD trials. <i>PLoS Medicine</i> , <b>2017</b> , 14, e1002410  | 11.6 | 47   |
| 40 | Does the benefits schedule of cash assistance programs affect the purchase of temptation goods? Evidence from Peru. <i>Journal of Health Economics</i> , <b>2016</b> , 46, 70-89  | 3.5  | 9    |
| 39 | Health Behaviors, Mental Health, and Health Care Utilization Among Single Mothers After Welfare Reforms in the 1990s. <i>American Journal of Epidemiology</i> , <b>2016</b> , 183, 531-8  | 3.8  | 31   |
| 38 | Comparative effectiveness and cost-effectiveness of treat-to-target versus benefit-based tailored treatment of type 2 diabetes in low-income and middle-income countries: a modelling analysis. <i>Lancet Diabetes and Endocrinology,the</i> , <b>2016</b> , 4, 922-932   | 18.1 | 20   |
| 37 | Global, regional, and national levels of maternal mortality, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , <b>2016</b> , 388, 1775-1812  | 40   | 476  |
| 36 | Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , <b>2016</b> , 388, 1603-1658   | 40   | 1216 |
| 35 | Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , <b>2016</b> , 388, 1459-1544  | 40   | 3525 |
| 34 | Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , <b>2016</b> , 388, 1659-1724                                   | 40   | 2431 |
| 33 | Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , <b>2016</b> , 388, 1813-1850  | 40   | 302  |
| 32 | Economic shocks, resilience, and male suicides in the Great Recession: cross-national analysis of 20 EU countries. <i>European Journal of Public Health</i> , <b>2015</b> , 25, 404-9   | 2.1  | 72   |
| 31 | Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990-2013: quantifying the epidemiological transition. <i>Lancet, The</i> , <b>2015</b> , 386, 2145-91  | 40   | 1203 |

## (2012-2015)

| 30 | Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , <b>2015</b> , 386, 2287-323 | 40   | 1776 |
|----|---|------|------|
| 29 | Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , <b>2015</b> , 386, 743-800                   | 40   | 3802 |
| 28 | Global, regional, and national levels of neonatal, infant, and under-5 mortality during 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , <b>2014</b> , 384, 957-79  | 40   | 497  |
| 27 | Global, regional, and national incidence and mortality for HIV, tuberculosis, and malaria during 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , <b>2014</b> , 384, 1005-70  | 40   | 653  |
| 26 | Global, regional, and national levels and causes of maternal mortality during 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , <b>2014</b> , 384, 980-1004  | 40   | 950  |
| 25 | The political economy of austerity and healthcare: cross-national analysis of expenditure changes in 27 European nations 1995-2011. <i>Health Policy</i> , <b>2014</b> , 115, 1-8   | 3.2  | 169  |
| 24 | Global, regional, and national prevalence of overweight and obesity in children and adults during 1980-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , <b>2014</b> , 384, 766-81  | 40   | 7175 |
| 23 | Social protection and tuberculosis control in 21 European countries, 1995-2012: a cross-national statistical modelling analysis. <i>Lancet Infectious Diseases, The</i> , <b>2014</b> , 14, 1105-1112   | 25.5 | 37   |
| 22 | Cardiovascular risk assessment in low-resource settings: a consensus document of the European Society of Hypertension Working Group on Hypertension and Cardiovascular Risk in Low Resource Settings. <i>Journal of Hypertension</i> , <b>2014</b> , 32, 951-60   | 1.9  | 57   |
| 21 | The mental health risks of economic crisis in Spain: evidence from primary care centres, 2006 and 2010. European Journal of Public Health, <b>2013</b> , 23, 103-8  | 2.1  | 310  |
| 20 | Suicide, recession, and unemployment - authorstreply. Lancet, The, 2013, 381, 722   | 40   | 17   |
| 19 | Financial crisis, austerity, and health in Europe. <i>Lancet, The</i> , <b>2013</b> , 381, 1323-31  | 40   | 877  |
| 18 | Alcohol use during the great recession of 2008-2009. Alcohol and Alcoholism, 2013, 48, 343-8  | 3.5  | 103  |
| 17 | Was the Great Depression a cause or correlate of significant mortality declines? An epidemiological response to Granados. <i>Journal of Epidemiology and Community Health</i> , <b>2013</b> , 67, 467   | 5.1  | 6    |
| 16 | A Review of Health Consequences of Recessions Internationally and a Synthesis of the US Response during the Great Recession. <i>Public Health Reviews</i> , <b>2013</b> , 35,   | 4.3  | 41   |
| 15 | Health systems, health and wealth: the argument for investment applies now more than ever. <i>Social Science and Medicine</i> , <b>2012</b> , 74, 684-7   | 5.1  | 4    |
| 14 | Increase in state suicide rates in the USA during economic recession. <i>Lancet, The</i> , <b>2012</b> , 380, 1813-4  | 40   | 219  |
| 13 | Banking crises and mortality during the Great Depression: evidence from US urban populations, 1929-1937. <i>Journal of Epidemiology and Community Health</i> , <b>2012</b> , 66, 410-9  | 5.1  | 68   |

| 12 | Effects of the 2008 recession on health: a first look at European data. <i>Lancet, The</i> , <b>2011</b> , 378, 124-5   | 40     | 293 |
|----|---|--------|-----|
| 11 | Health effects of financial crisis: omens of a Greek tragedy. <i>Lancet, The</i> , <b>2011</b> , 378, 1457-8  | 40     | 398 |
| 10 | The impact of economic crises on communicable disease transmission and control: a systematic review of the evidence. <i>PLoS ONE</i> , <b>2011</b> , 6, e20724                                | 3.7    | 124 |
| 9  | How government spending cuts put lives at risk. <i>Nature</i> , <b>2010</b> , 465, 289  | 50.4   | 14  |
| 8  | Responding to the economic crisis: a primer for public health professionals. <i>Journal of Public Health</i> , <b>2010</b> , 32, 298-306  | 3.5    | 36  |
| 7  | Drivers of inequality in Millennium Development Goal progress: a statistical analysis. <i>PLoS Medicine</i> , <b>2010</b> , 7, e1000241   | 11.6   | 89  |
| 6  | Public Health in Europe: Power, Politics, and Where Next?. Public Health Reviews, 2010, 32, 213-242   | 4.3    | 12  |
| 5  | Is wealthier always healthier? The impact of national income level, inequality, and poverty on public health in Latin America. <i>Social Science and Medicine</i> , <b>2010</b> , 71, 266-273 | 5.1    | 90  |
| 4  | Budget crises, health, and social welfare programmes. <i>BMJ, The</i> , <b>2010</b> , 340, c3311  | 5.9    | 97  |
| 3  | The International Monetary Fund's effects on global health: before and after the 2008 financial crisis. <i>International Journal of Health Services</i> , <b>2009</b> , 39, 771-81            | 2      | 62  |
| 2  | The public health effect of economic crises and alternative policy responses in Europe: an empirical analysis. <i>Lancet, The</i> , <b>2009</b> , 374, 315-23                                 | 40     | 921 |
| 1  | The health implications of financial crisis: a review of the evidence. <i>Ulster Medical Journal</i> , <b>2009</b> , 78, 14   | 12-5.4 | 62  |