

# Lisa Delano-Wood

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/10652832/lisa-delano-wood-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

111  
papers

3,769  
citations

32  
h-index

58  
g-index

114  
ext. papers

4,633  
ext. citations

3.7  
avg, IF

5.19  
L-index

#	Paper	IF	Citations
111	Subjective cognitive and psychiatric well-being in U.S. Military Veterans screened for deployment-related traumatic brain injury: A Million Veteran Program Study.. <i>Journal of Psychiatric Research</i> , <b>2022</b> , 151, 144-149	5.2	0
110	Characterization of Million Veteran Program (MVP) enrollees with Comprehensive Traumatic Brain Injury Evaluation (CTBIE) data: An analysis of neurobehavioral symptoms.. <i>Journal of Psychiatric Research</i> , <b>2021</b> , 145, 230-242	5.2	0
109	Arterial Stiffening Moderates the Relationship Between Type-2 Diabetes Mellitus and White Matter Hyperintensity Burden in Older Adults With Mild Cognitive Impairment. <i>Frontiers in Aging Neuroscience</i> , <b>2021</b> , 13, 716638	5.3	1
108	Using Biomarkers to Predict Memantine Effects in Alzheimer's Disease: A Proposal and Proof-Of-Concept Demonstration. <i>Journal of Alzheimer's Disease</i> , <b>2021</b> ,	4.3	1
107	Elevated Neuropsychological Intraindividual Variability Predicts Poorer Health-Related Quality of Life in Veterans with a History of Mild Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , <b>2021</b> ,	5.4	1
106	Elevated plasma neurofilament light predicts a faster rate of cognitive decline over 5 years in participants with objectively-defined subtle cognitive decline and MCI. <i>Alzheimer's and Dementia</i> , <b>2021</b> , 17, 1756-1762	1.2	3
105	Elevated Inflammatory Markers and Arterial Stiffening Exacerbate Tau but Not Amyloid Pathology in Older Adults with Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , <b>2021</b> , 80, 1451-1463	4.3	2
104	Entorhinal Perfusion Predicts Future Memory Decline, Neurodegeneration, and White Matter Hyperintensity Progression in Older Adults. <i>Journal of Alzheimer's Disease</i> , <b>2021</b> , 81, 1711-1725	4.3	2
103	Unemployment Status Is Associated With Greater Cognitive Intraindividual Variability in Veterans With a History of Remote Mild TBI. <i>Journal of Head Trauma Rehabilitation</i> , <b>2021</b> , 36, E391-E396	3	
102	Arterial stiffening acts synergistically with APOE genotype and AD biomarker status to influence memory in older adults without dementia. <i>Alzheimer's Research and Therapy</i> , <b>2021</b> , 13, 121	9	1
101	Repetitive mTBI is associated with age-related reductions in cerebral blood flow but not cortical thickness. <i>Journal of Cerebral Blood Flow and Metabolism</i> , <b>2021</b> , 41, 431-444	7.3	6
100	Revisiting total recognition discriminability in Huntington's and Alzheimer's disease: New insights from the CVLT-3. <i>Applied Neuropsychology Adult</i> , <b>2021</b> , 28, 132-139	1.9	0
99	Elevated Intraindividual Variability in Executive Functions and Associations with White Matter Microstructure in Veterans with Mild Traumatic Brain Injury. <i>Journal of the International Neuropsychological Society</i> , <b>2021</b> , 27, 305-314	3.1	6
98	APOE interacts with tau PET to influence memory independently of amyloid PET in older adults without dementia. <i>Alzheimer's and Dementia</i> , <b>2021</b> , 17, 61-69	1.2	11
97	Research Letter: PTSD Symptom Severity and Multiple Traumatic Brain Injuries Are Associated With Elevated Memory Complaints in Veterans With Histories of Mild TBI. <i>Journal of Head Trauma Rehabilitation</i> , <b>2021</b> , 36, 418-423	3	1
96	Decreased myelin content of the fornix predicts poorer memory performance beyond vascular risk, hippocampal volume, and fractional anisotropy in nondemented older adults. <i>Brain Imaging and Behavior</i> , <b>2021</b> , 15, 2563-2571	4.1	0
95	Prediabetes Is Associated With Brain Hypometabolism and Cognitive Decline in a Sex-Dependent Manner: A Longitudinal Study of Nondemented Older Adults. <i>Frontiers in Neurology</i> , <b>2021</b> , 12, 551975	4.1	4

94	Latent Profile Analysis of Cognition in a Non-Demented Diverse Cohort: A Focus on Modifiable Cardiovascular and Lifestyle Factors. <i>Journal of Alzheimer's Disease</i> , <b>2021</b> , 82, 1833-1846	4.3	1
93	Data-Driven vs Consensus Diagnosis of MCI: Enhanced Sensitivity for Detection of Clinical, Biomarker, and Neuropathologic Outcomes. <i>Neurology</i> , <b>2021</b> , 97, e1288-e1299	6.5	3
92	White matter integrity, suicidal ideation, and cognitive dysfunction in combat-exposed Iraq and Afghanistan Veterans. <i>Psychiatry Research - Neuroimaging</i> , <b>2021</b> , 317, 111389	2.9	3
91	PTSD, but not history of mTBI, is associated with altered myelin in combat-exposed Iraq and Afghanistan Veterans. <i>Clinical Neuropsychologist</i> , <b>2020</b> , 34, 1070-1087	4.4	6
90	Dissociation of BDNF Val66Met polymorphism on neurocognitive functioning in military veterans with and without a history of remote mild traumatic brain injury. <i>Clinical Neuropsychologist</i> , <b>2020</b> , 34, 1226-1247	4.4	6
89	Is tau in the absence of amyloid on the Alzheimer's continuum?: A study of discordant PET positivity. <i>Brain Communications</i> , <b>2020</b> , 2, fcz046	4.5	29
88	Pattern of regional white matter hyperintensity volume in mild cognitive impairment subtypes and associations with decline in daily functioning. <i>Neurobiology of Aging</i> , <b>2020</b> , 86, 134-142	5.6	12
87	Objective subtle cognitive difficulties predict future amyloid accumulation and neurodegeneration. <i>Neurology</i> , <b>2020</b> , 94, e397-e406	6.5	50
86	The emergence of age-related changes in recognition memory in healthy middle-aged adults using the CVLT-II. <i>Aging, Neuropsychology, and Cognition</i> , <b>2020</b> , 27, 854-863	2.1	3
85	An exploratory randomized sub-study of light-to-moderate intensity exercise on cognitive function, depression symptoms and inflammation in older adults with heart failure. <i>Journal of Psychosomatic Research</i> , <b>2020</b> , 128, 109883	4.1	8
84	Type 2 Diabetes Interacts With Alzheimer Disease Risk Factors to Predict Functional Decline. <i>Alzheimer Disease and Associated Disorders</i> , <b>2020</b> , 34, 10-17	2.5	15
83	Response inhibition in Veterans with a history of mild traumatic brain injury: The role of self-reported complaints in objective performance. <i>Journal of Clinical and Experimental Neuropsychology</i> , <b>2020</b> , 42, 556-568	2.1	2
82	Association of anticholinergic medications and AD biomarkers with incidence of MCI among cognitively normal older adults. <i>Neurology</i> , <b>2020</b> , 95, e2295-e2304	6.5	12
81	MCI-to-normal reversion using neuropsychological criteria in the Alzheimer's Disease Neuroimaging Initiative. <i>Alzheimer's and Dementia</i> , <b>2019</b> , 15, 1322-1332	1.2	22
80	New Intrusion Analyses on the CVLT-3: Utility in Distinguishing the Memory Disorders of Alzheimer's Huntington's Disease. <i>Journal of the International Neuropsychological Society</i> , <b>2019</b> , 25, 878-883	3.1	1
79	Early versus late MCI: Improved MCI staging using a neuropsychological approach. <i>Alzheimer's and Dementia</i> , <b>2019</b> , 15, 699-708	1.2	49
78	Cognitive dispersion is a sensitive marker for early neurodegenerative changes and functional decline in nondemented older adults. <i>Neuropsychology</i> , <b>2019</b> , 33, 599-608	3.8	20
77	Artificially low mild cognitive impairment to normal reversion rate in the Alzheimer's Disease Neuroimaging Initiative. <i>Alzheimer's and Dementia</i> , <b>2019</b> , 15, 561-569	1.2	17

76	APOE-ε Genotype is Associated with Elevated Post-Concussion Symptoms in Military Veterans with a Remote History of Mild Traumatic Brain Injury. <i>Archives of Clinical Neuropsychology</i> , <b>2019</b> , 34, 706-712	2.7	9
75	Apolipoprotein E ε Genotype Is Associated with Elevated Psychiatric Distress in Veterans with a History of Mild to Moderate Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , <b>2018</b> , 35, 2272-2282	5.4	13
74	Differential Effect of APOE e4 Status and Elevated Pulse Pressure on Functional Decline in Cognitively Normal Older Adults. <i>Journal of Alzheimer's Disease</i> , <b>2018</b> , 62, 1567-1578	4.3	5
73	Sex Influences the Accuracy of Subjective Memory Complaint Reporting in Older Adults. <i>Journal of Alzheimer's Disease</i> , <b>2018</b> , 61, 1163-1178	4.3	11
72	Assessing Working Memory in Mild Cognitive Impairment with Serial Order Recall. <i>Journal of Alzheimer's Disease</i> , <b>2018</b> , 61, 917-928	4.3	15
71	Fatigue Is Associated With Global and Regional Thalamic Morphometry in Veterans With a History of Mild Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , <b>2018</b> , 33, 382-392	3	16
70	Refining CVLT-II recognition discriminability indices to enhance the characterization of recognition memory changes in healthy aging. <i>Aging, Neuropsychology, and Cognition</i> , <b>2018</b> , 25, 767-782	2.1	2
69	New Yes/No Recognition Memory Analysis on the California Verbal Learning Test-3: Clinical Utility in Alzheimer's and Huntington's Disease. <i>Journal of the International Neuropsychological Society</i> , <b>2018</b> , 24, 833-841	3.1	2
68	Apolipoprotein E (APOE) ε genotype is associated with reduced neuropsychological performance in military veterans with a history of mild traumatic brain injury. <i>Journal of Clinical and Experimental Neuropsychology</i> , <b>2018</b> , 40, 1050-1061	2.1	16
67	Baseline White Matter Hyperintensities and Hippocampal Volume are Associated With Conversion From Normal Cognition to Mild Cognitive Impairment in the Framingham Offspring Study. <i>Alzheimer Disease and Associated Disorders</i> , <b>2018</b> , 32, 50-56	2.5	29
66	Blast-Exposed Veterans With Mild Traumatic Brain Injury Show Greater Frontal Cortical Thinning and Poorer Executive Functioning. <i>Frontiers in Neurology</i> , <b>2018</b> , 9, 873	4.1	18
65	Neuropsychological Criteria for Mild Cognitive Impairment in the Framingham Heart Study's Old-Old. <i>Dementia and Geriatric Cognitive Disorders</i> , <b>2018</b> , 46, 253-265	2.6	17
64	Reduced Regional Cerebral Blood Flow Relates to Poorer Cognition in Older Adults With Type 2 Diabetes. <i>Frontiers in Aging Neuroscience</i> , <b>2018</b> , 10, 270	5.3	49
63	Increasing Inaccuracy of Self-Reported Subjective Cognitive Complaints Over 24 Months in Empirically Derived Subtypes of Mild Cognitive Impairment. <i>Journal of the International Neuropsychological Society</i> , <b>2018</b> , 24, 842-853	3.1	32
62	Repetitive mild traumatic brain injury in military veterans is associated with increased neuropsychological intra-individual variability. <i>Neuropsychologia</i> , <b>2018</b> , 119, 340-348	3.2	16
61	Pilot investigation of a novel white matter imaging technique in Veterans with and without history of mild traumatic brain injury. <i>Brain Injury</i> , <b>2018</b> , 32, 1256-1265	2.1	9
60	Dynamic association between perfusion and white matter integrity across time since injury in Veterans with history of TBI. <i>NeuroImage: Clinical</i> , <b>2017</b> , 14, 308-315	5.3	20
59	Total recognition discriminability in Huntington's and Alzheimer's disease. <i>Journal of Clinical and Experimental Neuropsychology</i> , <b>2017</b> , 39, 120-130	2.1	3

58	Longitudinal Trajectories of Informant-Reported Daily Functioning in Empirically Defined Subtypes of Mild Cognitive Impairment. <i>Journal of the International Neuropsychological Society</i> , <b>2017</b> , 23, 521-527	3.1	25
57	Association Between Neurocognitive Decline and Visual Field Variability in Glaucoma. <i>JAMA Ophthalmology</i> , <b>2017</b> , 135, 734-739	3.9	33
56	Statistically Derived Subtypes and Associations with Cerebrospinal Fluid and Genetic Biomarkers in Mild Cognitive Impairment: A Latent Profile Analysis. <i>Journal of the International Neuropsychological Society</i> , <b>2017</b> , 23, 564-576	3.1	31
55	Cognitive fatigue is associated with reduced anterior internal capsule integrity in veterans with history of mild to moderate traumatic brain injury. <i>Brain Imaging and Behavior</i> , <b>2017</b> , 11, 1548-1554	4.1	12
54	Neuropsychological Outcomes in Patients with Complicated Versus Uncomplicated Mild Traumatic Brain Injury: 6-Month Follow-Up. <i>World Neurosurgery</i> , <b>2017</b> , 97, 416-423	2.1	10
53	Predictors of cognitive and physical fatigue in post-acute mild-moderate traumatic brain injury. <i>Neuropsychological Rehabilitation</i> , <b>2017</b> , 27, 1031-1046	3.1	21
52	Cerebral Blood Flow and Amyloid- $\beta$ Interact to Affect Memory Performance in Cognitively Normal Older Adults. <i>Frontiers in Aging Neuroscience</i> , <b>2017</b> , 9, 181	5.3	37
51	Spatial pattern separation differences in older adult carriers and non-carriers for the apolipoprotein E epsilon 4 allele. <i>Neurobiology of Learning and Memory</i> , <b>2016</b> , 129, 113-9	3.1	14
50	Problem alcohol use in veterans with mild traumatic brain injury: Associations with cognitive performance and psychiatric symptoms. <i>Journal of Clinical and Experimental Neuropsychology</i> , <b>2016</b> , 38, 1115-30	2.1	8
49	Heterogeneous cortical atrophy patterns in MCI not captured by conventional diagnostic criteria. <i>Neurology</i> , <b>2016</b> , 87, 2108-2116	6.5	50
48	White Matter Associations With Performance Validity Testing in Veterans With Mild Traumatic Brain Injury: The Utility of Biomarkers in Complicated Assessment. <i>Journal of Head Trauma Rehabilitation</i> , <b>2016</b> , 31, 346-59	3	11
47	Visuoconstructional Impairment in Subtypes of Mild Cognitive Impairment. <i>Applied Neuropsychology Adult</i> , <b>2016</b> , 23, 43-52	1.9	15
46	Missense Mutation of Brain Derived Neurotrophic Factor (BDNF) Alters Neurocognitive Performance in Patients with Mild Traumatic Brain Injury: A Longitudinal Study. <i>PLoS ONE</i> , <b>2016</b> , 11, e0158838	3.7	23
45	Cortical Amyloid Burden Differences Across Empirically-Derived Mild Cognitive Impairment Subtypes and Interaction with APOE e4 Genotype. <i>Journal of Alzheimer's Disease</i> , <b>2016</b> , 52, 849-61	4.3	43
44	Pulse Pressure Is Associated With Early Brain Atrophy and Cognitive Decline: Modifying Effects of APOE- $\epsilon$ . <i>Alzheimer Disease and Associated Disorders</i> , <b>2016</b> , 30, 210-5	2.5	25
43	Neuropsychiatric Predictors of Post-Injury Headache After Mild-Moderate Traumatic Brain Injury in Veterans. <i>Headache</i> , <b>2016</b> , 56, 699-710	4.2	12
42	White Matter Microstructural Compromise Is Associated With Cognition But Not Posttraumatic Stress Disorder Symptoms in Military Veterans With Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , <b>2016</b> , 31, 297-308	3	16
41	Interaction Between Midlife Blood Glucose and APOE Genotype Predicts Later Alzheimer's Disease Pathology. <i>Journal of Alzheimer's Disease</i> , <b>2016</b> , 53, 1553-62	4.3	19

40	Patterns of Cortical and Subcortical Amyloid Burden across Stages of Preclinical Alzheimer Disease. <i>Journal of the International Neuropsychological Society</i> , <b>2016</b> , 22, 978-990	3.1	13
39	"Missed" Mild Cognitive Impairment: High False-Negative Error Rate Based on Conventional Diagnostic Criteria. <i>Journal of Alzheimer's Disease</i> , <b>2016</b> , 52, 685-91	4.3	49
38	Deep white matter hyperintensities affect verbal memory independent of PTSD symptoms in veterans with mild traumatic brain injury. <i>Brain Injury</i> , <b>2016</b> , 30, 864-71	2.1	18
37	Elevated cerebrovascular resistance index is associated with cognitive dysfunction in the very-old. <i>Alzheimer's Research and Therapy</i> , <b>2015</b> , 7, 3	9	11
36	Neuropsychological performance in treatment-seeking Operation Enduring Freedom/Operation Iraqi Freedom Veterans with a history of mild traumatic brain injury. <i>Journal of Clinical and Experimental Neuropsychology</i> , <b>2015</b> , 37, 379-88	2.1	32
35	Pulse pressure in relation to tau-mediated neurodegeneration, cerebral amyloidosis, and progression to dementia in very old adults. <i>JAMA Neurology</i> , <b>2015</b> , 72, 546-53	17.2	75
34	Validation of the Modified Fatigue Impact Scale in mild to moderate traumatic brain injury. <i>Journal of Head Trauma Rehabilitation</i> , <b>2015</b> , 30, 116-21	3	21
33	Diffusion Tensor Imaging Parameters in Mild Traumatic Brain Injury and Its Correlation with Early Neuropsychological Impairment: A Longitudinal Study. <i>Journal of Neurotrauma</i> , <b>2015</b> , 32, 1497-509	5.4	80
32	Susceptibility of the conventional criteria for mild cognitive impairment to false-positive diagnostic errors. <i>Alzheimer's and Dementia</i> , <b>2015</b> , 11, 415-24	1.2	147
31	Aggregate effects of vascular risk factors on cerebrovascular changes in autopsy-confirmed Alzheimer disease. <i>Alzheimer's and Dementia</i> , <b>2015</b> , 11, 394-403.e1	1.2	63
30	Subtle Cognitive Decline and Biomarker Staging in Preclinical Alzheimer Disease. <i>Journal of Alzheimer's Disease</i> , <b>2015</b> , 47, 231-42	4.3	101
29	The Relationship Between Postconcussive Symptoms and Quality of Life in Veterans With Mild to Moderate Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , <b>2015</b> , 30, E21-8	3	32
28	Neuropsychological syndromes associated with Alzheimer's/vascular dementia: a latent class analysis. <i>Journal of Alzheimer's Disease</i> , <b>2014</b> , 42, 999-1014	4.3	30
27	Neuropsychological criteria for mild cognitive impairment improves diagnostic precision, biomarker associations, and progression rates. <i>Journal of Alzheimer's Disease</i> , <b>2014</b> , 42, 275-89	4.3	324
26	Interactive effects of vascular risk burden and advanced age on cerebral blood flow. <i>Frontiers in Aging Neuroscience</i> , <b>2014</b> , 6, 159	5.3	49
25	Subjective cognitive complaints contribute to misdiagnosis of mild cognitive impairment. <i>Journal of the International Neuropsychological Society</i> , <b>2014</b> , 20, 836-47	3.1	134
24	White matter integrity in veterans with mild traumatic brain injury: associations with executive function and loss of consciousness. <i>Journal of Head Trauma Rehabilitation</i> , <b>2014</b> , 29, 21-32	3	56
23	APOE genotype modifies the relationship between midlife vascular risk factors and later cognitive decline. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2013</b> , 22, 1361-9	2.8	73



22	Pulse pressure is associated with Alzheimer biomarkers in cognitively normal older adults. <i>Neurology</i> , <b>2013</b> , 81, 2024-7	6.5	77
21	Are empirically-derived subtypes of mild cognitive impairment consistent with conventional subtypes?. <i>Journal of the International Neuropsychological Society</i> , <b>2013</b> , 19, 635-45	3.1	107
20	Cortical and subcortical cerebrovascular resistance index in mild cognitive impairment and Alzheimer's disease. <i>Journal of Alzheimer's Disease</i> , <b>2013</b> , 36, 689-98	4.3	29
19	Posterior cingulum white matter disruption and its associations with verbal memory and stroke risk in mild cognitive impairment. <i>Journal of Alzheimer's Disease</i> , <b>2012</b> , 29, 589-603	4.3	56
18	Antemortem pulse pressure elevation predicts cerebrovascular disease in autopsy-confirmed Alzheimer's disease. <i>Journal of Alzheimer's Disease</i> , <b>2012</b> , 30, 595-603	4.3	34
17	Yes/no versus forced-choice recognition memory in mild cognitive impairment and Alzheimer's disease: patterns of impairment and associations with dementia severity. <i>Clinical Neuropsychologist</i> , <b>2012</b> , 26, 1201-16	4.4	26
16	Dysexecutive functioning in mild cognitive impairment: derailment in temporal gradients. <i>Journal of the International Neuropsychological Society</i> , <b>2012</b> , 18, 20-8	3.1	25
15	Intraindividual variability in HIV infection: evidence for greater neurocognitive dispersion in older HIV seropositive adults. <i>Neuropsychology</i> , <b>2011</b> , 25, 645-54	3.8	52
14	Are self-reported symptoms of executive dysfunction associated with objective executive function performance following mild to moderate traumatic brain injury?. <i>Journal of Clinical and Experimental Neuropsychology</i> , <b>2011</b> , 33, 704-14	2.1	52
13	Verbal serial list learning in mild cognitive impairment: a profile analysis of interference, forgetting, and errors. <i>Journal of the International Neuropsychological Society</i> , <b>2011</b> , 17, 905-14	3.1	78
12	Complex activities of daily living vary by mild cognitive impairment subtype. <i>Journal of the International Neuropsychological Society</i> , <b>2010</b> , 16, 630-9	3.1	89
11	Spontaneous strategy use protects against visual working memory deficits in older adults infected with HIV. <i>Archives of Clinical Neuropsychology</i> , <b>2010</b> , 25, 724-33	2.7	16
10	Stroke risk modifies regional white matter differences in mild cognitive impairment. <i>Neurobiology of Aging</i> , <b>2010</b> , 31, 1721-31	5.6	21
9	Associations between stroke risk and cognition in normal aging and Alzheimer's disease with and without depression. <i>International Journal of Geriatric Psychiatry</i> , <b>2010</b> , 25, 175-82	3.9	14
8	Introduction--advancing the science of vascular cognitive impairment: how can we catalyze progress?. <i>Journal of the International Neuropsychological Society</i> , <b>2009</b> , 15, 888-9	3.1	
7	Profile of hippocampal volumes and stroke risk varies by neuropsychological definition of mild cognitive impairment. <i>Journal of the International Neuropsychological Society</i> , <b>2009</b> , 15, 890-7	3.1	27
6	Contributions of neuropsychology and neuroimaging to understanding clinical subtypes of mild cognitive impairment. <i>International Review of Neurobiology</i> , <b>2009</b> , 84, 81-103	4.4	41
5	Heterogeneity in mild cognitive impairment: differences in neuropsychological profile and associated white matter lesion pathology. <i>Journal of the International Neuropsychological Society</i> , <b>2009</b> , 15, 906-14	3.1	106

4	Quantification of five neuropsychological approaches to defining mild cognitive impairment. <i>American Journal of Geriatric Psychiatry</i> , <b>2009</b> , 17, 368-75	6.5	404
3	Regional white matter pathology in mild cognitive impairment: differential influence of lesion type on neuropsychological functioning. <i>Stroke</i> , <b>2008</b> , 39, 794-9	6.7	85
2	Neuropsychological contributions to the early identification of Alzheimer's disease. <i>Neuropsychology Review</i> , <b>2008</b> , 18, 73-90	7.7	134
1	APOE interacts with tau PET to influence memory independently of amyloid PET		2