Paul J Moberg

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10657571/publications.pdf

Version: 2024-02-01

53660 53109 7,702 101 45 85 citations h-index g-index papers 101 101 101 8299 times ranked docs citations citing authors all docs

#	Article	IF	CITATIONS
1	Gender and ethnic/racial diversity in clinical neuropsychology: Updates from the AACN, NAN, SCN 2020 practice and "salary survey― Clinical Neuropsychologist, 2023, 37, 231-285.	1.5	8
2	International consensus statement on allergy and rhinology: Olfaction. International Forum of Allergy and Rhinology, 2022, 12, 327-680.	1.5	43
3	A systematic review and metaâ€analysis of intellectual, neuropsychological, and psychoeducational functioning in neurofibromatosis type 1. American Journal of Medical Genetics, Part A, 2022, 188, 2277-2292.	0.7	5
4	Professional Practices, Beliefs, and Incomes of Postdoctoral Trainees: The AACN, NAN, SCN 2020 Practice and â€~Salary Survey'. Archives of Clinical Neuropsychology, 2021, 36, 1-16.	0.3	13
5	Clinical neuropsychology in Canada: Results from the 2020 AACN, NAN, SCN professional practice and "salary survey― Clinical Neuropsychologist, 2021, 35, 1205-1231.	1.5	6
6	Professional practices, beliefs, and incomes of U.S. neuropsychologists: The AACN, NAN, SCN 2020 practice and "salary survey― Clinical Neuropsychologist, 2021, 35, 7-80.	1.5	67
7	Determining a Short Form Montreal Cognitive Assessment (s-MoCA) Czech Version: Validity in Mild Cognitive Impairment Parkinson's Disease and Cross-Cultural Comparison. Assessment, 2020, 27, 1960-1970.	1.9	16
8	A quantitative meta-analysis of brain glutamate metabolites in aging. Neurobiology of Aging, 2020, 95, 240-249.	1.5	33
9	Efficacy of Noninvasive Brain Stimulation (tDCS or TMS) Paired with Language Therapy in the Treatment of Primary Progressive Aphasia: An Exploratory Meta-Analysis. Brain Sciences, 2020, 10, 597.	1.1	35
10	Meta-analysis of olfactory dysfunction in 22q11.2 deletion syndrome. Psychiatry Research, 2020, 285, 112783.	1.7	2
11	Longitudinal Development of Brain Iron Is Linked to Cognition in Youth. Journal of Neuroscience, 2020, 40, 1810-1818.	1.7	60
12	Olfactory Dysfunction in Neurodevelopmental Disorders: A Meta-analytic Review of Autism Spectrum Disorders, Attention Deficit/Hyperactivity Disorder and Obsessive–Compulsive Disorder. Journal of Autism and Developmental Disorders, 2020, 50, 2685-2697.	1.7	33
13	A Quantitative Meta-analysis of Olfactory Dysfunction in Epilepsy. Neuropsychology Review, 2019, 29, 328-337.	2.5	20
14	Older Adult Normative Data for the Sniffin' Sticks Odor Identification Test. Archives of Clinical Neuropsychology, 2019, 34, 254-258.	0.3	5
15	Quantitative assessment of finger tapping characteristics in mild cognitive impairment, Alzheimer's disease, and Parkinson's disease. Journal of Neurology, 2018, 265, 1365-1375.	1.8	73
16	Olfactory processing in bipolar disorder, major depression, and anxiety. Bipolar Disorders, 2018, 20, 547-555.	1.1	40
17	Structural anomalies of the peripheral olfactory system in psychosis high-risk subjects. Schizophrenia Research, 2018, 195, 197-205.	1.1	15
18	Olfactory deficits and psychosis-spectrum symptoms in 22q11.2 deletion syndrome. Schizophrenia Research, 2018, 202, 113-119.	1.1	8

#	Article	IF	CITATIONS
19	Neurocognitive Functioning in Patients with 22q11.2 Deletion Syndrome: A Meta-Analytic Review. Behavior Genetics, 2018, 48, 259-270.	1.4	24
20	Temporal Lobe Volume Decrements in Psychosis Spectrum Youths. Schizophrenia Bulletin, 2017, 43, sbw112.	2.3	26
21	Bridging cognitive screening tests in neurologic disorders: A crosswalk between the short Montreal Cognitive Assessment and Mini-Mental State Examination. , 2017, 13, 947-952.		35
22	A quantitative meta-analysis of olfactory dysfunction in mild cognitive impairment. Journal of Neurology, Neurosurgery and Psychiatry, 2017, 88, 226-232.	0.9	79
23	Neuropsychological Subgroups in Non-Demented Parkinson's Disease: A Latent Class Analysis. Journal of Parkinson's Disease, 2017, 7, 385-395.	1.5	21
24	Defining and validating a short form Montreal Cognitive Assessment (s-MoCA) for use in neurodegenerative disease. Journal of Neurology, Neurosurgery and Psychiatry, 2016, 87, 1303-1310.	0.9	50
25	Odor Identification Screening Improves Diagnostic Classification in Incipient Alzheimer's Disease. Journal of Alzheimer's Disease, 2016, 55, 1497-1507.	1.2	48
26	Hearing the Signs of Age-Related Cognitive Decline: A Commentary on "Hearing Aid Use Is Associated with Better Mini-Mental State Exam Performanceâ€. American Journal of Geriatric Psychiatry, 2016, 24, 703-705.	0.6	1
27	Altered G Protein Coupling in Olfactory Neuroepithelial Cells From Patients With Schizophrenia. Schizophrenia Bulletin, 2016, 42, 377-385.	2.3	16
28	The American Academy of Clinical Neuropsychology, National Academy of Neuropsychology, and Society for Clinical Neuropsychology (APA Division 40) 2015 <i>TCN</i> Professional Practice and â€~Salary Survey': Professional Practices, Beliefs, and Incomes of U.S. Neuropsychologists. Clinical Neuropsychologist, 2015, 29, 1069-1162.	1.5	126
29	Influences of hormone replacement therapy on olfactory and cognitive function in postmenopausal women. Neurobiology of Aging, 2015, 36, 2053-2059.	1.5	42
30	P50: A candidate ERP biomarker of prodromal Alzheimer×3s disease. Brain Research, 2015, 1624, 390-397.	1.1	20
31	Olfactory processing in schizophrenia, non-ill first-degree family members, and young people at-risk for psychosis. World Journal of Biological Psychiatry, 2014, 15, 209-218.	1.3	48
32	Meta-Analysis of Olfactory Function in Schizophrenia, First-Degree Family Members, and Youths At-Risk for Psychosis. Schizophrenia Bulletin, 2014, 40, 50-59.	2.3	128
33	Conversion between Miniâ€Mental State Examination, Montreal Cognitive Assessment, and Dementia Rating Scaleâ€2 scores in Parkinson's disease. Movement Disorders, 2014, 29, 1809-1815.	2.2	86
34	Facial emotion perception differs in young persons at genetic and clinical high-risk for psychosis. Psychiatry Research, 2014, 216, 206-212.	1.7	54
35	Olfaction and apathy in Alzheimer's disease, mild cognitive impairment, and healthy older adults. Aging and Mental Health, 2013, 17, 564-570.	1.5	49
36	The effect of odor valence on olfactory performance in schizophrenia patients, unaffected relatives and at-risk youth. Journal of Psychiatric Research, 2013, 47, 1636-1641.	1.5	15

#	Article	IF	Citations
37	Comparative accuracies of two common screening instruments forÂclassification of Alzheimer's disease, mild cognitive impairment, andÂhealthy aging. Alzheimer's and Dementia, 2013, 9, 529-537.	0.4	292
38	Odor Hedonic Capacity and Anhedonia in Schizophrenia and Unaffected First-Degree Relatives of Schizophrenia Patients. Schizophrenia Bulletin, 2013, 39, 59-67.	2.3	50
39	The Influence of Semantic Processing on Odor Identification Ability in Schizophrenia. Archives of Clinical Neuropsychology, 2013, 28, 254-261.	0.3	4
40	Effects of the val(158)met catechol-o-methyltransferase gene polymorphism on olfactory processing in schizophrenia Behavioral Neuroscience, 2012, 126, 209-215.	0.6	11
41	Verbal Learning and Memory in Older Adults with Minor and Major Depression. Archives of Clinical Neuropsychology, 2012, 27, 196-207.	0.3	28
42	Association of schizophrenia with the phenylthiocarbamide taste receptor haplotype on chromosome 7q. Psychiatric Genetics, 2012, 22, 286-289.	0.6	4
43	Computerized Neurocognitive Test Performance in Schizophrenia: A Lifespan Analysis. American Journal of Geriatric Psychiatry, 2012, 20, 41-52.	0.6	48
44	An odor-specific threshold deficit implicates abnormal cAMP signaling in youths at clinical risk for psychosis. Schizophrenia Research, 2012, 138, 280-284.	1.1	11
45	Olfaction and schizophrenia clinical risk status: Just the facts. Schizophrenia Research, 2012, 139, 260-261.	1.1	19
46	Identification of pleasant, neutral, and unpleasant odors in schizophrenia. Psychiatry Research, 2011, 187, 30-35.	1.7	28
47	Facial emotion perception in depression and bipolar disorder: A quantitative review. Psychiatry Research, 2011, 188, 303-309.	1.7	182
48	Olfactory dysfunction is associated with neuropsychiatric manifestations in Parkinson's disease. Movement Disorders, 2011, 26, 2051-2057.	2.2	67
49	Neurodegeneration Across Stages of Cognitive Decline in Parkinson Disease. Archives of Neurology, 2011, 68, 1562.	4.9	180
50	Olfactory epithelium amyloidâ€Î² and paired helical filamentâ€ŧau pathology in Alzheimer disease. Annals of Neurology, 2010, 67, 462-469.	2.8	167
51	Facial Emotion Perception in Schizophrenia: A Meta-analytic Review. Schizophrenia Bulletin, 2010, 36, 1009-1019.	2.3	766
52	Scents and Nonsense: Olfactory Dysfunction in Schizophrenia. Schizophrenia Bulletin, 2009, 35, 1117-1131.	2.3	119
53	An Odor-Specific Threshold Deficit Implicates Abnormal Intracellular Cyclic AMP Signaling in Schizophrenia. American Journal of Psychiatry, 2009, 166, 226-233.	4.0	62
54	Olfactory Receptor Neuron Dysfunction in Schizophrenia. Neuropsychopharmacology, 2009, 34, 767-774.	2.8	49

#	Article	IF	Citations
55	Montreal Cognitive Assessment Performance in Patients with Parkinson's Disease with "Normal― Global Cognition According to Miniâ€Mental State Examination Score. Journal of the American Geriatrics Society, 2009, 57, 304-308.	1.3	270
56	Mild cognitive impairment is common in Parkinson's disease patients with normal Mini-Mental State Examination (MMSE) scores. Parkinsonism and Related Disorders, 2009, 15, 226-231.	1.1	163
57	Depth of the olfactory sulcus: A marker of early embryonic disruption in schizophrenia?. Schizophrenia Research, 2009, 115, 8-11.	1.1	35
58	Drs. Turetsky and Moberg Reply. American Journal of Psychiatry, 2009, 166, 728-728.	4.0	2
59	Olfactory physiological impairment in first-degree relatives of schizophrenia patients. Schizophrenia Research, 2008, 102, 220-229.	1.1	38
60	Decision-making capacity and competency in the elderly: a clinical and neuropsychological perspective. NeuroRehabilitation, 2008, 23, 403-13.	0.5	14
61	Phenylthiocarbamide (PTC) Perception in Parkinson Disease. Cognitive and Behavioral Neurology, 2007, 20, 145-148.	0.5	21
62	Association Between Facial Emotion Recognition and Odor Identification in Schizophrenia. Journal of Neuropsychiatry and Clinical Neurosciences, 2007, 19, 128-131.	0.9	20
63	Phenylthiocarbamide (PTC) perception in patients with schizophrenia and first-degree family members: Relationship to clinical symptomatology and psychophysical olfactory performance. Schizophrenia Research, 2007, 90, 221-228.	1.1	25
64	Reduced posterior nasal cavity volume: A gender-specific neurodevelopmental abnormality in schizophrenia. Schizophrenia Research, 2007, 93, 237-244.	1.1	16
65	Olfactory Functioning in Schizophrenia: Relationship to Clinical, Neuropsychological, and Volumetric MRI Measures. Journal of Clinical and Experimental Neuropsychology, 2006, 28, 1444-1461.	0.8	96
66	Unirhinal Olfactory Function in Schizophrenia Patients and First-Degree Relatives. Journal of Neuropsychiatry and Clinical Neurosciences, 2006, 18, 389-396.	0.9	30
67	Apolipoprotein E Genotype and Odor Identification in Schizophrenia. Journal of Neuropsychiatry and Clinical Neurosciences, 2006, 18, 231-233.	0.9	5
68	Evaluation of Competency: Ethical Considerations for Neuropsychologists. Applied Neuropsychology, 2006, 13, 101-114.	1.5	38
69	Antidepressant studies in Parkinson's disease: A review and meta-analysis. Movement Disorders, 2005, 20, 1161-1169.	2.2	177
70	Phenylthiocarbamide Perception in Patients With Schizophrenia and First-Degree Family Members. American Journal of Psychiatry, 2005, 162, 788-790.	4.0	32
71	Smaller Nasal Volumes as Stigmata of Aberrant Neurodevelopment in Schizophrenia. American Journal of Psychiatry, 2004, 161, 2314-2316.	4.0	23
72	The Penn Conditional Exclusion Test: a new measure of executive-function with alternate forms for repeat administration. Archives of Clinical Neuropsychology, 2004, 19, 191-201.	0.3	84

#	Article	IF	Citations
73	Evidence for impaired encoding and retrieval memory profiles in Parkinson disease. Cognitive and Behavioral Neurology, 2004, 17, 195-200.	0.5	84
74	Scent of a disorder: Olfactory functioning in schizophrenia. Current Psychiatry Reports, 2003, 5, 311-319.	2.1	45
75	Physiologic impairment of olfactory stimulus processing in schizophrenia. Biological Psychiatry, 2003, 53, 403-411.	0.7	69
76	Neuropsychological deficits among patients with late-onset minor and major depression. Archives of Clinical Neuropsychology, 2003, 18, 529-549.	0.3	132
77	Recognition and Treatment of Depression in Parkinson's Disease. Journal of Geriatric Psychiatry and Neurology, 2003, 16, 178-183.	1.2	177
78	Low Olfactory Bulb Volume in First-Degree Relatives of Patients With Schizophrenia. American Journal of Psychiatry, 2003, 160, 703-708.	4.0	94
79	Decrements in Volume of Anterior Ventromedial Temporal Lobe and Olfactory Dysfunction in Schizophrenia. Archives of General Psychiatry, 2003, 60, 1193.	13.8	90
80	Impairment of Odor Hedonics in Men With Schizophrenia. American Journal of Psychiatry, 2003, 160, 1784-1789.	4.0	71
81	Olfactory-evoked regional cerebral blood flow in Alzheimer's disease Neuropsychology, 2001, 15, 18-29.	1.0	53
82	Cognitive impairment and functional status in elderly institutionalized patients with schizophrenia. International Journal of Geriatric Psychiatry, 2001, 16, 631-638.	1.3	14
83	Approaches to cognitive remediation of neuropsychological deficits in schizophrenia: a review and meta-analysis. Neuropsychology Review, 2001, 11, 197-210.	2.5	185
84	Computerized Neurocognitive Scanning: I. Methodology and Validation in Healthy People. Neuropsychopharmacology, 2001, 25, 766-776.	2.8	344
85	Computerized Neurocognitive Scanning: II. The Profile of Schizophrenia. Neuropsychopharmacology, 2001, 25, 777-788.	2.8	157
86	Dysregulation of Olfactory Receptor Neuron Lineage in Schizophrenia. Archives of General Psychiatry, 2001, 58, 829.	13.8	114
87	A Guide to the Neuropsychological Assessment of the Aging Individual. Journal of the International Neuropsychological Society, 1999, 5, 704-706.	1.2	0
88	Olfactory Dysfunction in Schizophrenia A Qualitative and Quantitative Review. Neuropsychopharmacology, 1999, 21, 325-340.	2.8	275
89	Cellular and Molecular Neuropathology of the Olfactory Epithelium and Central Olfactory Pathways in Alzheimer's Disease and Schizophreniaa. Annals of the New York Academy of Sciences, 1998, 855, 762-775.	1.8	69
90	MMPI-2 Characteristics of Adults Diagnosed with Attention Deficit Disorder. International Journal of Neuroscience, 1998, 96, 161-175.	0.8	7

#	Article	lF	CITATION
91	Olfaction in Neurodegenerative Disease. Archives of Neurology, 1998, 55, 84.	4.9	636
92	Olfactory Function in Huntington's Disease Patients and at-Risk Offspring. International Journal of Neuroscience, 1997, 89, 133-139.	0.8	65
93	Goal setting as a predictor of return to work in population of chronic musculoskeletal pain patients. International Journal of Neuroscience, 1997, 92, 161-170.	0.8	49
94	Laterality in Human Nasal Chemoreception Advances in Psychology, 1997, 123, 497-542.	0.1	32
95	Aging and Olfactory Recognition Memory: Effect of Encoding Strategies and Cognitive Abilities. International Journal of Neuroscience, 1997, 90, 277-291.	0.8	5
96	Proactive inhibition and semantic organization Relationship with verbal memory in patients with schizophrenia. Journal of the International Neuropsychological Society, 1996, 2, 486-493.	1.2	53
97	Neuropsychiatry of 18q-syndrome. American Journal of Medical Genetics Part A, 1996, 67, 172-178.	2.4	42
98	MMPI Characteristics in Adults Diagnosed with Add: A Preliminary Report. International Journal of Neuroscience, 1994, 79, 47-58.	0.8	9
99	Structural brain CT changes and cognitive deficits in elderly depressives with and without reversible dementia (â€~pseudodementia'). Psychological Medicine, 1989, 19, 573-584.	2.7	148
100	Olfactory Recognition: Differential Impairments in Early and Late Huntington's and Alzheimer's Diseases. Neuropsychology, Development and Cognition Section A: Journal of Clinical and Experimental Neuropsychology, 1987, 9, 650-664.	1.4	156
101	Antipsychotics for schizophrenia spectrum disorders with catatonic symptoms. The Cochrane Library, 0, , .	1.5	1