Nicola Fairhall

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10659681/publications.pdf

Version: 2024-02-01

24 papers 3,219 citations

471509 17 h-index 642732 23 g-index

24 all docs

24 docs citations

times ranked

24

4365 citing authors

| # | Article | IF | Citations |
|----|--|---------------------|----------------|
| 1 | Exercise to prevent falls in older adults: an updated systematic review and meta-analysis. British Journal of Sports Medicine, 2017, 51, 1750-1758. | 6.7 | 656 |
| 2 | Exercise to prevent falls in older adults: an updated meta-analysis and best practice recommendations. NSW Public Health Bulletin, 2011, 22, 78. | 0.3 | 603 |
| 3 | A critical review of the long-term disability outcomes following hip fracture. BMC Geriatrics, 2016, 16, 158. | 2.7 | 538 |
| 4 | A multifactorial interdisciplinary intervention reduces frailty in older people: randomized trial. BMC Medicine, 2013, 11, 65. | 5.5 | 315 |
| 5 | Exercise for preventing falls in older people living in the community: an abridged Cochrane systematic review. British Journal of Sports Medicine, 2020, 54, 885-891. | 6.7 | 155 |
| 6 | Evidence on physical activity and falls prevention for people aged 65+ years: systematic review to inform the WHO guidelines on physical activity and sedentary behaviour. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 144. | 4.6 | 137 |
| 7 | Frailty Intervention Trial (FIT). BMC Geriatrics, 2008, 8, 27. | 2.7 | 127 |
| 8 | Treating frailty-a practical guide. BMC Medicine, 2011, 9, 83. | 5.5 | 126 |
| 9 | Effect of a multifactorial interdisciplinary intervention on mobility-related disability in frail older people: randomised controlled trial. BMC Medicine, 2012, 10, 120. | 5.5 | 122 |
| 10 | Economic Evaluation of a Multifactorial, Interdisciplinary Intervention Versus Usual Care to Reduce Frailty in Frail Older People. Journal of the American Medical Directors Association, 2015, 16, 41-48. | 2.5 | 103 |
| 11 | Effect of a multifactorial, interdisciplinary intervention on risk factors for falls and fall rate in frail older people: a randomised controlled trial. Age and Ageing, 2014, 43, 616-622. | 1.6 | 94 |
| 12 | Effectiveness of a multifactorial intervention on preventing development of frailty in pre-frail older people: study protocol for a randomised controlled trial. BMJ Open, 2015, 5, e007091-e007091. | 1.9 | 47 |
| 13 | Exercise for falls prevention in community-dwelling older adults: trial and participant characteristics, interventions and bias in clinical trials from a systematic review. BMJ Open Sport and Exercise Medicine, 2019, 5, e000663. | 2.9 | 32 |
| 14 | Exercise and fall prevention self-management to reduce mobility-related disability and falls after fall-related lower limb fracture in older people: protocol for the RESTORE (Recovery Exercises and) Tj ETQq0 0 0 r | rgB I.† Over | lockol 0 Tf 50 |
| 15 | A multifactorial intervention for frail older people is more than twice as effective among those who are compliant: complier average causal effect analysis of a randomised trial. Journal of Physiotherapy, 2017, 63, 40-44. | 1.7 | 26 |
| 16 | Multifactorial falls prevention programmes for older adults presenting to the emergency department with a fall: systematic review and meta-analysis. Injury Prevention, 2019, 25, 557-564. | 2.4 | 26 |
| 17 | Early identification of frailty: Developing an international delphi consensus on pre-frailty. Archives of Gerontology and Geriatrics, 2022, 99, 104586. | 3.0 | 23 |
| 18 | Exercise to Reduce Mobility Disability and Prevent Falls After Fall-Related Leg or Pelvic Fracture: RESTORE Randomized Controlled Trial. Journal of General Internal Medicine, 2020, 35, 2907-2916. | 2.6 | 18 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Developing Interventions for Frailty. Advances in Geriatrics, 2015, 2015, 1-7. | 1.6 | 16 |
| 20 | What is the effect of a combined physical activity and fall prevention intervention enhanced with health coaching and pedometers on older adults' physical activity levels and mobility-related goals?: Study protocol for a randomised controlled trial. BMC Public Health, 2015, 15, 477. | 2.9 | 15 |
| 21 | Physical, nutritional, cognitive and combination interventions reduce frailty in community-dwelling prefrail and frail older people. Evidence-Based Medicine, 2016, 21, 142-142. | 0.6 | 6 |
| 22 | Supporting communityâ€dwelling older people with cognitive impairment to stay at home: A modelled cost analysis. Australasian Journal on Ageing, 2020, 39, e506-e514. | 0.9 | 3 |
| 23 | Exploring Client Adherence Factors Related to Clinical Outcomes. Australasian Marketing Journal, 2014, 22, 197-204. | 5.4 | 1 |
| 24 | Exercise to Prevent Falls., 2021,, 251-270. | | 0 |