Jan Sundquist

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1066421/publications.pdf

Version: 2024-02-01

409 papers 14,532 citations

20817 60 h-index 98 g-index

410 all docs

410 docs citations

410 times ranked

18876 citing authors

| # | Article | IF | Citations |
|----|--|------|-----------|
| 1 | Metastatic sites and survival in lung cancer. Lung Cancer, 2014, 86, 78-84. | 2.0 | 590 |
| 2 | Comorbidities and Mortality in Persons With Schizophrenia: A Swedish National Cohort Study. American Journal of Psychiatry, 2013, 170, 324-333. | 7.2 | 491 |
| 3 | Urbanisation and incidence of psychosis and depression. British Journal of Psychiatry, 2004, 184, 293-298. | 2.8 | 330 |
| 4 | Risk of pulmonary embolism in patients with autoimmune disorders: a nationwide follow-up study from Sweden. Lancet, The, 2012, 379, 244-249. | 13.7 | 305 |
| 5 | Gestational Age at Birth and Mortality in Young Adulthood. JAMA - Journal of the American Medical Association, 2011, 306, 1233. | 7.4 | 284 |
| 6 | Metastatic spread in patients with gastric cancer. Oncotarget, 2016, 7, 52307-52316. | 1.8 | 272 |
| 7 | Cardiovascular risk factors and the neighbourhood environment: a multilevel analysis. International Journal of Epidemiology, 1999, 28, 841-845. | 1.9 | 251 |
| 8 | The influence of socioeconomic status, ethnicity and lifestyle on body mass index in a longitudinal study. International Journal of Epidemiology, 1998, 27, 57-63. | 1.9 | 218 |
| 9 | Colorectal cancer incidence, mortality, and stage distribution in European countries in the colorectal cancer screening era: an international population-based study. Lancet Oncology, The, 2021, 22, 1002-1013. | 10.7 | 203 |
| 10 | Cardiovascular risk factors in Mexican American adults: a transcultural analysis of NHANES III, 1988-1994 American Journal of Public Health, 1999, 89, 723-730. | 2.7 | 201 |
| 11 | Ethnicity, acculturation, and self reported health. A population based study among immigrants from Poland, Turkey, and Iran in Sweden. Journal of Epidemiology and Community Health, 2004, 58, 574-582. | 3.7 | 178 |
| 12 | Neighborhood violent crime and unemployment increase the risk of coronary heart disease: A multilevel study in an urban setting. Social Science and Medicine, 2006, 62, 2061-2071. | 3.8 | 171 |
| 13 | Genetic and Familial Environmental Influences on the Risk for Drug Abuse. Archives of General Psychiatry, 2012, 69, 690-7. | 12.3 | 162 |
| 14 | Neighborhood deprivation and cardiovascular disease risk factors: Protective and harmful effects. Scandinavian Journal of Public Health, 2006, 34, 228-237. | 0.6 | 159 |
| 15 | Association of Preterm Birth With Risk of Ischemic Heart Disease in Adulthood. JAMA Pediatrics, 2019, 173, 736. | 6.2 | 157 |
| 16 | Preterm birth and risk of chronic kidney disease from childhood into mid-adulthood: national cohort study. BMJ: British Medical Journal, 2019, 365, 11346. | 2.3 | 151 |
| 17 | Common adult psychiatric disorders in Swedish primary care where most mental health patients are treated. BMC Psychiatry, 2017, 17, 235. | 2.6 | 147 |
| 18 | Low linking social capital as a predictor of coronary heart disease in Sweden: A cohort study of 2.8 million people. Social Science and Medicine, 2006, 62, 954-963. | 3.8 | 142 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Country of birth, acculturation status and abdominal obesity in a national sample of Mexican-American women and men. International Journal of Epidemiology, 2000, 29, 470-7. | 1.9 | 141 |
| 20 | Self reported poor health and low educational level predictors for mortality: a population based follow up study of 39,156 people in Sweden Journal of Epidemiology and Community Health, 1997, 51, 35-40. | 3.7 | 136 |
| 21 | Risk of Hypertension Among Young Adults Who Were Born Preterm: A Swedish National Study of 636,000 Births. American Journal of Epidemiology, 2011, 173, 797-803. | 3.4 | 125 |
| 22 | Risk of Subsequent Coronary Heart Disease in Patients Hospitalized for Immune-Mediated Diseases: A Nationwide Follow-Up Study from Sweden. PLoS ONE, 2012, 7, e33442. | 2.5 | 125 |
| 23 | Do immigrants have an increased prevalence of unhealthy behaviours and risk factors for coronary heart disease?. European Journal of Cardiovascular Prevention and Rehabilitation, 2005, 12, 535-541. | 2.8 | 110 |
| 24 | The Swedish Familyâ€Cancer Database 2009: prospects for histologyâ€specific and immigrant studies. International Journal of Cancer, 2010, 126, 2259-2267. | 5.1 | 105 |
| 25 | Age- and Gender-Specific Familial Risks for Venous Thromboembolism. Circulation, 2011, 124, 1012-1020. | 1.6 | 105 |
| 26 | An Extended Swedish National Adoption Study of Alcohol Use Disorder. JAMA Psychiatry, 2015, 72, 211. | 11.0 | 105 |
| 27 | Gestational age at birth and mortality from infancy into mid-adulthood: a national cohort study. The Lancet Child and Adolescent Health, 2019, 3, 408-417. | 5.6 | 105 |
| 28 | Determination of 14 Circulating microRNAs in Swedes and Iraqis with and without Diabetes Mellitus Type 2. PLoS ONE, 2014, 9, e86792. | 2.5 | 104 |
| 29 | Smoking and Schizophrenia in Population Cohorts of Swedish Women and Men: A Prospective Co-Relative Control Study. American Journal of Psychiatry, 2015, 172, 1092-1100. | 7.2 | 104 |
| 30 | Cancer risk among patients hospitalized for Type 1 diabetes mellitus: a populationâ€based cohort study in Sweden. Diabetic Medicine, 2010, 27, 791-797. | 2.3 | 99 |
| 31 | Frequent and occasional physical activity in the elderly. American Journal of Preventive Medicine, 2004, 27, 22-27. | 3.0 | 98 |
| 32 | Family environment and the malleability of cognitive ability: A Swedish national home-reared and adopted-away cosibling control study. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 4612-4617. | 7.1 | 98 |
| 33 | Morbidity in cardiovascular diseases in immigrants in Sweden. Journal of Internal Medicine, 2003, 254, 236-243. | 6.0 | 97 |
| 34 | Death causes in breast cancer patients. Annals of Oncology, 2012, 23, 604-610. | 1.2 | 97 |
| 35 | Comparability of cancer identification among Death Registry, Cancer Registry and Hospital Discharge Registry. International Journal of Cancer, 2012, 131, 2085-2093. | 5.1 | 96 |
| 36 | Recent research on the mental health of immigrants to Sweden: a literature review. European Journal of Public Health, 2014, 24, 72-79. | 0.3 | 94 |

| # | Article | IF | Citations |
|----|---|------|-----------|
| 37 | Interactive Effects of Physical Fitness and Body Mass Index on the Risk of Hypertension. JAMA Internal Medicine, 2016, 176, 210. | 5.1 | 94 |
| 38 | Mindfulness group therapy in primary care patients with depression, anxiety and stress and adjustment disorders: Randomised controlled trial. British Journal of Psychiatry, 2015, 206, 128-135. | 2.8 | 87 |
| 39 | Influence of education level on breast cancer risk and survival in Sweden between 1990 and 2004. International Journal of Cancer, 2008, 122, 165-169. | 5.1 | 86 |
| 40 | Do immigrants have an increased prevalence of unhealthy behaviours and risk factors for coronary heart disease?. European Journal of Cardiovascular Prevention and Rehabilitation, 2005, 12, 535-541. | 2.8 | 85 |
| 41 | Circulating microRNA-144-5p is associated with depressive disorders. Clinical Epigenetics, 2015, 7, 69. | 4.1 | 84 |
| 42 | Long-term effects of neighbourhood deprivation on diabetes risk: quasi-experimental evidence from a refugee dispersal policy in Sweden. Lancet Diabetes and Endocrinology, the, 2016, 4, 517-524. | 11.4 | 84 |
| 43 | Early-term Birth (37–38 Weeks) and Mortality in Young Adulthood. Epidemiology, 2013, 24, 270-276. | 2.7 | 83 |
| 44 | Incidence Trends of Squamous Cell and Rare Skin Cancers in the Swedish National Cancer Registry Point to Calendar Year and Age-Dependent Increases. Journal of Investigative Dermatology, 2010, 130, 1323-1328. | 0.7 | 82 |
| 45 | Cancer risk in patients hospitalized with polymyalgia rheumatica and giant cell arteritis: a follow-up study in Sweden. Rheumatology, 2010, 49, 1158-1163. | 1.9 | 82 |
| 46 | Care Need Index, a useful tool for the distribution of primary health care resources. Journal of Epidemiology and Community Health, 2003, 57, 347-352. | 3.7 | 81 |
| 47 | Alcohol Use Disorder and Mortality Across the Lifespan. JAMA Psychiatry, 2016, 73, 575. | 11.0 | 80 |
| 48 | The Genetic Epidemiology of Treated Major Depression in Sweden. American Journal of Psychiatry, 2018, 175, 1137-1144. | 7.2 | 80 |
| 49 | Risk of solid tumors and hematological malignancy in persons with Turner and Klinefelter syndromes: A national cohort study. International Journal of Cancer, 2016, 139, 754-758. | 5.1 | 75 |
| 50 | Familial risk of venous thromboembolism in first-, second- and third-degree relatives: a nationwide family study in Sweden. Thrombosis and Haemostasis, 2013, 109, 458-463. | 3.4 | 74 |
| 51 | The long-term effect of physical activity on incidence of coronary heart disease: A 12-year follow-up study. Preventive Medicine, 2005, 41, 219-225. | 3.4 | 73 |
| 52 | Cancer risk in hospitalized sarcoidosis patients: a follow-up study in Sweden. Annals of Oncology, 2009, 20, 1121-1126. | 1.2 | 73 |
| 53 | The influence of country of birth on mortality from all causes and cardiovascular disease in Sweden 1979-1993. International Journal of Epidemiology, 1997, 26, 279-287. | 1.9 | 69 |
| 54 | How common is familial cancer?. Annals of Oncology, 2008, 19, 163-167. | 1.2 | 68 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Population Landscape of Familial Cancer. Scientific Reports, 2015, 5, 12891. | 3.3 | 68 |
| 56 | Effect of Marriage on Risk for Onset of Alcohol Use Disorder: A Longitudinal and Co-Relative Analysis in a Swedish National Sample. American Journal of Psychiatry, 2016, 173, 911-918. | 7.2 | 68 |
| 57 | Statin use and risk of depression: a Swedish national cohort study. BMC Psychiatry, 2014, 14, 348. | 2.6 | 66 |
| 58 | Preterm birth and risk of type 1 and type 2 diabetes: a national cohort study. Diabetologia, 2020, 63, 508-518. | 6.3 | 66 |
| 59 | Increasing trends of obesity in Sweden between 1996/97 and 2000/01. International Journal of Obesity, 2004, 28, 254-261. | 3.4 | 64 |
| 60 | Genetic and Family and Community Environmental Effects on Drug Abuse in Adolescence: A Swedish National Twin and Sibling Study. American Journal of Psychiatry, 2014, 171, 209-217. | 7.2 | 64 |
| 61 | High familial risks for cerebral palsy implicate partial heritable aetiology. Paediatric and Perinatal Epidemiology, 2007, 21, 235-241. | 1.7 | 63 |
| 62 | Neighborhood Deprivation and Psychiatric Medication Prescription: A Swedish National Multilevel Study. Annals of Epidemiology, 2011, 21, 231-237. | 1.9 | 63 |
| 63 | Cancer risk in patients hospitalised for Graves' disease: a population-based cohort study in Sweden. British Journal of Cancer, 2010, 102, 1397-1399. | 6.4 | 61 |
| 64 | Risk for multiple sclerosis in relatives and spouses of patients diagnosed with autoimmune and related conditions. Neurogenetics, 2009, 10, 5-11. | 1.4 | 60 |
| 65 | Cancer risk in hospitalised psoriasis patients: a follow-up study in Sweden. British Journal of Cancer, 2009, 100, 1499-1502. | 6.4 | 60 |
| 66 | Prediction of Onset of Substance-Induced Psychotic Disorder and Its Progression to Schizophrenia in a Swedish National Sample. American Journal of Psychiatry, 2019, 176, 711-719. | 7.2 | 60 |
| 67 | Age-Specific Risk of Incident Prostate Cancer and Risk of Death from Prostate Cancer Defined by the Number of Affected Family Members. European Urology, 2010, 58, 275-280. | 1.9 | 59 |
| 68 | Familial Association of Inflammatory Bowel Diseases With Other Autoimmune and Related Diseases. American Journal of Gastroenterology, 2010, 105, 139-147. | 0.4 | 58 |
| 69 | Cancer risk in patients with type 2 diabetes mellitus and their relatives. International Journal of Cancer, 2015, 137, 903-910. | 5.1 | 57 |
| 70 | Concordant and discordant familial cancer: Familial risks, proportions and population impact. International Journal of Cancer, 2017, 140, 1510-1516. | 5.1 | 57 |
| 71 | The Influence of Ethnicity and Length of Time since Immigration on Physical Activity. Ethnicity and Health, 2005, 10, 293-309. | 2.5 | 56 |
| 72 | Gender-specific incidence of autoimmune diseases from national registers. Journal of Autoimmunity, 2016, 69, 102-106. | 6.5 | 56 |

| # | Article | IF | Citations |
|----|---|------|-----------|
| 73 | Risk of hypertension into adulthood in persons born prematurely: a national cohort study. European Heart Journal, 2020, 41, 1542-1550. | 2.2 | 56 |
| 74 | Subsequent Risk of Hospitalization for Neuropsychiatric Disorders in Patients With Rheumatic Diseases. Archives of General Psychiatry, 2008, 65, 501. | 12.3 | 55 |
| 75 | Alcohol Use Disorder and Risk of Suicide in a Swedish Population-Based Cohort. American Journal of Psychiatry, 2020, 177, 627-634. | 7.2 | 55 |
| 76 | Preterm or Early Term Birth and Risk of Autism. Pediatrics, 2021, 148, . | 2.1 | 55 |
| 77 | The population impact of familial cancer, a major cause of cancer. International Journal of Cancer, 2014, 134, 1899-1906. | 5.1 | 54 |
| 78 | Ethnicity as a risk factor for consultations in primary health care and out-patient care. Scandinavian Journal of Primary Health Care, 1993, 11, 169-173. | 1.5 | 52 |
| 79 | Association of Preterm Birth With Long-term Risk of Heart Failure Into Adulthood. JAMA Pediatrics, 2021, 175, 689-697. | 6.2 | 52 |
| 80 | Immigration and Leisure-Time Physical Inactivity: A population-based study. Ethnicity and Health, 2001, 6, 77-85. | 2.5 | 51 |
| 81 | Increased Risk of Hepatobiliary Cancers After Hospitalization for Autoimmune Disease. Clinical Gastroenterology and Hepatology, 2014, 12, 1038-1045.e7. | 4.4 | 51 |
| 82 | Prevalence of Survival Without Major Comorbidities Among Adults Born Prematurely. JAMA - Journal of the American Medical Association, 2019, 322, 1580. | 7.4 | 50 |
| 83 | Country of birth, socioeconomic factors, and risk factor control in patients with type 2 diabetes: a Swedish study from 25 primary healthâ€care centres. Diabetes/Metabolism Research and Reviews, 2011, 27, 244-254. | 4.0 | 49 |
| 84 | The influence of exile and repatriation on mental and physical health. Social Psychiatry and Psychiatric Epidemiology, 1996, 31, 21-28. | 3.1 | 49 |
| 85 | Second cancers after testicular cancer diagnosed after 1980 in Sweden. Annals of Oncology, 2010, 21, 1546-1551. | 1.2 | 48 |
| 86 | Lactose intolerance and risk of lung, breast and ovarian cancers: aetiological clues from a population-based study in Sweden. British Journal of Cancer, 2015, 112, 149-152. | 6.4 | 48 |
| 87 | Age of onset in familial cancer. Annals of Oncology, 2008, 19, 2084-2088. | 1.2 | 47 |
| 88 | Divorce and the Onset of Alcohol Use Disorder: A Swedish Population-Based Longitudinal Cohort and Co-Relative Study. American Journal of Psychiatry, 2017, 174, 451-458. | 7.2 | 47 |
| 89 | Within-Family Environmental Transmission of Drug Abuse. JAMA Psychiatry, 2013, 70, 235. | 11.0 | 45 |
| 90 | Linking social capital and mortality in the elderly: A Swedish national cohort study. Experimental Gerontology, 2014, 55, 29-36. | 2.8 | 45 |

| # | Article | IF | Citations |
|-----|--|------|-----------|
| 91 | Risk of colorectal cancer in patients with diabetes mellitus: A Swedish nationwide cohort study. PLoS Medicine, 2020, 17, e1003431. | 8.4 | 45 |
| 92 | Familial risks for asthma among twins and other siblings based on hospitalizations in Sweden. Clinical and Experimental Allergy, 2007, 37, 1320-1325. | 2.9 | 44 |
| 93 | Levelling off of prevalence of obesity in the adult population of Sweden between 2000/01 and 2004/05. BMC Public Health, 2010, 10, 119. | 2.9 | 44 |
| 94 | Neighbourhood deprivation and hospitalization for atrial fibrillation in Sweden. Europace, 2013, 15, 1119-1127. | 1.7 | 43 |
| 95 | Risk for incident and fatal prostate cancer in men with a family history of any incident and fatal cancer. Annals of Oncology, 2012, 23, 251-256. | 1.2 | 42 |
| 96 | A Swedish national twin study of criminal behavior and its violent, white-collar and property subtypes. Psychological Medicine, 2015, 45, 2253-2262. | 4.5 | 42 |
| 97 | Indices of need and social deprivation for primary health care. Scandinavian Journal of Public Health, 1998, 26, 124-130. | 0.6 | 41 |
| 98 | Depression, neighborhood deprivation and risk of type 2 diabetes. Health and Place, 2013, 23, 63-69. | 3.3 | 41 |
| 99 | A Swedish national adoption study of criminality. Psychological Medicine, 2014, 44, 1913-1925. | 4.5 | 41 |
| 100 | Family history of venous thromboembolism as a risk factor and genetic research tool. Thrombosis and Haemostasis, 2015, 114, 890-900. | 3.4 | 41 |
| 101 | Risk of irritable bowel syndrome in first-degree, second-degree and thirddegree relatives of affected individuals: a nationwide family study in Sweden. Gut, 2015, 64, 215-221. | 12.1 | 41 |
| 102 | Neighborhood Deprivation and Lung Cancer Incidence and Mortality: A Multilevel Analysis from Sweden. Journal of Thoracic Oncology, 2015, 10, 256-263. | 1.1 | 41 |
| 103 | Longitudinal trends in self-reported anxiety. Effects of age and birth cohort during 25 years. BMC Psychiatry, 2017, 17, 119. | 2.6 | 41 |
| 104 | Sources of Parent-Offspring Resemblance for Major Depression in a National Swedish Extended Adoption Study. JAMA Psychiatry, 2018, 75, 194. | 11.0 | 41 |
| 105 | Socioeconomic status and alcohol use disorders across the lifespan: A co-relative control study. PLoS ONE, 2019, 14, e0224127. | 2.5 | 40 |
| 106 | Personal History of Diabetes as Important as Family History of Colorectal Cancer for Risk of Colorectal Cancer: A Nationwide Cohort Study. American Journal of Gastroenterology, 2020, 115, 1103-1109. | 0.4 | 40 |
| 107 | Family Genetic Risk Scores and the Genetic Architecture of Major Affective and Psychotic Disorders in a Swedish National Sample. JAMA Psychiatry, 2021, 78, 735. | 11.0 | 40 |
| 108 | A National Swedish Twin-Sibling Study of Alcohol Use Disorders. Twin Research and Human Genetics, 2016, 19, 430-437. | 0.6 | 39 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 109 | Effect of autoimmune diseases on incidence and survival in subsequent multiple myeloma. Journal of Hematology and Oncology, 2012, 5, 59. | 17.0 | 38 |
| 110 | Depression and anxiety in Swedish primary health care: prevalence, incidence, and risk factors. European Archives of Psychiatry and Clinical Neuroscience, 2014, 264, 235-245. | 3.2 | 38 |
| 111 | Neighbourhood socioeconomic status and coronary heart disease in individuals between 40 and 50 years. Heart, 2016, 102, 775-782. | 2.9 | 38 |
| 112 | Use of Phosphodiesterase 5 Inhibitors Is Associated With Lower Risk of Colorectal Cancer in Men With Benign Colorectal Neoplasms. Gastroenterology, 2019, 157, 672-681.e4. | 1.3 | 38 |
| 113 | Pre-Term Delivery and Risk of Ischemic Heart Disease in Women. Journal of the American College of Cardiology, 2020, 76, 57-67. | 2.8 | 38 |
| 114 | A Swedish National Prospective and Co-relative Study of School Achievement at Age 16, and Risk for Schizophrenia, Other Nonaffective Psychosis, and Bipolar Illness. Schizophrenia Bulletin, 2016, 42, sbv103. | 4.3 | 37 |
| 115 | The patterns of family genetic risk scores for eleven major psychiatric and substance use disorders in a Swedish national sample. Translational Psychiatry, 2021, 11, 326. | 4.8 | 37 |
| 116 | On the Genetic and Environmental Relationship Between Suicide Attempt and Death by Suicide. American Journal of Psychiatry, 2021, 178, 1060-1069. | 7.2 | 37 |
| 117 | A Swedish Population-Based Multivariate Twin Study of Externalizing Disorders. Behavior Genetics, 2016, 46, 183-192. | 2.1 | 36 |
| 118 | Ethnicity as a risk factor for mental illness Acta Psychiatrica Scandinavica, 1993, 87, 208-212. | 4.5 | 35 |
| 119 | Familial and neighborhood effects on psychiatric disorders inÂchildhood and adolescence. Journal of Psychiatric Research, 2015, 66-67, 7-15. | 3.1 | 35 |
| 120 | Attention-deficit/hyperactivity disorder and risk for drug use disorder: a population-based follow-up and co-relative study. Psychological Medicine, 2015, 45, 977-983. | 4.5 | 35 |
| 121 | Preterm delivery and long term mortality in women: national cohort and co-sibling study. BMJ, The, 2020, 370, m2533. | 6.0 | 35 |
| 122 | Longitudinal age-and cohort trends in body mass index in Sweden – a 24-year follow-up study. BMC Public Health, 2013, 13, 893. | 2.9 | 34 |
| 123 | Triparental Families: A New Genetic-Epidemiological Design Applied to Drug Abuse, Alcohol Use Disorders, and Criminal Behavior in a Swedish National Sample. American Journal of Psychiatry, 2015, 172, 553-560. | 7.2 | 34 |
| 124 | Neighbourhood socio-economic status and all-cause mortality in adults with atrial fibrillation: A cohort study of patients treated in primary care in Sweden. International Journal of Cardiology, 2016, 202, 776-781. | 1.7 | 34 |
| 125 | School Achievement and Risk of Eating Disorders in a Swedish National Cohort. Journal of the American Academy of Child and Adolescent Psychiatry, 2016, 55, 41-46.e1. | 0.5 | 34 |
| 126 | Major Risk Factors for Cardiovascular Disease in Elderly Migrants in Sweden. Ethnicity and Health, 2000, 5, 137-150. | 2.5 | 33 |

| # | Article | IF | Citations |
|-----|--|------|-----------|
| 127 | Familial risks for common diseases: Etiologic clues and guidance to gene identification. Mutation Research - Reviews in Mutation Research, 2008, 658, 247-258. | 5.5 | 33 |
| 128 | Kaposi sarcoma and Merkel cell carcinoma after autoimmune disease. International Journal of Cancer, 2012, 131, E326-8. | 5.1 | 33 |
| 129 | Peer Deviance, Parental Divorce, and Genetic Risk in the Prediction of Drug Abuse in a Nationwide Swedish Sample. JAMA Psychiatry, 2014, 71, 439. | 11.0 | 33 |
| 130 | Longitudinal trends in good self-rated health: effects of age and birth cohort in a 25-year follow-up study in Sweden. International Journal of Public Health, 2015, 60, 363-373. | 2.3 | 33 |
| 131 | Power and limits of modern cancer diagnostics: cancer of unknown primary. Annals of Oncology, 2012, 23, 760-764. | 1.2 | 32 |
| 132 | The Sources of Parent-Child Transmission of Risk for Suicide Attempt and Deaths by Suicide in Swedish National Samples. American Journal of Psychiatry, 2020, 177, 928-935. | 7.2 | 32 |
| 133 | Migration and health: A study of Latin American refugees, their exile in Sweden and repatriation. Scandinavian Journal of Primary Health Care, 1995, 13, 135-140. | 1.5 | 31 |
| 134 | Familial risks for amyotrophic lateral sclerosis and autoimmune diseases. Neurogenetics, 2009, 10, 111-116. | 1.4 | 31 |
| 135 | Cancer of unknown primary (CUP): does cause of death and family history implicate hidden phenotypically changed primaries?. Annals of Oncology, 2012, 23, 2720-2724. | 1.2 | 30 |
| 136 | Risk-Adapted Starting Age of Screening for Relatives of Patients With Breast Cancer. JAMA Oncology, 2020, 6, 68. | 7.1 | 30 |
| 137 | Individual characteristics, area social participation, and primary non-concordance with medication: a multilevel analysis. BMC Public Health, 2006, 6, 52. | 2.9 | 29 |
| 138 | Effect of autoimmune diseases on mortality and survival in subsequent digestive tract cancers. Annals of Oncology, 2012, 23, 2179-2184. | 1.2 | 29 |
| 139 | Factor H Autoantibodies in Patients with Antiphospholipid Syndrome and Thrombosis. Journal of Rheumatology, 2015, 42, 1786-1793. | 2.0 | 29 |
| 140 | The Protective Effect of Pregnancy on Risk for Drug Abuse: A Population, Co-Relative, Co-Spouse, and Within-Individual Analysis. American Journal of Psychiatry, 2017, 174, 954-962. | 7.2 | 29 |
| 141 | Systematic assessment of pharmaceutical prescriptions in association with cancer risk: a method to conduct a population-wide medication-wide longitudinal study. Scientific Reports, 2016, 6, 31308. | 3.3 | 28 |
| 142 | Mortality and the business cycle: Evidence from individual and aggregated data. Journal of Health Economics, 2017, 56, 61-70. | 2.7 | 28 |
| 143 | Identification of novel diagnostic biomarkers for deep venous thrombosis. British Journal of Haematology, 2018, 181, 378-385. | 2.5 | 28 |
| 144 | Autism and attention-deficit/hyperactivity disorder among individuals with a family history of alcohol use disorders. ELife, 2014, 3, e02917. | 6.0 | 28 |

| # | Article | IF | Citations |
|-----|--|------|-----------|
| 145 | Risk of obesity in immigrants compared with Swedes in two deprived neighbourhoods. BMC Public Health, 2009, 9, 304. | 2.9 | 27 |
| 146 | Total cholesterol/HDL-C ratio versus non-HDL-C as predictors for ischemic heart disease: a 17-year follow-up study of women in southern Sweden. BMC Cardiovascular Disorders, 2021, 21, 163. | 1.7 | 27 |
| 147 | Living conditions and health:A population-based study of labour migrants and Latin American refugees in Sweden and those who were repatriated. Scandinavian Journal of Primary Health Care, 1995, 13, 128-134. | 1.5 | 26 |
| 148 | Age of onset in familial breast cancer as background data for medical surveillance. British Journal of Cancer, 2010, 102, 42-47. | 6.4 | 26 |
| 149 | Subsequent leukaemia in autoimmune disease patients. British Journal of Haematology, 2013, 161, 677-687. | 2.5 | 26 |
| 150 | Tonsillectomy associated with an increased risk of autoimmune diseases: A national cohort study. Journal of Autoimmunity, 2016, 72, 1-7. | 6.5 | 26 |
| 151 | The effect of mindfulness group therapy on a broad range of psychiatric symptoms: A randomised controlled trial in primary health care. European Psychiatry, 2017, 43, 19-27. | 0.2 | 26 |
| 152 | Arranging Appropriate Activities. Women's Health Issues, 2008, 18, 413-422. | 2.0 | 25 |
| 153 | Distribution and risk of the second discordant primary cancers combined after a specific first primary cancer in German and Swedish cancer registries. Cancer Letters, 2015, 369, 152-166. | 7.2 | 25 |
| 154 | Incidence and familial risk of pleural mesothelioma in Sweden: a national cohort study. European Respiratory Journal, 2016, 48, 873-879. | 6.7 | 24 |
| 155 | Adult outcomes of preterm birth. Preventive Medicine, 2016, 91, 400-401. | 3.4 | 24 |
| 156 | An Extended Swedish National Adoption Study of Bipolar Disorder Illness and Cross-Generational Familial Association With Schizophrenia and Major Depression. JAMA Psychiatry, 2020, 77, 814. | 11.0 | 24 |
| 157 | Association of mitochondrial DNA copy number with prevalent and incident type 2 diabetes in women: A population-based follow-up study. Scientific Reports, 2021, 11, 4608. | 3.3 | 24 |
| 158 | Age at Diagnosis and Age at Death in Familial Prostate Cancer. Oncologist, 2009, 14, 1209-1217. | 3.7 | 23 |
| 159 | Perinatal risk factors for premature ischaemic heart disease in a Swedish national cohort. BMJ Open, 2015, 5, e007308-e007308. | 1.9 | 23 |
| 160 | Neighborhood deprivation and warfarin, aspirin and statin prescription — A cohort study of men and women treated for atrial fibrillation in Swedish primary care. International Journal of Cardiology, 2015, 187, 547-552. | 1.7 | 23 |
| 161 | The rearing environment and risk for drug abuse: a Swedish national high-risk adopted and not adopted co-sibling control study. Psychological Medicine, 2016, 46, 1359-1366. | 4.5 | 23 |
| 162 | A sibling based design to quantify genetic and shared environmental effects of venous thromboembolism in Sweden. Thrombosis Research, 2017, 149, 82-87. | 1.7 | 23 |

| # | Article | IF | Citations |
|-----|---|------|-----------|
| 163 | Height, Weight, and Aerobic Fitness Level in Relation to the Risk of Atrial Fibrillation. American Journal of Epidemiology, 2018, 187, 417-426. | 3.4 | 23 |
| 164 | Cholera Vaccine Use Is Associated With a Reduced Risk of Death in Patients With Colorectal Cancer: A Population-Based Study. Gastroenterology, 2018, 154, 86-92.e1. | 1.3 | 23 |
| 165 | Academic Achievement and Drug Abuse Risk Assessed Using Instrumental Variable Analysis and Co-relative Designs. JAMA Psychiatry, 2018, 75, 1182. | 11.0 | 23 |
| 166 | Swedish rape offenders â€" a latent class analysis. Forensic Sciences Research, 2021, 6, 124-132. | 1.6 | 23 |
| 167 | Refugees, labour migrants and psychological distress. Social Psychiatry and Psychiatric Epidemiology, 1994, 29, 20-24. | 3.1 | 23 |
| 168 | Refugees, labour migrants and psychological distress. A population-based study of 338 Latin-American refugees, 161 south European and 396 Finnish labour migrants, and 996 Swedish age-, sex- and education-matched controls. Social Psychiatry and Psychiatric Epidemiology, 1994, 29, 20-4. | 3.1 | 23 |
| 169 | Anxiolytic–hypnotic drug use associated with trust, social participation, and the miniaturization of community: A multilevel analysis. Social Science and Medicine, 2006, 62, 1205-1214. | 3.8 | 22 |
| 170 | Depression, stroke and gender: evidence of a stronger association in men. Journal of Neurology, Neurosurgery and Psychiatry, 2015, 86, 319-323. | 1.9 | 22 |
| 171 | The association between relevant co-morbidities and prevalent as well as incident heart failure in patients with atrial fibrillation. Journal of Cardiology, 2018, 72, 26-32. | 1.9 | 22 |
| 172 | Second primary cancers in nonâ€Hodgkin lymphoma: Bidirectional analyses suggesting role for immune dysfunction. International Journal of Cancer, 2018, 143, 2449-2457. | 5.1 | 22 |
| 173 | The Rearing Environment and Risk for Major Depression: A Swedish National High-Risk Home-Reared and Adopted-Away Co-Sibling Control Study. American Journal of Psychiatry, 2020, 177, 447-453. | 7.2 | 22 |
| 174 | Calculating the Starting Age for Screening in Relatives of Patients With Colorectal Cancer Based on Data From Large Nationwide Data Sets. Gastroenterology, 2020, 159, 159-168.e3. | 1.3 | 22 |
| 175 | Depression as a Predictor of Hospitalization Due to Coronary Heart Disease. American Journal of Preventive Medicine, 2005, 29, 428-433. | 3.0 | 21 |
| 176 | Clustering of concordant and discordant cancer types in Swedish couples is rare. European Journal of Cancer, 2011, 47, 98-106. | 2.8 | 21 |
| 177 | Age, period and cohort trends in drug abuse hospitalizations within the total Swedish population (1975–2010). Drug and Alcohol Dependence, 2014, 134, 355-361. | 3.2 | 21 |
| 178 | Surveillance Bias in Cancer Risk After Unrelated Medical Conditions: Example Urolithiasis. Scientific Reports, 2017, 7, 8073. | 3.3 | 21 |
| 179 | The ratio of total cholesterol to high density lipoprotein cholesterol and myocardial infarction in Women's health in the Lund area (WHILA): a 17-year follow-up cohort study. BMC Cardiovascular Disorders, 2019, 19, 239. | 1.7 | 21 |
| 180 | Influence of family size and birth order on risk of cancer: a population-based study. BMC Cancer, 2011, 11, 163. | 2.6 | 20 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 181 | A developmental etiological model for drug abuse in men. Drug and Alcohol Dependence, 2017, 179, 220-228. | 3.2 | 20 |
| 182 | Autoimmune diseases and hematological malignancies: Exploring the underlying mechanisms from epidemiological evidence. Seminars in Cancer Biology, 2020, 64, 114-121. | 9.6 | 20 |
| 183 | Familial risks between Graves disease and Hashimoto thyroiditis and other autoimmune diseases in the population of Sweden. Journal of Translational Autoimmunity, 2020, 3, 100058. | 4.0 | 20 |
| 184 | Familial Risks and Proportions Describing Population Landscape of Familial Cancer. Cancers, 2021, 13, 4385. | 3.7 | 20 |
| 185 | Poor quality of life and health in young to middle aged Bosnian female war refugees. Public Health, 1998, 112, 21-26. | 2.9 | 19 |
| 186 | Obstructive Sleep Apnea Syndrome in Siblings: An 8-Year Swedish Follow-Up Study. Sleep, 2008, 31, 817-823. | 1.1 | 19 |
| 187 | Familial Transmission of Venous Thromboembolism. Circulation: Cardiovascular Genetics, 2014, 7, 296-303. | 5.1 | 19 |
| 188 | Alcohol Consumption Has a Protective Effect against Hematological Malignancies: a Population-Based Study in Sweden Including 420,489 Individuals with Alcohol Use Disorders. Neoplasia, 2014, 16, 229-234.e1. | 5.3 | 19 |
| 189 | Drug abuse-associated mortality across the lifespan: a population-based longitudinal cohort and co-relative analysis. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 877-886. | 3.1 | 19 |
| 190 | Familial Associations Between Prostate Cancer and Other Cancers. European Urology, 2017, 71, 162-165. | 1.9 | 19 |
| 191 | Familial colorectal cancer risk in half siblings and siblings: nationwide cohort study. BMJ: British Medical Journal, 2019, 364, l803. | 2.3 | 19 |
| 192 | Exercise Is Medicine: Primary Care Counseling on Aerobic Fitness and Muscle Strengthening. Journal of the American Board of Family Medicine, 2019, 32, 103-107. | 1.5 | 19 |
| 193 | Educational level and occupation as risk factors for inflammatory bowel diseases. Inflammatory Bowel Diseases, 2009, 15, 608-615. | 1.9 | 18 |
| 194 | Neighborhood deprivation and mortality in individuals with cancer. European Journal of Cancer Prevention, 2012, 21, 387-394. | 1.3 | 18 |
| 195 | Venous Thromboembolism and Varicose Veins Share Familial Susceptibility: A Nationwide Family Study in Sweden. Journal of the American Heart Association, 2014, 3, . | 3.7 | 18 |
| 196 | Risk prediction of recurrent venous thromboembolism: a multiple genetic risk model. Journal of Thrombosis and Thrombolysis, 2019, 47, 216-226. | 2.1 | 18 |
| 197 | Preterm Delivery and Long-term Risk of Hypertension in Women. JAMA Cardiology, 2022, 7, 65. | 6.1 | 18 |
| 198 | Season of birth and other perinatal risk factors for melanoma. International Journal of Epidemiology, 2014, 43, 793-801. | 1.9 | 17 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 199 | Sociodemographic Differences and Time Trends of Bariatric Surgery in Sweden 1990–2010. Obesity Surgery, 2014, 24, 2109-2116. | 2.1 | 17 |
| 200 | A population-based Swedish Twin and Sibling Study of cannabis, stimulant and sedative abuse in men. Drug and Alcohol Dependence, 2015, 149, 49-54. | 3.2 | 17 |
| 201 | Preterm Delivery and Long-Term Risk of Stroke in Women: A National Cohort and Cosibling Study. Circulation, 2021, 143, 2032-2044. | 1.6 | 17 |
| 202 | Sales of tranquillizers, hypnotics/sedatives and antidepressants and their relationship with underprivileged area score and mortality and suicide rates. European Journal of Clinical Pharmacology, 1996, 51, 105-109. | 1.9 | 16 |
| 203 | Attempted suicide among swedish-born people and foreign-born migrants. Archives of Suicide Research, 1999, 5, 43-55. | 2.3 | 16 |
| 204 | Breast cancer risk in women who fulfill high-risk criteria: at what age should surveillance start?. Breast Cancer Research and Treatment, 2010, 121, 133-141. | 2.5 | 16 |
| 205 | Neighborhood deprivation and hospitalization for venous thromboembolism in Sweden. Journal of Thrombosis and Thrombolysis, 2012, 34, 374-382. | 2.1 | 16 |
| 206 | Can gender difference in prescription drug use be explained by gender-related morbidity?: a study on a Swedish population during 2006. BMC Public Health, 2014, 14, 329. | 2.9 | 16 |
| 207 | Family history of venous thromboembolism is a risk factor for venous thromboembolism in combined oral contraceptive users: a nationwide case-control study. Thrombosis Journal, 2015, 13, 34. | 2.1 | 16 |
| 208 | Effect of a primary health-care-based controlled trial for cardiorespiratory fitness in refugee women. BMC Family Practice, 2010, 11, 55. | 2.9 | 15 |
| 209 | Neighborhood deprivation and childhood autism: A nationwide study from Sweden. Journal of Psychiatric Research, 2014, 53, 187-192. | 3.1 | 15 |
| 210 | The association between apolipoprotein M and insulin resistance varies with country of birth. Nutrition, Metabolism and Cardiovascular Diseases, 2014, 24, 1174-1180. | 2.6 | 15 |
| 211 | Family history of venous thromboembolism and risk of hospitalized thromboembolism in cancer patients: A nationwide family study. Thrombosis Research, 2015, 136, 573-581. | 1.7 | 15 |
| 212 | A developmental model for alcohol use disorders in Swedish men. Psychological Medicine, 2016, 46, 2759-2770. | 4.5 | 15 |
| 213 | Neighborhood linking social capital as a predictor of drug abuse: A Swedish national cohort study. Addictive Behaviors, 2016, 63, 37-44. | 3.0 | 15 |
| 214 | The association between relevant comorbidities and dementia in patients with atrial fibrillation. GeroScience, 2018, 40, 317-324. | 4.6 | 15 |
| 215 | Aerobic fitness in late adolescence and the risk of cancer and cancer-associated mortality in adulthood: A prospective nationwide study of 1.2 million Swedish men. Cancer Epidemiology, 2019, 59, 58-63. | 1.9 | 15 |
| 216 | Second primary cancers in nonâ€Hodgkin lymphoma: Family history and survival. International Journal of Cancer, 2020, 146, 970-976. | 5.1 | 15 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 217 | The risk for drug abuse, alcohol use disorder, and psychosocial dysfunction in offspring from high-density pedigrees: its moderation by personal, family, and community factors. Molecular Psychiatry, 2020, 25, 1777-1786. | 7.9 | 15 |
| 218 | Body mass index and distribution of body fat in female Bosnian refugeesâ€"a study in primary health care. Public Health, 1999, 113, 89-93. | 2.9 | 15 |
| 219 | Mothers, places and small for gestational age births: a cohort study. Archives of Disease in Childhood, 2011, 96, 380-385. | 1.9 | 14 |
| 220 | Effects of prescribed antihypertensives and other cardiovascular drugs on mortality in patients with atrial fibrillation and hypertension: a cohort study from Sweden. Hypertension Research, 2014, 37, 553-559. | 2.7 | 14 |
| 221 | Atrial fibrillation in immigrant groups: a cohort study of all adults 45Âyears of age and older in Sweden. European Journal of Epidemiology, 2017, 32, 785-796. | 5.7 | 14 |
| 222 | Risk of second primary cancer following myeloid neoplasia and risk of myeloid neoplasia as second primary cancer: a nationwide, observational follow up study in Sweden. Lancet Haematology,the, 2018, 5, e368-e377. | 4.6 | 14 |
| 223 | Antihypertensive drugs and relevant cardiovascular pharmacotherapies and the risk of incident dementia in patients with atrial fibrillation. International Journal of Cardiology, 2018, 272, 149-154. | 1.7 | 14 |
| 224 | Oral contraceptive use and risk of suicidal behavior among young women. Psychological Medicine, 2022, 52, 1710-1717. | 4.5 | 14 |
| 225 | Alcohol use disorder and nonâ€fatal suicide attempt: findings from a Swedish National Cohort Study. Addiction, 2022, 117, 96-105. | 3.3 | 14 |
| 226 | Stroke Risks in Adult Survivors of Preterm Birth: National Cohort and Cosibling Study. Stroke, 2021, 52, 2609-2617. | 2.0 | 14 |
| 227 | The impact of sex, age at onset, recurrence, mode of ascertainment and medical complications on the family genetic risk score profiles for alcohol use disorder. Psychological Medicine, 2023, 53, 1732-1740. | 4.5 | 14 |
| 228 | Comparative risk of suicide by specific substance use disorders: A national cohort study. Journal of Psychiatric Research, 2021, 144, 247-254. | 3.1 | 14 |
| 229 | Sickness absence poses a threat to the Swedish Welfare State: a cross-sectional study of sickness absence and self-reported illness. BMC Public Health, 2007, 7, 45. | 2.9 | 13 |
| 230 | Survival in cancer patients with previous hospitalization for sarcoidosis: a Swedish population-based cohort study during 1964–2006. Annals of Oncology, 2011, 22, 1427-1434. | 1.2 | 13 |
| 231 | Prostate cancer risk assessment model: a scoring model based on the Swedish Family-Cancer Database. Journal of Medical Genetics, 2012, 49, 345-352. | 3.2 | 13 |
| 232 | Neighborhood linking social capital as a predictor of psychiatric medication prescription in the elderly: A Swedish national cohort study. Journal of Psychiatric Research, 2014, 55, 44-51. | 3.1 | 13 |
| 233 | End stage renal disease risk and neighbourhood deprivation: A nationwide cohort study in Sweden. European Journal of Internal Medicine, 2014, 25, 853-859. | 2.2 | 13 |
| 234 | Thalassemia and sickle cell anemia in Swedish immigrants: Genetic diseases have become global. SAGE Open Medicine, 2015, 3, 205031211561309. | 1.8 | 13 |

| # | Article | IF | CITATIONS |
|-----|---|--------------|-----------|
| 235 | Associations of alcohol use disorders with esophageal and gastric cancers: a population-based study in Sweden. European Journal of Cancer Prevention, 2017, 26, 119-124. | 1.3 | 13 |
| 236 | The role of marriage in criminal recidivism: a longitudinal and co-relative analysis. Epidemiology and Psychiatric Sciences, 2017, 26, 655-663. | 3.9 | 13 |
| 237 | Hilly neighborhoods are associated with increased risk of weight gain among older adults in rural Japan: a 3-years follow-up study. International Journal of Health Geographics, 2019, 18, 10. | 2.5 | 13 |
| 238 | A Contagion Model for Within-Family Transmission of Drug Abuse. American Journal of Psychiatry, 2019, 176, 239-248. | 7.2 | 13 |
| 239 | Dementia in immigrant groups: A cohort study of all adults 45 years of age and older in Sweden. Archives of Gerontology and Geriatrics, 2019, 82, 251-258. | 3.0 | 13 |
| 240 | Second primary cancer after female breast cancer: Familial risks and cause of death. Cancer Medicine, 2019, 8, 400-407. | 2.8 | 13 |
| 241 | Risk-tailored starting age of breast cancer screening based on women's reproductive profile: A nationwide cohort study. European Journal of Cancer, 2020, 124, 207-213. | 2.8 | 13 |
| 242 | Familial risk of breast cancer by dynamic, accumulative, and static definitions of family history. Cancer, 2020, 126, 2837-2848. | 4.1 | 13 |
| 243 | Levothyroxine treatment is associated with an increased relative risk of overall and organ specific incident cancers – a cohort study of the Swedish population. Cancer Epidemiology, 2020, 66, 101707. | 1.9 | 13 |
| 244 | Genetic liability to suicide attempt, suicide death, and psychiatric and substance use disorders on the risk for suicide attempt and suicide death: a Swedish national study. Psychological Medicine, 2023, 53, 1639-1648. | 4.5 | 13 |
| 245 | Differences in genetic risk score profiles for drug use disorder, major depression, and ADHD as a function of sex, age at onset, recurrence, mode of ascertainment, and treatment. Psychological Medicine, 2023, 53, 3448-3460. | 4.5 | 13 |
| 246 | Associations Between Health-Enhancing Physical Activity and Country of Birth Among Women. Journal of Physical Activity and Health, 2010, 7, 613-621. | 2.0 | 12 |
| 247 | Subsequent cancers in patients diagnosed with cancer of unknown primary (CUP): etiological insights?. Annals of Oncology, 2012, 23, 269-275. | 1.2 | 12 |
| 248 | Familial Risks of Kidney Failure in Sweden: A Nationwide Family Study. PLoS ONE, 2014, 9, e113353. | 2.5 | 12 |
| 249 | Drugs prescribed by general practitioners according to age, gender and socioeconomic status after adjustment for multimorbidity level. BMC Family Practice, 2014, 15, 183. | 2.9 | 12 |
| 250 | Neighborhood Deprivation and Risk of Age-Related Eye Diseases: A Follow-up Study in Sweden. Ophthalmic Epidemiology, 2015, 22, 308-320. | 1.7 | 12 |
| 251 | Perinatal risk factors for acute myeloid leukemia. European Journal of Epidemiology, 2015, 30, 1277-1285. | 5 . 7 | 12 |
| 252 | Stillbirth and neonatal death among female cancer survivors: A national cohort study. International Journal of Cancer, 2016, 139, 1046-1052. | 5.1 | 12 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 253 | Thrombomodulin gene c.1418C>T polymorphism and risk of recurrent venous thromboembolism. Journal of Thrombosis and Thrombolysis, 2016, 42, 135-141. | 2.1 | 12 |
| 254 | Common cancers share familial susceptibility: implications for cancer genetics and counselling. Journal of Medical Genetics, 2017, 54, 248-253. | 3.2 | 12 |
| 255 | Familial Risks and Mortality in Second Primary Cancers in Melanoma. JNCI Cancer Spectrum, 2018, 2, pky068. | 2.9 | 12 |
| 256 | Familial risk of pleural mesothelioma increased drastically in certain occupations: A nationwide prospective cohort study. European Journal of Cancer, 2018, 103, 1-6. | 2.8 | 12 |
| 257 | Neighborhood Deprivation and Risks of Autoimmune Disorders: A National Cohort Study in Sweden. International Journal of Environmental Research and Public Health, 2019, 16, 3798. | 2.6 | 12 |
| 258 | Impact of family history of cancer on risk and mortality of second cancers in patients with prostate cancer. Prostate Cancer and Prostatic Diseases, 2019, 22, 143-149. | 3.9 | 12 |
| 259 | Protective Effects of Pregnancy on Risk of Alcohol Use Disorder. American Journal of Psychiatry, 2019, 176, 138-145. | 7.2 | 12 |
| 260 | The influence of social and ethnic segmentation on consultation in primary health care. Scandinavian Journal of Social Welfare, 1994, 3, 19-23. | 0.3 | 11 |
| 261 | Impaired health status, and mental health, lower vitality and social functioning in women general practitioners in Sweden: A cross-sectional survey. Scandinavian Journal of Primary Health Care, 1999, 17, 81-86. | 1.5 | 11 |
| 262 | Risks of Subarachnoid Hemorrhage in Siblings: A Nationwide Epidemiological Study from Sweden. Neuroepidemiology, 2007, 29, 178-184. | 2.3 | 11 |
| 263 | Longâ€term improvements after mindfulnessâ€based group therapy of depression, anxiety and stress and adjustment disorders: A randomized controlled trial. Microbial Biotechnology, 2019, 13, 943-952. | 1.7 | 11 |
| 264 | Association Between Relevant Co-Morbidities and Dementia With Atrial Fibrillation–A National Study. Archives of Medical Research, 2019, 50, 29-35. | 3.3 | 11 |
| 265 | Socioeconomic factors, body mass index and bariatric surgery: a Swedish nationwide cohort study. BMC Public Health, 2019, 19, 258. | 2.9 | 11 |
| 266 | The Nature of the Shared Environment. Behavior Genetics, 2019, 49, 1-10. | 2.1 | 11 |
| 267 | Association Between Neighborhood Deprivation and Heart Failure Among Patients With Diabetes Mellitus: A 10-Year Follow-Up Study in Sweden. Journal of Cardiac Failure, 2020, 26, 193-199. | 1.7 | 11 |
| 268 | Socioeconomic sequelae of drug abuse in a Swedish national cohort. Drug and Alcohol Dependence, 2020, 212, 107990. | 3.2 | 11 |
| 269 | Neighborhood Deprivation and Mental Health Among Immigrants to Sweden. Epidemiology, 2020, 31, e25-e27. | 2.7 | 11 |
| 270 | A distinctive profile of family genetic risk scores in a Swedish national sample of cases of fibromyalgia, irritable bowel syndrome, and chronic fatigue syndrome compared to rheumatoid arthritis and major depression. Psychological Medicine, 2023, 53, 3879-3886. | 4.5 | 11 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | Underprivileged area score, ethnicity, social factors and general mortality in district health authorities in England and Wales. Scandinavian Journal of Primary Health Care, 1996, 14, 79-85. | 1.5 | 10 |
| 272 | Parental Occupation and Risk of Hospitalization for Asthma in Children and Adolescents. Journal of Asthma, 2009, 46, 815-821. | 1.7 | 10 |
| 273 | A populationâ€based comparison of second primary cancers in <scp>G</scp> ermany and <scp>S</scp> weden between 1997 and 2006: clinical implications and etiologic aspects. Cancer Medicine, 2013, 2, 718-724. | 2.8 | 10 |
| 274 | The longitudinal exercise trend among older Swedes aged 53–84 years – a 16-year follow-up study. BMC Public Health, 2014, 14, 1327. | 2.9 | 10 |
| 275 | Familial transmission of chronic obstructive pulmonary disease in adoptees: a Swedish nationwide family study. BMJ Open, 2015, 5, e007310-e007310. | 1.9 | 10 |
| 276 | Epidemiology of Familial Aggregation of Venous Thromboembolism. Seminars in Thrombosis and Hemostasis, 2016, 42, 821-832. | 2.7 | 10 |
| 277 | Neighbourhood Deprivation, Individual-Level and Familial-Level Socio-demographic Factors and Risk of Congenital Heart Disease: A Nationwide Study from Sweden. International Journal of Behavioral Medicine, 2016, 23, 112-120. | 1.7 | 10 |
| 278 | Time-specific and cumulative effects of exposure to parental externalizing behavior on risk for young adult alcohol use disorder. Addictive Behaviors, 2017, 72, 8-13. | 3.0 | 10 |
| 279 | Women's Health in the Lund Area (WHILA) study. Health problems and acute myocardial infarction in women – A 17-year follow-up study. Maturitas, 2018, 115, 45-50. | 2.4 | 10 |
| 280 | Inflammatory proteins and miRNA-144-5p in patients with depression, anxiety, or stress- and adjustment disorders after psychological treatment. Cytokine, 2021, 146, 155646. | 3.2 | 10 |
| 281 | Trajectories of body mass index and risk for coronary heart disease: A 38-year follow-up study. PLoS ONE, 2021, 16, e0258395. | 2.5 | 10 |
| 282 | Total mortality among levothyroxine-treated women with atrial fibrillation in Swedish primary health care. International Journal of Cardiology, 2011, 152, 147-148. | 1.7 | 9 |
| 283 | Association of Overweight and Elevation with Chronic Knee and Low Back Pain: A Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2014, 11, 4417-4426. | 2.6 | 9 |
| 284 | Heritability estimates on Hodgkin's lymphoma: a genomic- versus population-based approach. European Journal of Human Genetics, 2015, 23, 824-830. | 2.8 | 9 |
| 285 | Disparities in pharmacotherapy for alcohol use disorder in the context of universal health care: a Swedish register study. Addiction, 2017, 112, 1386-1394. | 3.3 | 9 |
| 286 | Economic evaluation of mindfulness group therapy for patients with depression, anxiety, stress and adjustment disorders compared with treatment as usual. British Journal of Psychiatry, 2020, 216, 197-203. | 2.8 | 9 |
| 287 | Rate differences between first and second primary cancers may outline immune dysfunction as a key risk factor. Cancer Medicine, 2020, 9, 8258-8265. | 2.8 | 9 |
| 288 | Second Primary Cancers After Gastric Cancer, and Gastric Cancer as Second Primary Cancer. Clinical Epidemiology, 2021, Volume 13, 515-525. | 3.0 | 9 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 289 | Suicide among psychiatric in-patients in Stockholm, Sweden. Archives of Suicide Research, 1996, 2, 171-181. | 2.3 | 8 |
| 290 | Dietary differences between elderly Iranians living in Sweden and Iran a cross-sectional comparative study. BMC Public Health, 2011, 11, 411. | 2.9 | 8 |
| 291 | Apolipoprotein M and the risk of unprovoked recurrent venous thromboembolism. Thrombosis Research, 2014, 133, 322-326. | 1.7 | 8 |
| 292 | Digested wheat gluten inhibits binding between leptin and its receptor. BMC Biochemistry, 2015, 16, 3. | 4.4 | 8 |
| 293 | Clinical features of registry-ascertained alcohol use disorders that reflect familial risk. Drug and Alcohol Dependence, 2016, 164, 135-142. | 3.2 | 8 |
| 294 | Familial associations of lymphoma and myeloma with autoimmune diseases. Blood Cancer Journal, 2017, 7, e515-e515. | 6.2 | 8 |
| 295 | Comparison of Mortality and Nonfatal Cardiovascular Events in Adults With Atrial Fibrillation With Versus Without Levothyroxine Treatment. American Journal of Cardiology, 2017, 120, 1974-1979. | 1.6 | 8 |
| 296 | Jâ€curve association between alcohol intake and varicose veins in Japan: The Shimane CoHRE Study. Journal of Dermatology, 2019, 46, 902-906. | 1.2 | 8 |
| 297 | Self-rated health and venous thromboembolism among middle-aged women: a population-based cohort study. Journal of Thrombosis and Thrombolysis, 2020, 49, 344-351. | 2.1 | 8 |
| 298 | Early-Life Cardiorespiratory Fitness and Long-term Risk of Prostate Cancer. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 2187-2194. | 2.5 | 8 |
| 299 | Indication for pharmacological treatment is often lacking: a cross-sectional study on the quality of drug therapy among the elderly. BMC Geriatrics, 2015, 15, 117. | 2.7 | 7 |
| 300 | Pharmacotherapy and mortality in atrial fibrillation—a cohort of men and women 75 years or older in Sweden. Age and Ageing, 2015, 44, 232-238. | 1.6 | 7 |
| 301 | Exposure to peer deviance during childhood and risk for drug abuse: a Swedish national co-relative control study. Psychological Medicine, 2015, 45, 855-864. | 4.5 | 7 |
| 302 | Criminal offending and the family environment: Swedish national high-risk home-reared and adopted-away co-sibling control study. British Journal of Psychiatry, 2016, 209, 294-299. | 2.8 | 7 |
| 303 | Types of second primary cancers influence survival in chronic lymphocytic and hairy cell leukemia patients. Blood Cancer Journal, 2019, 9, 40. | 6.2 | 7 |
| 304 | Cardiorespiratory fitness and longâ€term risk of sleep apnea: A national cohort study. Journal of Sleep Research, 2019, 28, e12851. | 3.2 | 7 |
| 305 | Second Primary Cancers in Patients with Invasive and In Situ Squamous Cell Skin Carcinoma, Kaposi Sarcoma, and Merkel Cell Carcinoma: Role for Immune Mechanisms?. Journal of Investigative Dermatology, 2020, 140, 48-55.e1. | 0.7 | 7 |
| 306 | Deadly violence in Sweden: Profiling offenders through a latent class analysis. International Journal of Law and Psychiatry, 2020, 71, 101603. | 0.9 | 7 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 307 | <p>Temporal Trends of Sex Disparity in Incidence and Survival of Colorectal Cancer: Variations by Anatomical Site and Age at Diagnosis</p> . Clinical Epidemiology, 2020, Volume 12, 73-81. | 3.0 | 7 |
| 308 | Attention deficit hyperactivity disorder in first- and second-generation immigrant children and adolescents: A nationwide cohort study in Sweden. Journal of Psychosomatic Research, 2021, 141, 110330. | 2.6 | 7 |
| 309 | Cervical cancer among Swedish women with drug use disorders: A nationwide epidemiological study. Gynecologic Oncology, 2021, 160, 742-747. | 1.4 | 7 |
| 310 | Bladder and upper urinary tract cancers as first and second primary cancers. Cancer Reports, 2021, 4, e1406. | 1.4 | 7 |
| 311 | Shared genetic and environmental etiology between substance use disorders and suicidal behavior. Psychological Medicine, 2023, 53, 2380-2388. | 4.5 | 7 |
| 312 | The moderation of the genetic risk for alcohol and drug use disorders in a Swedish national sample by the genetic aptitude for educational attainment. Psychological Medicine, 2023, 53, 3077-3084. | 4.5 | 7 |
| 313 | Neighborhood, family, and childhood and adolescent epilepsy: A nationwide epidemiological study from Sweden. Seizure: the Journal of the British Epilepsy Association, 2014, 23, 62-68. | 2.0 | 6 |
| 314 | Identification of Genetic Aberrations in Thrombomodulin Gene in Patients With Recurrent Venous Thromboembolism. Clinical and Applied Thrombosis/Hemostasis, 2017, 23, 319-328. | 1.7 | 6 |
| 315 | Association between TLR9 rs5743836 polymorphism and risk of recurrent venous thromboembolism. Journal of Thrombosis and Thrombolysis, 2017, 44, 130-138. | 2.1 | 6 |
| 316 | Family history of autoimmune diseases and risk of gastric cancer: a national cohort study. European Journal of Cancer Prevention, 2018, 27, 221-226. | 1.3 | 6 |
| 317 | Familial transmission of externalizing syndromes in extended Swedish families. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2018, 177, 308-318. | 1.7 | 6 |
| 318 | Neighborhood linking social capital as a predictor of lung cancer: A Swedish national cohort study. Cancer Epidemiology, 2019, 61, 23-29. | 1.9 | 6 |
| 319 | The Association Between Gout and Cardiovascular Disease in Patients with Atrial Fibrillation. SN Comprehensive Clinical Medicine, 2019, 1, 304-310. | 0.6 | 6 |
| 320 | Effect of Levothyroxine Treatment on Incident Dementia in Adults with Atrial Fibrillation and Hypothyroidism. Clinical Drug Investigation, 2019, 39, 187-195. | 2.2 | 6 |
| 321 | The association between sociodemographic characteristics and dementia in patients with atrial fibrillation. Aging Clinical and Experimental Research, 2020, 32, 2319-2327. | 2.9 | 6 |
| 322 | Health care utilization prior to suicide in adults with drug use disorders. Journal of Psychiatric Research, 2021, 135, 230-236. | 3.1 | 6 |
| 323 | Second Primary Cancers After Liver, Gallbladder and Bile Duct Cancers, and These Cancers as Second Primary Cancers. Clinical Epidemiology, 2021, Volume 13, 683-691. | 3.0 | 6 |
| 324 | The UPA (underprivileged area) score and mortality in Swedish municipalities. Scandinavian Journal of Primary Health Care, 1997, 15, 203-209. | 1.5 | 5 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 325 | Clinical features of drug abuse that reflect genetic risk. Psychological Medicine, 2014, 44, 2547-2556. | 4.5 | 5 |
| 326 | Risk of breast cancer among patients with bioprosthetic or mechanical valve replacement: a population-based study in Sweden. Breast Cancer Research and Treatment, 2015, 154, 369-375. | 2.5 | 5 |
| 327 | Venous thromboembolism does not share familial susceptibility with retinal vascular occlusion or glaucoma: a nationwide family study. Journal of Thrombosis and Thrombolysis, 2016, 42, 505-512. | 2.1 | 5 |
| 328 | Psychological strength assessed in late adolescence and risk for criminal behavior: a Swedish prospective cohort and twin analysis. Psychological Medicine, 2016, 46, 63-72. | 4.5 | 5 |
| 329 | A Bivariate Genetic Analysis of Drug Abuse Ascertained Through Medical and Criminal Registries in Swedish Twins, Siblings and Half-Siblings. Behavior Genetics, 2016, 46, 735-741. | 2.1 | 5 |
| 330 | A nationwide family study of venous thromboembolism and risk of arterial vascular disease. Heart, 2016, 102, 1315-1321. | 2.9 | 5 |
| 331 | The clinical features of alcohol use disorders in biological and stepâ€fathers that predict risk for alcohol use disorders in offspring. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2017, 174, 779-785. | 1.7 | 5 |
| 332 | Family history of venous thromboembolism and mortality after venous thromboembolism: a Swedish population-based cohort study. Journal of Thrombosis and Thrombolysis, 2017, 43, 469-475. | 2.1 | 5 |
| 333 | Polymorphisms in PARK2 and MRPL37 are associated with higher risk of recurrent venous thromboembolism in a sex-specific manner. Journal of Thrombosis and Thrombolysis, 2018, 46, 154-165. | 2.1 | 5 |
| 334 | Hospitalization rate in offspring of cancer survivors: a national cohort study. Journal of Cancer Survivorship, 2019, 13, 187-196. | 2.9 | 5 |
| 335 | Immigrant enclaves and risk of drug involvement among asylum-seeking immigrants in Sweden: A quasi-experimental study. Drug and Alcohol Dependence, 2019, 205, 107666. | 3.2 | 5 |
| 336 | Evidence for a Causal Relationship Between Academic Achievement and Cigarette Smoking. Nicotine and Tobacco Research, 2021, 23, 334-340. | 2.6 | 5 |
| 337 | Pre-term delivery and long-term risk of heart failure in women: a national cohort and co-sibling study. European Heart Journal, 2021, , . | 2.2 | 5 |
| 338 | The causal effect of education and cognitive performance on risk for suicide attempt: A combined instrumental variable and co-relative approach in a Swedish national cohort. Journal of Affective Disorders, 2022, 305, 115-121. | 4.1 | 5 |
| 339 | Familial Risks for Liver, Gallbladder and Bile Duct Cancers and for Their Risk Factors in Sweden, a Low-Incidence Country. Cancers, 2022, 14, 1938. | 3.7 | 5 |
| 340 | Risk of nonâ€fatal suicide attempt in individuals with substance use disorder: the roles of aggregate genetic liability and environmental exposures in a Swedish populationâ€based cohort. Addiction, 2022, 117, 2943-2952. | 3.3 | 5 |
| 341 | Attempted suicide among Swedish-born people and foreign-born migrants. Archives of Suicide Research, 1999, 5, 43-55. | 2.3 | 4 |
| 342 | Parental Occupation and Risk of Hospitalization for Asthma in Children and Adolescents. Journal of Asthma, 2009, 46, 815-821. | 1.7 | 4 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 343 | Familial transmission of prostate, breast and colorectal cancer in adoptees is related to cancer in biological but not in adoptive parents: A nationwide family study. European Journal of Cancer, 2014, 50, 2319-2327. | 2.8 | 4 |
| 344 | The longitudinal age and birth cohort trends of regular exercise among adults aged 16–63 years in Sweden: a 24-year follow-up study. Population Health Metrics, 2015, 13, 18. | 2.7 | 4 |
| 345 | Evaluation of Expression Level of Apolipoprotein M as a Diagnostic Marker for Primary Venous Thromboembolism. Clinical and Applied Thrombosis/Hemostasis, 2018, 24, 416-422. | 1.7 | 4 |
| 346 | Mortality patterns in long-term survivors of childhood or adolescent central nervous system tumour in Sweden. Journal of Neuro-Oncology, 2019, 145, 541-549. | 2.9 | 4 |
| 347 | Risk of invasive prostate cancer and prostate cancer death in relatives of patients with prostatic borderline or in situ neoplasia: A nationwide cohort study. Cancer, 2020, 126, 4371-4378. | 4.1 | 4 |
| 348 | Incidence Differences Between First Primary Cancers and Second Primary Cancers Following Skin Squamous Cell Carcinoma as Etiological Clues Incidence Differences Between First Primary Cancers and Second Primary Cancers Following Skin Squamous Cell Carcinoma as Etiological Clues Incidence Differences Between First Primary Cancers and Second Primary Cancers Following Skin Squamous Cell Carcinoma as Etiological Clues | 3.0 | 4 |
| 349 | Risk of prostate cancer in relatives of prostate cancer patients in Sweden: A nationwide cohort study. PLoS Medicine, 2021, 18, e1003616. | 8.4 | 4 |
| 350 | Novel cardiovascular biomarkers associated with peripheral arterial disease in men screened for abdominal aortic aneurysm. Vasa - European Journal of Vascular Medicine, 2022, 51, 167-173. | 1.4 | 4 |
| 351 | The association of mitochondrial DNA copy number with incident mental disorders in women: A population-based follow-up study. Journal of Affective Disorders, 2022, 308, 111-115. | 4.1 | 4 |
| 352 | Country of origin and bariatric surgery in Sweden during 2001–2010. Surgery for Obesity and Related Diseases, 2015, 11, 1332-1341. | 1.2 | 3 |
| 353 | Fat mass and obesity-associated gene rs9939609 polymorphism is a potential biomarker of recurrent venous thromboembolism in male but not in female patients. Gene, 2018, 647, 136-142. | 2.2 | 3 |
| 354 | Is familial risk for depression confounded by individual and familial socioeconomic factors and neighborhood environmental factors? A 7-year follow-up study in Sweden. Psychiatry Research, 2018, 266, 30-35. | 3.3 | 3 |
| 355 | Different Characteristics and Heritabilities of Alcohol Use Disorder Classes: A Population-Based Swedish Study. Alcohol and Alcoholism, 2019, 54, 647-655. | 1.6 | 3 |
| 356 | Atrial fibrillation in immigrants under the age of 45 y in Sweden. International Health, 2019, 11, 193-202. | 2.0 | 3 |
| 357 | Family and neighborhood socioeconomic inequality in cryptorchidism and hypospadias: A nationwide study from Sweden. Birth Defects Research, 2019, 111, 78-87. | 1.5 | 3 |
| 358 | Levothyroxine treatment and incident dementia in adults with atrial fibrillation. Aging Clinical and Experimental Research, 2020, 32, 433-439. | 2.9 | 3 |
| 359 | Within-Family Transmission of Alcohol Use Disorder in Parent-Offspring, Sibling, and Cousin Pairs. Journal of Nervous and Mental Disease, 2020, 208, 637-645. | 1.0 | 3 |
| 360 | <p>Second Primary Cancers in Melanoma Patients Critically Shorten Survival</p> . Clinical Epidemiology, 2020, Volume 12, 105-112. | 3.0 | 3 |

| # | Article | IF | CITATIONS |
|-----|---|-------------|-----------|
| 361 | Healthcare utilisation prior to suicide in persons with alcohol use disorder: national cohort and nested case–control study. British Journal of Psychiatry, 2020, 217, 710-716. | 2.8 | 3 |
| 362 | Neighborhood social capital and incidence and mortality of prostate cancer: a Swedish cohort study. Aging Clinical and Experimental Research, 2021, 33, 3333-3342. | 2.9 | 3 |
| 363 | Elucidating causal effects of type 2 diabetes on ischemic heart disease from observational data on middle-aged Swedish women: a triangular analytical approach. Scientific Reports, 2021, 11, 12579. | 3. 3 | 3 |
| 364 | Familial associations between autoimmune hepatitis and primary biliary cholangitis and other autoimmune diseases. PLoS ONE, 2020, 15, e0240794. | 2.5 | 3 |
| 365 | Familial Segregation of Venous Thromboembolism in Sweden: A Nationwide Family Study of Heritability and Complex Segregation Analysis. Journal of the American Heart Association, 2021, 10, e020323. | 3.7 | 3 |
| 366 | The Typology of Alcohol Use Disorder: Latent Class Analyses of a Population-Based Swedish Sample. Journal of Studies on Alcohol and Drugs, 2022, 83, 672-679. | 1.0 | 3 |
| 367 | Suicide, ethnicity and psychiatric in-patient care: A case-control study. Archives of Suicide Research, 1997, 3, 253-269. | 2.3 | 2 |
| 368 | Old patients with hypertension. A 25-year observational study of a geographically defined population (Dalby), aged 67 years at entry. Journal of Internal Medicine, 1998, 244, 469-478. | 6.0 | 2 |
| 369 | Neighborhood Deprivation and Mortality in Women with Breast Cancer: A Multilevel Analysis From Sweden. Breast Journal, 2012, 18, 625-627. | 1.0 | 2 |
| 370 | Association of Family History of Type 2 Diabetes with Prostate Cancer: A National Cohort Study. Frontiers in Oncology, 2016, 6, 194. | 2.8 | 2 |
| 371 | Risk of ischemic stroke varies by ethnicity in patients with atrial fibrillation: A Swedish national cohort study. European Journal of Internal Medicine, 2016, 36, e13-e15. | 2.2 | 2 |
| 372 | Pilot study on increased adherence to physical activity on prescription (PAP) through mindfulness: study protocol. Trials, 2018, 19, 563. | 1.6 | 2 |
| 373 | Effects of cardiovascular pharmacotherapies on incident dementia in patients with atrial fibrillation: A cohort study of all patients above 45 years diagnosed with AF in hospitals in Sweden. International Journal of Cardiology, 2019, 297, 55-60. | 1.7 | 2 |
| 374 | Geographical proximity and the transmission of drug abuse among siblings: evaluating a contagion model in a Swedish National Sample. Epidemiology and Psychiatric Sciences, 2020, 29, e51. | 3.9 | 2 |
| 375 | Distal forearm fractures in immigrant groups: A national Swedish study. Bone, 2020, 138, 115508. | 2.9 | 2 |
| 376 | Mitochondria-DNA copy-number and incident venous thromboembolism among middle-aged women: a population-based cohort study. Journal of Thrombosis and Thrombolysis, 2021, 52, 148-157. | 2.1 | 2 |
| 377 | Mediational Pathways From Genetic Risk to Alcohol Use Disorder in Swedish Men and Women. Journal of Studies on Alcohol and Drugs, 2021, 82, 431-438. | 1.0 | 2 |
| 378 | Association of autoimmune diseases with cardiomyopathy: a nationwide follow-up study from Sweden. European Heart Journal Quality of Care & Dutcomes, 2022, 8, 79-85. | 4.0 | 2 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 379 | Major depressive disorders in young immigrants: A cohort study from primary healthcare settings in Sweden. Scandinavian Journal of Public Health, 2021, , 140349482110197. | 2.3 | 2 |
| 380 | Coronary heart disease in mothers and fathers of adult children with alcohol use disorders. Addiction, 2021, 116, 3390-3397. | 3.3 | 2 |
| 381 | Family History of Head and Neck Cancers. Cancers, 2021, 13, 4115. | 3.7 | 2 |
| 382 | Firearm-Related Homicide in Sweden: A Latent Class Analysis of Suspected Offenders. Crime and Delinquency, 2023, 69, 88-104. | 1.7 | 2 |
| 383 | Impact of comorbidity on family genetic risk profiles for psychiatric and substance use disorders: a descriptive analysis. Psychological Medicine, 2023, 53, 2389-2398. | 4.5 | 2 |
| 384 | Familial associations for Addison's disease and between Addison's disease and other autoimmune diseases. Endocrine Connections, 2020, 9, 1114-1120. | 1.9 | 2 |
| 385 | Is an elevated family-genetic risk for major psychiatric disorders specific to creative occupations?. Psychological Medicine, 0, , 1-13. | 4.5 | 2 |
| 386 | Suicide, Ethnicity and Psychiatric In-Patient Care: A Case-Control Study. Archives of Suicide Research, 1997, 3, 253-269. | 2.3 | 1 |
| 387 | Contagion models for the transmission of drug abuse among propinquity-of-rearing defined acquaintances: A Swedish national study. Drug and Alcohol Dependence, 2019, 201, 94-100. | 3.2 | 1 |
| 388 | Geographic proximity is associated with transmission of suicidal behaviour among siblings. Acta Psychiatrica Scandinavica, 2019, 140, 30-38. | 4.5 | 1 |
| 389 | Modeling Etiology of Smoking During Pregnancy in Swedish Twins, Full-, and Half-Siblings, Reared Together and Apart. Nicotine and Tobacco Research, 2020, 22, 1736-1743. | 2.6 | 1 |
| 390 | Epilepsy in immigrants and Swedish-born: A cohort study of all adults 18 years of age and older in Sweden. Seizure: the Journal of the British Epilepsy Association, 2020, 76, 116-122. | 2.0 | 1 |
| 391 | Preterm birth, low fetal growth and risk of suicide in adulthood: a national cohort and co-sibling study. International Journal of Epidemiology, 2021, 50, 1604-1614. | 1.9 | 1 |
| 392 | Family history of any cancer for childhood leukemia patients in Sweden. EJHaem, 2021, 2, 421-427. | 1.0 | 1 |
| 393 | Is Neighbourhood Linking Social Capital Associated With Colorectal Cancer Incidence and Mortality? A National Cohort Study From Sweden. Journal of Primary Prevention, 2021, 42, 493-510. | 1.6 | 1 |
| 394 | Academic Knowledge Centers (AKCs): a unique concept in Swedish primary care. Journal of the Japanese Association of Rural Medicine, 2013, 61, 815-823. | 0.0 | 1 |
| 395 | Does Neighborhood Alcohol Availability Moderate the Impact of Familial Liability and Marital Status on Risk for Alcohol Use Disorders? A Swedish National Study. Journal of Studies on Alcohol and Drugs, 2020, 81, 816-823. | 1.0 | 1 |
| 396 | The actions and interactions of family genetic risk scores for alcohol use disorder and major depression on the risk for these two disorders. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2022, 189, 128-138. | 1.7 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 397 | Valvular heart diseases in immigrants and Swedish-born individuals: a national cohort study. Scandinavian Cardiovascular Journal, 2022, 56, 217-223. | 1.2 | 1 |
| 398 | Pain, mental well-being, lifestyle and long-standing drug use in ethnic minorities in Sweden and among repatriated Latin American refugees. Health and Social Care in the Community, 2007, 3, 43-51. | 1.6 | 0 |
| 399 | Cognitive ability in Swedish conscripts and future risk of venous thromboembolism: A co-relative prospective national study. European Journal of Internal Medicine, 2016, 30, 68-71. | 2.2 | 0 |
| 400 | Macrophage Migration Inhibitory Factor as a Predictor for Long-term Improvements After Mindfulness-Based Group Therapy or Treatment as Usual for Depression, Anxiety or Stress and Adjustment Disorders. Mindfulness, 2020, 11, 1370-1377. | 2.8 | 0 |
| 401 | Second Primary Cancers After Kidney Cancers, and Kidney Cancers as Second Primary Cancers. European Urology Open Science, 2021, 24, 52-59. | 0.4 | 0 |
| 402 | Familial Mortality Risks in Patients With Ischemic Stroke: A Swedish Sibling Study. Stroke, 2022, 53, 1615-1623. | 2.0 | 0 |
| 403 | Risk of colorectal cancer in patients with diabetes mellitus: A Swedish nationwide cohort study. , 2020, 17, e1003431. | | 0 |
| 404 | Risk of colorectal cancer in patients with diabetes mellitus: A Swedish nationwide cohort study. , 2020, 17 , e 1003431 . | | 0 |
| 405 | Risk of colorectal cancer in patients with diabetes mellitus: A Swedish nationwide cohort study. , 2020, 17, e1003431. | | 0 |
| 406 | Risk of colorectal cancer in patients with diabetes mellitus: A Swedish nationwide cohort study. , 2020, 17, e1003431. | | 0 |
| 407 | Risk of colorectal cancer in patients with diabetes mellitus: A Swedish nationwide cohort study. , 2020, 17 , e 1003431 . | | 0 |
| 408 | Risk of colorectal cancer in patients with diabetes mellitus: A Swedish nationwide cohort study. , 2020, 17, e1003431. | | 0 |
| 409 | Predicting the Onset of Opioid Use Disorder in the Swedish General Population. Journal of Studies on Alcohol and Drugs, 2022, 83, 332-341. | 1.0 | O |