K Luan Phan

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/10671312/k-luan-phan-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

60 18,291 263 130 h-index g-index citations papers 6.83 20,695 5.1 277 L-index avg, IF ext. papers ext. citations

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 263 | Cortical volume abnormalities in posttraumatic stress disorder: an ENIGMA-psychiatric genomics consortium PTSD workgroup mega-analysis. <i>Molecular Psychiatry</i> , 2021 , 26, 4331-4343 | 15.1 | 8 |
| 262 | Psychometric properties of the late positive potential in combat-exposed veterans. <i>International Journal of Psychophysiology</i> , 2021 , 161, 13-26 | 2.9 | 2 |
| 261 | Effect of B -Tetrahydrocannabinol on frontostriatal resting state functional connectivity and subjective euphoric response in healthy young adults. <i>Drug and Alcohol Dependence</i> , 2021 , 221, 108565 | 4.9 | 6 |
| 260 | Exposure-Focused CBT Outperforms Relaxation-Based Control in an RCT of Treatment for Child and Adolescent Anxiety. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2021 , 1-9 | 5.4 | 1 |
| 259 | Neuronal responses to adverse social threat in healthy human subjects. <i>Journal of Psychiatric Research</i> , 2021 , 136, 47-53 | 5.2 | 2 |
| 258 | Emotion Regulation and Repetitive Negative Thinking Before and After CBT and SSRI Treatment of Internalizing Psychopathologies. <i>Cognitive Therapy and Research</i> , 2021 , 45, 1064 | 2.7 | 1 |
| 257 | Neural correlates of inhibitory control are associated with stimulant-like effects of alcohol. <i>Neuropsychopharmacology</i> , 2021 , 46, 1442-1450 | 8.7 | 1 |
| 256 | Postpartum Stress and Neural Regulation of Emotion among First-Time Mothers. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2021 , 21, 1066-1082 | 3.5 | 1 |
| 255 | Striatal activation to monetary reward is associated with alcohol reward sensitivity. Neuropsychopharmacology, 2021, 46, 343-350 | 8.7 | 6 |
| 254 | Concordance of Embedded Performance and Symptom Validity Tests and Associations with Mild Traumatic Brain Injury and Posttraumatic Stress Disorder among Post-9/11 Veterans. <i>Archives of Clinical Neuropsychology</i> , 2021 , 36, 424-429 | 2.7 | 6 |
| 253 | The moderating role of externalizing problems on the association between anxiety and the error-related negativity in youth. <i>Developmental Psychobiology</i> , 2021 , 63, 782-792 | 3 | |
| 252 | Differences in cortical thinning across development among individuals with and without anxiety disorders. <i>Depression and Anxiety</i> , 2021 , 38, 372-381 | 8.4 | 5 |
| 251 | Cannabis users demonstrate enhanced neural reactivity to reward: An event-related potential and time-frequency EEG study. <i>Addictive Behaviors</i> , 2021 , 113, 106669 | 4.2 | 3 |
| 250 | Neural activation during anticipation of monetary gain or loss does not associate with positive subjective response to alcohol in binge drinkers. <i>Drug and Alcohol Dependence</i> , 2021 , 218, 108432 | 4.9 | 0 |
| 249 | Early Life Adversity as a Moderator of Symptom Change following Selective Serotonin Reuptake Inhibitors and Cognitive Behavioral Therapy. <i>Cognitive Therapy and Research</i> , 2021 , 45, 343-354 | 2.7 | O |
| 248 | Resting state functional connectivity correlates of rumination and worry in internalizing psychopathologies. <i>Depression and Anxiety</i> , 2021 , 38, 488-497 | 8.4 | 7 |
| 247 | Using Network Parcels and Resting-State Networks to Estimate Correlates of Mood Disorder and Related Research Domain Criteria Constructs of Reward Responsiveness and Inhibitory Control. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021 , | 3.4 | 1 |

(2020-2021)

| 246 | Neural mechanisms and predictors of SSRI and CBT treatment of anxiety: A randomized trial focused on emotion and cognitive processing. <i>Journal of Anxiety Disorders</i> , 2021 , 82, 102449 | 10.9 | 0 |
|--------------------------|--|------------------------|------------------|
| 245 | Sex-specific effects of low-dose hydrocortisone on threat detection in HIV. <i>Journal of NeuroVirology</i> , 2021 , 27, 716-726 | 3.9 | |
| 244 | Neural responses to induced emotion and response to social threat in intermittent explosive disorder. <i>Psychiatry Research - Neuroimaging</i> , 2021 , 318, 111388 | 2.9 | 0 |
| 243 | Cortical and subcortical brain structure in generalized anxiety disorder: findings from 28 research sites in the ENIGMA-Anxiety Working Group. <i>Translational Psychiatry</i> , 2021 , 11, 502 | 8.6 | 4 |
| 242 | Assessment of brain age in posttraumatic stress disorder: Findings from the ENIGMA PTSD and brain age working groups <i>Brain and Behavior</i> , 2021 , e2413 | 3.4 | 3 |
| 241 | The Relation Between Posttraumatic Stress Symptom Severity and Startle Potentiation to Predictable and Unpredictable Threat. <i>Journal of Nervous and Mental Disease</i> , 2020 , 208, 397-402 | 1.8 | 5 |
| 240 | Parsing differences in amygdala volume among individuals with and without social and generalized anxiety disorders across the lifespan. <i>Journal of Psychiatric Research</i> , 2020 , 128, 83-89 | 5.2 | 8 |
| 239 | Heightened reactivity to uncertain threat as a neurobehavioral marker of suicidal ideation in individuals with depression and anxiety. <i>International Journal of Psychophysiology</i> , 2020 , 155, 99-104 | 2.9 | 3 |
| 238 | Graph theoretical measures of the uncinate fasciculus subnetwork as predictors and correlates of treatment response in a transdiagnostic psychiatric cohort. <i>Psychiatry Research - Neuroimaging</i> , 2020 , 299, 111064 | 2.9 | 2 |
| | | | |
| 237 | Mega-analysis methods in ENIGMA: The experience of the generalized anxiety disorder working group. <i>Human Brain Mapping</i> , 2020 , | 5.9 | 19 |
| 237 | | 5·9 4·7 | 19 |
| | group. Human Brain Mapping, 2020, Poor inhibitory control is associated with greater stimulation and less sedation following alcohol. | | |
| 236 | group. <i>Human Brain Mapping</i> , 2020 , Poor inhibitory control is associated with greater stimulation and less sedation following alcohol. <i>Psychopharmacology</i> , 2020 , 237, 825-832 Remitted depression and cognition in HIV: The role of cortisol and inflammation. | 4.7 | 4 |
| 236 235 | group. Human Brain Mapping, 2020, Poor inhibitory control is associated with greater stimulation and less sedation following alcohol. Psychopharmacology, 2020, 237, 825-832 Remitted depression and cognition in HIV: The role of cortisol and inflammation. Psychoneuroendocrinology, 2020, 114, 104609 Neural correlates of emotional reactivity and regulation associated with treatment response in a randomized clinical trial for posttraumatic stress disorder. Psychiatry Research - Neuroimaging, 2020 | 4.7 | 4 |
| 236 235 234 | Poor inhibitory control is associated with greater stimulation and less sedation following alcohol. Psychopharmacology, 2020, 237, 825-832 Remitted depression and cognition in HIV: The role of cortisol and inflammation. Psychoneuroendocrinology, 2020, 114, 104609 Neural correlates of emotional reactivity and regulation associated with treatment response in a randomized clinical trial for posttraumatic stress disorder. Psychiatry Research - Neuroimaging, 2020, 299, 111062 Neural function during emotion processing and modulation associated with treatment response in | 4·7 5 2.9 | 4 6 7 |
| 236 235 234 233 | Poor inhibitory control is associated with greater stimulation and less sedation following alcohol. Psychopharmacology, 2020, 237, 825-832 Remitted depression and cognition in HIV: The role of cortisol and inflammation. Psychoneuroendocrinology, 2020, 114, 104609 Neural correlates of emotional reactivity and regulation associated with treatment response in a randomized clinical trial for posttraumatic stress disorder. Psychiatry Research - Neuroimaging, 2020, 299, 111062 Neural function during emotion processing and modulation associated with treatment response in a randomized clinical trial for posttraumatic stress disorder. Depression and Anxiety, 2020, 37, 670-681 Grant Report on Anxiety-CBT: Dimensional Brain Behavior Predictors of CBT Outcomes in Pediatric | 4·7 5 2.9 8.4 | 4 6 7 |
| 236 235 234 233 232 | Poor inhibitory control is associated with greater stimulation and less sedation following alcohol. Psychopharmacology, 2020, 237, 825-832 Remitted depression and cognition in HIV: The role of cortisol and inflammation. Psychoneuroendocrinology, 2020, 114, 104609 Neural correlates of emotional reactivity and regulation associated with treatment response in a randomized clinical trial for posttraumatic stress disorder. Psychiatry Research - Neuroimaging, 2020, 299, 111062 Neural function during emotion processing and modulation associated with treatment response in a randomized clinical trial for posttraumatic stress disorder. Depression and Anxiety, 2020, 37, 670-681 Grant Report on Anxiety-CBT: Dimensional Brain Behavior Predictors of CBT Outcomes in Pediatric Anxiety. Journal of Psychiatry and Brain Science, 2020, 5, Smaller amygdala volume and increased neuroticism predict anxiety symptoms in healthy subjects: | 4·7 5 2.9 8.4 1.7 | 4 6 7 7 |

| 228 | Human Plasma BDNF Is Associated With Amygdala-Prefrontal Cortex Functional Connectivity and Problem Drinking Behaviors. <i>International Journal of Neuropsychopharmacology</i> , 2020 , 23, 1-11 | 5.8 | О |
|-----|--|-------------------------------|----|
| 227 | Amygdala volume and social anxiety symptom severity: Does segmentation technique matter?. <i>Psychiatry Research - Neuroimaging</i> , 2020 , 295, 111006 | 2.9 | 4 |
| 226 | Nucleus accumbens volume as a predictor of anxiety symptom improvement following CBT and SSRI treatment in two independent samples. <i>Neuropsychopharmacology</i> , 2020 , 45, 561-569 | 8.7 | 7 |
| 225 | Anticipation of monetary reward in amygdala, insula, caudate are predictors of pleasure sensitivity to d-Amphetamine administration. <i>Drug and Alcohol Dependence</i> , 2020 , 206, 107725 | 4.9 | 7 |
| 224 | Associations between resting-state functional connectivity and treatment response in a randomized clinical trial for posttraumatic stress disorder. <i>Depression and Anxiety</i> , 2020 , 37, 1037-1046 | 8.4 | 10 |
| 223 | ENIGMA-anxiety working group: Rationale for and organization of large-scale neuroimaging studies of anxiety disorders. <i>Human Brain Mapping</i> , 2020 , | 5.9 | 14 |
| 222 | Brain response to emotional faces in anxiety and depression: neural predictors of cognitive behavioral therapy outcome and predictor-based subgroups following therapy. <i>Psychological Medicine</i> , 2020 , 1-11 | 6.9 | 0 |
| 221 | Distinct neural engagement during implicit and explicit regulation of negative stimuli. <i>Neuropsychologia</i> , 2020 , 145, 106675 | 3.2 | 4 |
| 220 | Brain-behavioral adaptability predicts response to cognitive behavioral therapy for emotional disorders: A person-centered event-related potential study. <i>Neuropsychologia</i> , 2020 , 145, 106408 | 3.2 | 5 |
| 219 | Using resting-state intrinsic network connectivity to identify suicide risk in mood disorders. <i>Psychological Medicine</i> , 2020 , 50, 2324-2334 | 6.9 | 7 |
| 218 | Nonlinear relations between post-traumatic stress symptoms and electrocortical reactivity during emotional face processing in combat-exposed veterans. <i>Psychophysiology</i> , 2020 , 57, e13423 | 4.1 | 4 |
| 217 | Influence of B -tetrahydrocannabinol on long-term neural correlates of threat extinction memory retention in humans. <i>Neuropsychopharmacology</i> , 2019 , 44, 1769-1777 | 8.7 | 19 |
| 216 | Emotion-based brain mechanisms and predictors for SSRI and CBT treatment of anxiety and depression: a randomized trial. <i>Neuropsychopharmacology</i> , 2019 , 44, 1639-1648 | 8.7 | 32 |
| 215 | Reduced Reward Responsiveness Predicts Change in Depressive Symptoms in Anxious Children and Adolescents Following Treatment. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2019 , 29, 378-3 | 8 ² 5 ⁹ | 21 |
| 214 | Neural correlates of predictable and unpredictable threat in internalizing psychopathology. <i>Neuroscience Letters</i> , 2019 , 701, 193-201 | 3.3 | 5 |
| 213 | Neural correlates of inhibition and reward are negatively associated. <i>NeuroImage</i> , 2019 , 196, 188-194 | 7.9 | 13 |
| 212 | Impact of pubertal timing and depression on error-related brain activity in anxious youth. <i>Developmental Psychobiology</i> , 2019 , 61, 69-80 | 3 | 5 |
| 211 | Multidimensional imaging techniques for prediction of treatment response in major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 91, 38-48 | 5.5 | 7 |

(2018-2019)

| 210 | Transdiagnostic neural correlates of volitional emotion regulation in anxiety and depression. <i>Depression and Anxiety</i> , 2019 , 36, 453-464 | 8.4 | 21 |
|-----|---|------|----|
| 209 | The roles of early-life adversity and rumination in neural response to emotional faces amongst anxious and depressed adults. <i>Psychological Medicine</i> , 2019 , 49, 2267-2278 | 6.9 | 12 |
| 208 | Neural response during emotion regulation in monozygotic twins at high familial risk of affective disorders. <i>NeuroImage: Clinical</i> , 2019 , 21, 101598 | 5.3 | 27 |
| 207 | Altered dynamic electroencephalography connectome phase-space features of emotion regulation in social anxiety. <i>NeuroImage</i> , 2019 , 186, 338-349 | 7.9 | 6 |
| 206 | Developmental changes in resting-state functional networks among individuals with and without internalizing psychopathologies. <i>Depression and Anxiety</i> , 2019 , 36, 141-152 | 8.4 | 10 |
| 205 | Efficacy of Prolonged Exposure Therapy, Sertraline Hydrochloride, and Their Combination Among Combat Veterans With Posttraumatic Stress Disorder: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2019 , 76, 117-126 | 14.5 | 52 |
| 204 | Working Memory Load and Negative Picture Processing: Neural and Behavioral Associations With Panic, Social Anxiety, and Positive Affect. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019 , 4, 151-159 | 3.4 | 19 |
| 203 | A Pilot Study of Neural Correlates of Loss of Control Eating in Children With Overweight/Obesity: Probing Intermittent Access to Food as a Means of Eliciting Disinhibited Eating. <i>Journal of Pediatric Psychology</i> , 2018 , 43, 846-855 | 3.2 | 8 |
| 202 | Convergence of BOLD and ERP measures of neural reactivity to emotional faces in children and adolescents with and without anxiety disorders. <i>Biological Psychology</i> , 2018 , 134, 9-19 | 3.2 | 18 |
| 201 | Pathways to Neuroprediction: Opportunities and Challenges to Prediction of Treatment Response in Depression. <i>Current Behavioral Neuroscience Reports</i> , 2018 , 5, 48-60 | 1.7 | 7 |
| 200 | Neural response to errors is associated with problematic alcohol use over time in combat-exposed returning veterans: An event-related potential study. <i>Drug and Alcohol Dependence</i> , 2018 , 183, 155-161 | 4.9 | 2 |
| 199 | Trait attentional control modulates neurofunctional response to threat distractors in anxiety and depression. <i>Journal of Psychiatric Research</i> , 2018 , 102, 87-95 | 5.2 | 7 |
| 198 | Anterior cingulate activation to implicit threat before and after treatment for pediatric anxiety disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018 , 84, 250-256 | 5.5 | 13 |
| 197 | Neural activation to monetary reward is associated with amphetamine reward sensitivity. <i>Neuropsychopharmacology</i> , 2018 , 43, 1738-1744 | 8.7 | 11 |
| 196 | Integrating biological treatment mechanisms into randomized clinical trials: Design of PROGrESS (PROlonGed ExpoSure and Sertraline Trial). <i>Contemporary Clinical Trials</i> , 2018 , 64, 128-138 | 2.3 | 20 |
| 195 | Differential impact of post-deployment stress and PTSD on neural reactivity to emotional stimuli in Iraq and Afghanistan veterans. <i>Journal of Psychiatric Research</i> , 2018 , 96, 9-14 | 5.2 | 4 |
| 194 | Disrupted engagement of networks supporting hot and cold cognition in remitted major depressive disorder. <i>Journal of Affective Disorders</i> , 2018 , 227, 183-191 | 6.6 | 14 |
| 193 | Convergence of fMRI and ERP measures of emotional face processing in combat-exposed U. S. military veterans. <i>Psychophysiology</i> , 2018 , 55, e12988 | 4.1 | 7 |

| 192 | Neurobehavioral Mechanisms of Resilience Against Emotional Distress: An Integrative Brain-Personality-Symptom Approach Using Structural Equation Modeling. <i>Personality Neuroscience</i> , 2018 , 1, e8 | 1.5 | 9 |
|-----|---|-----|----|
| 191 | Ventrolateral prefrontal cortex activation during social exclusion mediates the relation between intolerance of uncertainty and trait aggression. <i>Clinical Psychological Science</i> , 2018 , 6, 810-821 | 6 | 7 |
| 190 | Self-Reported Sleep Quality Modulates Amygdala Resting-State Functional Connectivity in Anxiety and Depression. <i>Frontiers in Psychiatry</i> , 2018 , 9, 220 | 5 | 21 |
| 189 | Functional Neuroanatomy of Emotion and Its Regulation in PTSD. <i>Harvard Review of Psychiatry</i> , 2018 , 26, 116-128 | 4.1 | 51 |
| 188 | Cognitive reappraisal moderates the relationship between PTSD symptoms and alcohol use over time in post-9/11 U.S. military veterans. <i>Drug and Alcohol Dependence</i> , 2018 , 191, 159-164 | 4.9 | 13 |
| 187 | Impact of PTSD on post-concussive symptoms, neuropsychological functioning, and pain in post-9/11 veterans with mild traumatic brain injury. <i>Psychiatry Research</i> , 2018 , 268, 460-466 | 9.9 | 15 |
| 186 | Pathways to Neuroprediction: Opportunities and challenges to prediction of treatment response in depression. <i>Current Behavioral Neuroscience Reports</i> , 2018 , 5, 48-60 | 1.7 | 6 |
| 185 | Neural Responsiveness to Reward as an Index of Depressive Symptom Change Following Cognitive-Behavioral Therapy and SSRI Treatment. <i>Journal of Clinical Psychiatry</i> , 2018 , 79, | 4.6 | 20 |
| 184 | A single low dose of hydrocortisone enhances cognitive functioning in HIV-infected women. <i>Aids</i> , 2018 , 32, 1983-1993 | 3.5 | 7 |
| 183 | Error-related Brain Activity as a Treatment Moderator and Index of Symptom Change during Cognitive-Behavioral Therapy or Selective Serotonin Reuptake Inhibitors. Neuropsychopharmacology, 2018, 43, 1355-1363 | 8.7 | 13 |
| 182 | Neural indices of emotional reactivity and regulation predict course of PTSD symptoms in combat-exposed veterans. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018 , 82, 255-262 | 5.5 | 17 |
| 181 | Acute calming effects of alcohol are associated with disruption of the salience network. <i>Addiction Biology</i> , 2018 , 23, 921-930 | 4.6 | 24 |
| 180 | Thought Chart: tracking the thought with manifold learning during emotion regulation. <i>Brain Informatics</i> , 2018 , 5, 7 | 5.9 | 1 |
| 179 | Predictors of Attrition in Longitudinal Neuroimaging Research: Inhibitory Control, Head Movement, and Resting-State Functional Connectivity. <i>Brain Connectivity</i> , 2018 , 8, 527-536 | 2.7 | 4 |
| 178 | Effects of acute 9 -tetrahydrocannabinol on next-day extinction recall is mediated by post-extinction resting-state brain dynamics. <i>Neuropharmacology</i> , 2018 , 143, 289-298 | 5.5 | 11 |
| 177 | Amygdala-orbitofrontal functional connectivity mediates the relationship between sensation seeking and alcohol use among binge-drinking adults. <i>Drug and Alcohol Dependence</i> , 2018 , 192, 208-214 | 4.9 | 14 |
| 176 | F27. Subcortical Volumes in Social Anxiety Disorder: Preliminary Results From Enigma-Anxiety. <i>Biological Psychiatry</i> , 2018 , 83, S247-S248 | 7.9 | 10 |
| 175 | Individual differences in combat experiences and error-related brain activity in OEF/OIF/OND veterans. <i>International Journal of Psychophysiology</i> , 2018 , 129, 52-57 | 2.9 | 7 |

(2017-2017)

| 174 | Neural Reactivity to Angry Faces Predicts Treatment Response in Pediatric Anxiety. <i>Journal of Abnormal Child Psychology</i> , 2017 , 45, 385-395 | 4 | 26 | |
|-----|---|-----|----|--|
| 173 | Startle potentiation to uncertain threat as a psychophysiological indicator of fear-based psychopathology: An examination across multiple internalizing disorders. <i>Journal of Abnormal Psychology</i> , 2017 , 126, 8-18 | 7 | 69 | |
| 172 | Affective and cognitive correlates of PTSD: Electrocortical processing of threat and perseverative errors on the WCST in combat-related PTSD. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 75, 63-69 | 5.5 | 10 | |
| 171 | Attenuated neural reactivity to happy faces is associated with rule breaking and social problems in anxious youth. <i>European Child and Adolescent Psychiatry</i> , 2017 , 26, 215-230 | 5.5 | 16 | |
| 170 | Emotion regulation related neural predictors of cognitive behavioral therapy response in social anxiety disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 75, 106-112 | 5.5 | 25 | |
| 169 | Association between neural reactivity and startle reactivity to uncertain threat in two independent samples. <i>Psychophysiology</i> , 2017 , 54, 652-662 | 4.1 | 9 | |
| 168 | Impact of posttraumatic stress symptom dimensions on psychophysiological reactivity to threat and reward. <i>Journal of Psychiatric Research</i> , 2017 , 92, 55-63 | 5.2 | 19 | |
| 167 | Neural reactivity to reward and internalizing symptom dimensions. <i>Journal of Affective Disorders</i> , 2017 , 217, 73-79 | 6.6 | 22 | |
| 166 | Subjective and objective sleep quality modulate emotion regulatory brain function in anxiety and depression. <i>Depression and Anxiety</i> , 2017 , 34, 651-660 | 8.4 | 46 | |
| 165 | Predicting cognitive behavioral therapy response in social anxiety disorder with anterior cingulate cortex and amygdala during emotion regulation. <i>NeuroImage: Clinical</i> , 2017 , 15, 25-34 | 5.3 | 37 | |
| 164 | Prefrontal and amygdala engagement during emotional reactivity and regulation in generalized anxiety disorder. <i>Journal of Affective Disorders</i> , 2017 , 218, 398-406 | 6.6 | 29 | |
| 163 | Transdiagnostic neural correlates of affective face processing in anxiety and depression. <i>Depression and Anxiety</i> , 2017 , 34, 621-631 | 8.4 | 23 | |
| 162 | Impact of anxiety symptoms and problematic alcohol use on error-related brain activity. <i>International Journal of Psychophysiology</i> , 2017 , 118, 32-39 | 2.9 | 4 | |
| 161 | An electrocortical investigation of emotional face processing in military-related posttraumatic stress disorder. <i>Journal of Psychiatric Research</i> , 2017 , 92, 132-138 | 5.2 | 10 | |
| 160 | The relation between parent depressive symptoms and neural correlates of attentional control in offspring: A preliminary study. <i>Psychiatry Research - Neuroimaging</i> , 2017 , 263, 26-31 | 2.9 | 3 | |
| 159 | Associations Between Behavioral and Neural Correlates of Inhibitory Control and Amphetamine Reward Sensitivity. <i>Neuropsychopharmacology</i> , 2017 , 42, 1905-1913 | 8.7 | 19 | |
| 158 | Error-related brain activity and internalizing disorder symptom dimensions in depression and anxiety. <i>Depression and Anxiety</i> , 2017 , 34, 985-995 | 8.4 | 14 | |
| 157 | PTSD symptoms are associated with visual retrieval performance in OEF/OIF/OND veterans. <i>Psychiatry Research</i> , 2017 , 257, 156-162 | 9.9 | 3 | |

| 156 | Impact of posttraumatic stress symptom dimensions on amygdala reactivity to emotional faces. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 79, 401-407 | 5.5 | 6 |
|-----|--|-----|----|
| 155 | Brief Report: Low-Dose Hydrocortisone Has Acute Enhancing Effects on Verbal Learning in HIV-Infected Men. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017 , 75, e65-e70 | 3.1 | 9 |
| 154 | Integrated cross-network connectivity of amygdala, insula, and subgenual cingulate associated with facial emotion perception in healthy controls and remitted major depressive disorder. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2017 , 17, 1242-1254 | 3.5 | 17 |
| 153 | Voxel-based morphometry multi-center mega-analysis of brain structure in social anxiety disorder. <i>NeuroImage: Clinical</i> , 2017 , 16, 678-688 | 5.3 | 39 |
| 152 | Canll Stop Remembering: Neural Decoding of Representations of the Deceased Predicts Subsequent Intrusive Thinking and Coping Strategies. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2017 , 2, 384-385 | 3.4 | |
| 151 | Affective traits and history of depression are related to ventral striatum connectivity. <i>Journal of Affective Disorders</i> , 2017 , 221, 72-80 | 6.6 | 13 |
| 150 | Neural markers of attention to aversive pictures predict response to cognitive behavioral therapy in anxiety and depression. <i>Biological Psychology</i> , 2017 , 123, 269-277 | 3.2 | 16 |
| 149 | Neural correlates of explicit and implicit emotion processing in relation to treatment response in pediatric anxiety. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2017 , 58, 546-554 | 7.9 | 21 |
| 148 | Impact of Panic on Psychophysiological and Neural Reactivity to Unpredictable Threat in Depression and Anxiety. <i>Clinical Psychological Science</i> , 2017 , 5, 52-63 | 6 | 17 |
| 147 | Individual differences in cognitive reappraisal use and emotion regulatory brain function in combat-exposed veterans with and without PTSD. <i>Depression and Anxiety</i> , 2017 , 34, 79-88 | 8.4 | 28 |
| 146 | A human chemosignal modulates frontolimbic activity and connectivity in response to emotional stimuli. <i>Psychoneuroendocrinology</i> , 2017 , 75, 15-25 | 5 | 10 |
| 145 | Acquisition of CS-US contingencies during Pavlovian fear conditioning and extinction in social anxiety disorder and posttraumatic stress disorder. <i>Journal of Affective Disorders</i> , 2017 , 207, 76-85 | 6.6 | 35 |
| 144 | Resting-state theta band connectivity and graph analysis in generalized social anxiety disorder. <i>NeuroImage: Clinical</i> , 2017 , 13, 24-32 | 5.3 | 33 |
| 143 | Preliminary Evidence for Disrupted Nucleus Accumbens Reactivity and Connectivity to Reward in Binge Drinkers. <i>Alcohol and Alcoholism</i> , 2017 , 52, 647-654 | 3.5 | 12 |
| 142 | Beyond emotions: A meta-analysis of neural response within face processing system in social anxiety. <i>Experimental Biology and Medicine</i> , 2016 , 241, 225-37 | 3.7 | 47 |
| 141 | Emotion Regulatory Brain Function and SSRI Treatment in PTSD: Neural Correlates and Predictors of Change. <i>Neuropsychopharmacology</i> , 2016 , 41, 611-8 | 8.7 | 57 |
| 140 | Intolerance of uncertainty and insula activation during uncertain reward. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2016 , 16, 929-39 | 3.5 | 16 |
| 139 | Age-related changes in amygdala-frontal connectivity during emotional face processing from childhood into young adulthood. <i>Human Brain Mapping</i> , 2016 , 37, 1684-95 | 5.9 | 82 |

(2016-2016)

| 138 | Altered Development of Amygdala-Anterior Cingulate Cortex Connectivity in Anxious Youth and Young Adults. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2016 , 1, 345-352 | 3.4 | 28 |
|-----|---|-----|----|
| 137 | NEURAL REACTIVITY TO REWARD AS A PREDICTOR OF COGNITIVE BEHAVIORAL THERAPY RESPONSE IN ANXIETY AND DEPRESSION. <i>Depression and Anxiety</i> , 2016 , 33, 281-8 | 8.4 | 64 |
| 136 | Psychobiological operationalization of RDoC constructs: Methodological and conceptual opportunities and challenges. <i>Psychophysiology</i> , 2016 , 53, 406-9 | 4.1 | 8 |
| 135 | Reduced default mode network connectivity following combat trauma. <i>Neuroscience Letters</i> , 2016 , 615, 37-43 | 3.3 | 50 |
| 134 | Cannabinoid Modulation of Frontolimbic Activation and Connectivity During Volitional Regulation of Negative Affect. <i>Neuropsychopharmacology</i> , 2016 , 41, 1888-96 | 8.7 | 20 |
| 133 | Prefrontal Reactivity to Social Signals of Threat as a Predictor of Treatment Response in Anxious Youth. <i>Neuropsychopharmacology</i> , 2016 , 41, 1983-90 | 8.7 | 37 |
| 132 | Frontolimbic Morphometric Abnormalities in Intermittent Explosive Disorder and Aggression. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2016 , 1, 32-38 | 3.4 | 16 |
| 131 | An electrocortical investigation of voluntary emotion regulation in combat-related posttraumatic stress disorder. <i>Psychiatry Research - Neuroimaging</i> , 2016 , 249, 113-21 | 2.9 | 15 |
| 130 | Effects of Escitalopram Administration on Face Processing in Intermittent Explosive Disorder: An fMRI Study. <i>Neuropsychopharmacology</i> , 2016 , 41, 590-7 | 8.7 | 22 |
| 129 | Impact of alcohol use disorder comorbidity on defensive reactivity to errors in veterans with posttraumatic stress disorder. <i>Psychology of Addictive Behaviors</i> , 2016 , 30, 733-742 | 3.4 | 17 |
| 128 | Sex-Specific Effects of Childhood Poverty on Neurocircuitry of Processing of Emotional Cues: A Neuroimaging Study. <i>Behavioral Sciences (Basel, Switzerland)</i> , 2016 , 6, | 2.3 | 23 |
| 127 | Prefrontal control and predictors of cognitive behavioral therapy response in social anxiety disorder. <i>Social Cognitive and Affective Neuroscience</i> , 2016 , 11, 630-40 | 4 | 21 |
| 126 | Amygdala hyperactivation to angry faces in intermittent explosive disorder. <i>Journal of Psychiatric Research</i> , 2016 , 79, 34-41 | 5.2 | 59 |
| 125 | Association between problematic alcohol use and reactivity to uncertain threat in two independent samples. <i>Drug and Alcohol Dependence</i> , 2016 , 164, 89-96 | 4.9 | 27 |
| 124 | Aberrant Spontaneous and Task-Dependent Functional Connections in the Anxious Brain. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2016 , 1, 278-287 | 3.4 | 20 |
| 123 | Differential fMRI BOLD responses in amygdala in intermittent explosive disorder as a function of past Alcohol Use Disorder. <i>Psychiatry Research - Neuroimaging</i> , 2016 , 257, 5-10 | 2.9 | 9 |
| 122 | Comorbid anxiety increases cognitive control activation in Major Depressive Disorder. <i>Depression and Anxiety</i> , 2016 , 33, 967-977 | 8.4 | 23 |
| 121 | Error-related brain activity in youth and young adults before and after treatment for generalized or social anxiety disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016 , 71, 162-8 | 5.5 | 52 |

| 120 | Childhood Cumulative Risk Exposure and Adult Amygdala Volume and Function. <i>Journal of Neuroscience Research</i> , 2016 , 94, 535-43 | 4.4 | 47 |
|-----|--|------|-----|
| 119 | Age-related changes in emotional face processing across childhood and into young adulthood: Evidence from event-related potentials. <i>Developmental Psychobiology</i> , 2016 , 58, 27-38 | 3 | 33 |
| 118 | Neurostructural abnormalities in pediatric anxiety disorders. <i>Journal of Anxiety Disorders</i> , 2015 , 32, 81-8 | 10.9 | 51 |
| 117 | Neural correlates of individual differences in fear learning. <i>Behavioural Brain Research</i> , 2015 , 287, 34-41 | 3.4 | 25 |
| 116 | Enhanced Neural Reactivity to Threatening Faces in Anxious Youth: Evidence from Event-Related Potentials. <i>Journal of Abnormal Child Psychology</i> , 2015 , 43, 1493-1501 | 4 | 66 |
| 115 | Convergence of EEG and fMRI measures of reward anticipation. <i>Biological Psychology</i> , 2015 , 112, 12-9 | 3.2 | 22 |
| 114 | The Ups and Downs of 3,4-Methylenedioxymethamphetamine: Linking Subjective Effects to Spontaneous Brain Function. <i>Biological Psychiatry</i> , 2015 , 78, 519-21 | 7.9 | 1 |
| 113 | Abnormal GABAergic function and face processing in schizophrenia: A pharmacologic-fMRI study. <i>Schizophrenia Research</i> , 2015 , 168, 338-44 | 3.6 | 11 |
| 112 | Dynamic interactions between plasma IL-1 family cytokines and central endogenous opioid neurotransmitter function in humans. <i>Neuropsychopharmacology</i> , 2015 , 40, 554-65 | 8.7 | 18 |
| 111 | Oxytocin modulation of amygdala functional connectivity to fearful faces in generalized social anxiety disorder. <i>Neuropsychopharmacology</i> , 2015 , 40, 278-86 | 8.7 | 87 |
| 110 | Serotonin and impulsive aggression. CNS Spectrums, 2015, 20, 295-302 | 1.8 | 88 |
| 109 | Childhood Poverty Predicts Adult Amygdala and Frontal Activity and Connectivity in Response to Emotional Faces. <i>Frontiers in Behavioral Neuroscience</i> , 2015 , 9, 154 | 3.5 | 83 |
| 108 | Prefrontal engagement by cognitive reappraisal of negative faces. <i>Behavioural Brain Research</i> , 2015 , 279, 218-25 | 3.4 | 25 |
| 107 | Cannabinoid modulation of amygdala subregion functional connectivity to social signals of threat. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 18, | 5.8 | 24 |
| 106 | Modulation of resting-state amygdala-frontal functional connectivity by oxytocin in generalized social anxiety disorder. <i>Neuropsychopharmacology</i> , 2014 , 39, 2061-9 | 8.7 | 132 |
| 105 | Effects of oxycodone on brain responses to emotional images. <i>Psychopharmacology</i> , 2014 , 231, 4403-15 | 4.7 | 12 |
| 104 | Neurobiology of Pediatric Anxiety Disorders. <i>Current Behavioral Neuroscience Reports</i> , 2014 , 1, 154-160 | 1.7 | 37 |
| 103 | Neuroendocrinology and Neuroimaging Studies of Social Anxiety Disorder 2014 , 333-376 | | |

| Cannabinoid modulation of prefrontal-limbic activation during fear extinction learning and recall in humans. <i>Neurobiology of Learning and Memory</i> , 2014 , 113, 125-34 | 3.1 | 87 | |
|---|--|--|--|
| Neural response to reward anticipation in those with depression with and without panic disorder. Journal of Affective Disorders, 2014 , 164, 50-6 | 6.6 | 24 | |
| Resting state amygdala-prefrontal connectivity predicts symptom change after cognitive behavioral therapy in generalized social anxiety disorder. <i>Biology of Mood & Anxiety Disorders</i> , 2014 , 4, 14 | | 39 | |
| Aberrant amygdala functional connectivity at rest in pediatric anxiety disorders. <i>Biology of Mood & Anxiety Disorders</i> , 2014 , 4, 15 | | 54 | |
| Insula response to unpredictable and predictable aversiveness in individuals with panic disorder and comorbid depression. <i>Biology of Mood & Anxiety Disorders</i> , 2014 , 4, 9 | | 24 | |
| Abnormal GABAergic function and negative affect in schizophrenia. <i>Neuropsychopharmacology</i> , 2014 , 39, 1000-8 | 8.7 | 18 | |
| Perceptual load modulates anterior cingulate cortex response to threat distractors in generalized social anxiety disorder. <i>Biological Psychology</i> , 2014 , 101, 13-7 | 3.2 | 29 | |
| Focal and aberrant prefrontal engagement during emotion regulation in veterans with posttraumatic stress disorder. <i>Depression and Anxiety</i> , 2014 , 31, 851-61 | 8.4 | 67 | |
| The effects of oxytocin on social reward learning in humans. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 17, 199-209 | 5.8 | 20 | |
| Altered activation of the rostral anterior cingulate cortex in the context of emotional face distractors in children and adolescents with anxiety disorders. <i>Depression and Anxiety</i> , 2014 , 31, 870-9 | 8.4 | 36 | |
| Anterior insula responds to temporally unpredictable aversiveness: an fMRI study. <i>NeuroReport</i> , 2014 , 25, 596-600 | 1.7 | 50 | |
| Serotonin transporter gene alters insula activity to threat in social anxiety disorder. <i>NeuroReport</i> , 2014 , 25, 926-31 | 1.7 | 15 | |
| Dynamic changes in amygdala activation and functional connectivity in children and adolescents with anxiety disorders. <i>Development and Psychopathology</i> , 2014 , 26, 1305-19 | 4.3 | 16 | |
| Opioid modulation of resting-state anterior cingulate cortex functional connectivity. <i>Journal of Psychopharmacology</i> , 2014 , 28, 1115-24 | 4.6 | 18 | |
| Volitional regulation of emotions produces distributed alterations in connectivity between visual, attention control, and default networks. <i>NeuroImage</i> , 2014 , 89, 110-21 | 7.9 | 82 | |
| Increasing pharmacological knowledge about human neurological and psychiatric disorders through functional neuroimaging and its application in drug discovery. <i>Current Opinion in Pharmacology</i> , 2014 , 14, 54-61 | 5.1 | 35 | |
| Increased coupling of intrinsic networks in remitted depressed youth predicts rumination and cognitive control. <i>PLoS ONE</i> , 2014 , 9, e104366 | 3.7 | 73 | |
| Cannabinoid modulation of fear extinction brain circuits: a novel target to advance anxiety treatment. <i>Current Pharmaceutical Design</i> , 2014 , 20, 2212-7 | 3.3 | 30 | |
| | Neural response to reward anticipation in those with depression with and without panic disorder. <i>Journal of Affective Disorders</i> , 2014, 164, 50-6 Resting state amygdala-prefrontal connectivity predicts symptom change after cognitive behavioral therapy in generalized social anxiety disorder. <i>Biology of Mood & Anxiety Disorders</i> , 2014, 4, 14 Aberrant amygdala functional connectivity at rest in pediatric anxiety disorders. <i>Biology of Mood & Anxiety Disorders</i> , 2014, 4, 15 Insula response to unpredictable and predictable aversiveness in individuals with panic disorder and comorbid depression. <i>Biology of Mood & Anxiety Disorders</i> , 2014, 4, 9 Abnormal CABAergic function and negative affect in schizophrenia. <i>Neuropsychopharmacology</i> , 2014, 39, 1000-8 Perceptual load modulates anterior cingulate cortex response to threat distractors in generalized social anxiety disorder. <i>Biological Psychology</i> , 2014, 101, 13-7 Focal and aberrant prefrontal engagement during emotion regulation in veterans with posttraumatic stress disorder. <i>Depression and Anxiety</i> , 2014, 31, 851-61 The effects of oxytocin on social reward learning in humans. <i>International Journal of Neuropsychopharmacology</i> , 2014, 17, 199-209 Altered activation of the rostral anterior cingulate cortex in the context of emotional face distractors in children and adolescents with anxiety disorders. <i>Depression and Anxiety</i> , 2014, 31, 870-9 Anterior insula responds to temporally unpredictable aversiveness: an fMRI study. <i>NeuroReport</i> , 2014, 25, 926-31 Dynamic changes in amygdala activation and functional connectivity in children and adolescents with anxiety disorders. <i>Development and Psychopathology</i> , 2014, 26, 1305-19 Opioid modulation of resting-state anterior cingulate cortex functional connectivity. <i>Journal of Psychopharmacology</i> , 2014, 28, 1115-24 Volitional regulation of emotions produces distributed alterations in connectivity between visual, attention control, and default networks. <i>NeuroImage</i> , 2014, 89, 110-21 Increasing pharmacological k | Neural response to reward anticipation in those with depression with and without panic disorder. Journal of Affective Disorders, 2014, 164, 50-6 Resting state amygdala-prefrontal connectivity predicts symptom change after cognitive behavioral therapy in generalized social anxiety disorder. Biology of Mood & Anxiety Disorders, 2014, 4, 14 Aberrant amygdala functional connectivity at rest in pediatric anxiety disorders. Biology of Mood & Anxiety Disorders, 2014, 4, 15 Insula response to unpredictable and predictable aversiveness in individuals with panic disorder and comorbid depression. Biology of Mood & Anxiety Disorders, 2014, 4, 9 Abnormal GABAergic function and negative affect in schizophrenia. Neuropsychopharmacology, 2014, 39, 1000-8 Perceptual load modulates anterior cingulate cortex response to threat distractors in generalized social anxiety disorder. Biological Psychology, 2014, 101, 13-7 Focal and aberrant prefrontal engagement during emotion regulation in veterans with posttraumatic stress disorder. Depression and Anxiety, 2014, 31, 851-61 The effects of oxytocin on social reward learning in humans. International Journal of Neuropsychopharmacology, 2014, 17, 199-209 Altered activation of the rostral anterior cingulate cortex in the context of emotional face distractors in children and adolescents with anxiety disorders. Depression and Anxiety, 2014, 31, 870-9 Anterior insula responds to temporally unpredictable aversiveness: an fMRI study. NeuroReport, 2014, 25, 926-31 Dynamic changes in amygdala activation and functional connectivity in children and adolescents with anxiety disorders. Development and Psychopathology, 2014, 26, 1305-19 Opioid modulation of resting-state anterior cingulate cortex functional connectivity. Journal of Psychopharmacology, 2014, 28, 1115-24 Volitional regulation of emotions produces distributed alterations in connectivity between visual, attention control, and default networks. NeuroImage, 2014, 89, 110-21 Increased coupling of intrinsic networks in remitted d | Neural response to reward anticipation in those with depression with and without panic disorder. Neural response to reward anticipation in those with depression with and without panic disorder. Neural response to reward anticipation in those with depression with and without panic disorder. Neural response to reward anticipation in those with depression with and without panic disorder. Resting state amygdala-prefrontal connectivity predicts symptom change after cognitive behavioral therapy in generalized social anxiety disorder. Neural response to unpredictable and predictable aversiveness in individuals with panic disorder and comorbid depression. Neuropsychopharmacology, 2014, 4, 15 Insula response to unpredictable and predictable aversiveness in individuals with panic disorder and comorbid depression. Neuropsychopharmacology, 2014, 4, 15 Insula response to unpredictable and predictable aversiveness in individuals with panic disorder and comorbid depression. Neuropsychopharmacology, 2014, 4, 15 Perceptual load modulates anterior cingulate cortex response to threat distractors in generalized social anxiety disorder. Neuropsychopharmacology, 2014, 101, 13-7 The effects of oxytocin on social reward learning emotion regulation in veterans with poststraumatic stress disorder. Depression and Anxiety, 2014, 31, 831-61 The effects of oxytocin on social reward learning in humans. International Journal of Neuropsychopharmacology, 2014, 17, 199-209 Altered activation of the rostral anterior cingulate cortex in the context of emotional face distractors in children and adolescents with anxiety disorders. Depression and Anxiety, 2014, 31, 870-9 Anterior insula responds to temporally unpredictable aversiveness: an fMRI study. NeuroReport, 2014, 25, 596-601 Dynamic changes in amygdala activation and functional connectivity in children and adolescents with anxiety disorders. Development and Psychopathology, 2014, 26, 1305-19 Opioid modulation of resting-state anterior cingulate cortex functional connectivity. |

| 84 | Anterior cingulate cortex and insula response during indirect and direct processing of emotional faces in generalized social anxiety disorder. <i>Biology of Mood & Anxiety Disorders</i> , 2013 , 3, 7 | | 55 |
|----|--|------|-----|
| 83 | Alcohol attenuates amygdala-frontal connectivity during processing social signals in heavy social drinkers: a preliminary pharmaco-fMRI study. <i>Psychopharmacology</i> , 2013 , 229, 141-54 | 4.7 | 45 |
| 82 | Neural antecedents of emotional disorders: a functional magnetic resonance imaging study of subsyndromal emotional symptoms in adolescent girls. <i>Biological Psychiatry</i> , 2013 , 74, 265-72 | 7.9 | 14 |
| 81 | Reduced error-related activation of dorsolateral prefrontal cortex across pediatric anxiety disorders. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2013 , 52, 1183-1191.e1 | 7.2 | 38 |
| 80 | Neural predictors and mechanisms of cognitive behavioral therapy on threat processing in social anxiety disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013 , 45, 83-91 | 5.5 | 94 |
| 79 | Effects of childhood poverty and chronic stress on emotion regulatory brain function in adulthood. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 18442-7 | 11.5 | 360 |
| 78 | Corticolimbic brain reactivity to social signals of threat before and after sertraline treatment in generalized social phobia. <i>Biological Psychiatry</i> , 2013 , 73, 329-36 | 7.9 | 90 |
| 77 | Electrocortical processing of social signals of threat in combat-related post-traumatic stress disorder. <i>Biological Psychology</i> , 2013 , 94, 441-9 | 3.2 | 49 |
| 76 | The contextual brain: implications for fear conditioning, extinction and psychopathology. <i>Nature Reviews Neuroscience</i> , 2013 , 14, 417-28 | 13.5 | 955 |
| 75 | Distributed effects of methylphenidate on the network structure of the resting brain: a connectomic pattern classification analysis. <i>NeuroImage</i> , 2013 , 81, 213-221 | 7.9 | 32 |
| 74 | Cannabinoid facilitation of fear extinction memory recall in humans. <i>Neuropharmacology</i> , 2013 , 64, 396- | -403 | 118 |
| 73 | Aberrant amygdala-frontal cortex connectivity during perception of fearful faces and at rest in generalized social anxiety disorder. <i>Depression and Anxiety</i> , 2013 , 30, 234-41 | 8.4 | 141 |
| 72 | Oxytocin enhances resting-state connectivity between amygdala and medial frontal cortex. <i>International Journal of Neuropsychopharmacology</i> , 2013 , 16, 255-60 | 5.8 | 124 |
| 71 | A pilot study of anterior cingulate cortex neurochemistry in adolescents with generalized anxiety disorder. <i>Neuropsychobiology</i> , 2013 , 67, 224-9 | 4 | 35 |
| 70 | Aberrant reward center response to partner reputation during a social exchange game in generalized social phobia. <i>Depression and Anxiety</i> , 2013 , 30, 353-61 | 8.4 | 27 |
| 69 | Test-retest reliability of amygdala response to emotional faces. <i>Psychophysiology</i> , 2013 , 50, 1147-56 | 4.1 | 46 |
| 68 | The caudate signals bad reputation during trust decisions. <i>PLoS ONE</i> , 2013 , 8, e68884 | 3.7 | 27 |
| 67 | Funcifi corticolfibica en la conducta agresiva impulsiva. <i>Psiquiatria Biologica</i> , 2012 , 19, 46-53 | 0.2 | 3 |

(2009-2012)

| 66 | Shifting the focus of attention modulates amygdala and anterior cingulate cortex reactivity to emotional faces. <i>Neuroscience Letters</i> , 2012 , 514, 210-3 | 3.3 | 16 |
|----|--|--------------|-----|
| 65 | Insula reactivity and connectivity to anterior cingulate cortex when processing threat in generalized social anxiety disorder. <i>Biological Psychology</i> , 2012 , 89, 273-6 | 3.2 | 124 |
| 64 | Cannabinoid modulation of subgenual anterior cingulate cortex activation during experience of negative affect. <i>Journal of Neural Transmission</i> , 2012 , 119, 701-7 | 4.3 | 19 |
| 63 | Medial frontal hyperactivity to sad faces in generalized social anxiety disorder and modulation by oxytocin. <i>International Journal of Neuropsychopharmacology</i> , 2012 , 15, 883-896 | 5.8 | 83 |
| 62 | Corticolimbic function in impulsive aggressive behavior. <i>Biological Psychiatry</i> , 2011 , 69, 1153-9 | 7.9 | 163 |
| 61 | Effects of alcohol on brain responses to social signals of threat in humans. <i>NeuroImage</i> , 2011 , 55, 371-8 | 0 7.9 | 72 |
| 60 | Altered amygdala resting-state functional connectivity in post-traumatic stress disorder. <i>Frontiers in Psychiatry</i> , 2011 , 2, 62 | 5 | 166 |
| 59 | Personality predictors of antiaggressive response to fluoxetine: inverse association with neuroticism and harm avoidance. <i>International Clinical Psychopharmacology</i> , 2011 , 26, 278-83 | 2.2 | 7 |
| 58 | Trait anxiety modulates anterior cingulate activation to threat interference. <i>Depression and Anxiety</i> , 2011 , 28, 194-201 | 8.4 | 44 |
| 57 | Neuroendocrinology and Neuroimaging Studies of Social Anxiety Disorder 2010 , 273-312 | | 1 |
| 56 | Reputation for reciprocity engages the brain reward center. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 13099-104 | 11.5 | 94 |
| 55 | Neural substrates of alcohol-induced smoking urge in heavy drinking nondaily smokers. <i>Neuropsychopharmacology</i> , 2010 , 35, 692-701 | 8.7 | 25 |
| 54 | Oxytocin attenuates amygdala reactivity to fear in generalized social anxiety disorder. <i>Neuropsychopharmacology</i> , 2010 , 35, 2403-13 | 8.7 | 371 |
| 53 | Acute dopamine and/or serotonin depletion does not modulate mismatch negativity (MMN) in healthy human participants. <i>Psychopharmacology</i> , 2010 , 208, 233-44 | 4.7 | 34 |
| 52 | Amygdala reactivity to faces at varying intensities of threat in generalized social phobia: an event-related functional MRI study. <i>Psychiatry Research - Neuroimaging</i> , 2010 , 183, 167-9 | 2.9 | 41 |
| 51 | The loudness dependence auditory evoked potential is insensitive to acute changes in serotonergic and noradrenergic neurotransmission. <i>Human Psychopharmacology</i> , 2010 , 25, 423-7 | 2.3 | 15 |
| 50 | Detection of deception using fMRI: better than chance, but well below perfection. <i>Social Neuroscience</i> , 2009 , 4, 528-38 | 2 | 29 |
| 49 | Evidence for modulation of facial emotional processing bias during emotional expression decoding by serotonergic and noradrenergic antidepressants: an event-related potential (ERP) study. Psychopharmacology, 2009, 202, 621-34 | 4.7 | 32 |

| 48 | Effects of MDMA on sociability and neural response to social threat and social reward. <i>Psychopharmacology</i> , 2009 , 207, 73-83 | 4.7 | 118 |
|----|--|------|-----|
| 47 | Preliminary evidence of white matter abnormality in the uncinate fasciculus in generalized social anxiety disorder. <i>Biological Psychiatry</i> , 2009 , 66, 691-4 | 7.9 | 204 |
| 46 | Medial prefrontal cortex and right insula activity predict plasma ACTH response to trauma recall. <i>NeuroImage</i> , 2009 , 47, 872-80 | 7.9 | 36 |
| 45 | Functional neuroimaging of mentalizing during the trust game in social anxiety disorder. <i>NeuroReport</i> , 2009 , 20, 984-9 | 1.7 | 95 |
| 44 | Amygdala and insula response to emotional images in patients with generalized social anxiety disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2009 , 34, 296-302 | 4.5 | 83 |
| 43 | Emotional experience modulates brain activity during fixation periods between tasks. <i>Neuroscience Letters</i> , 2008 , 443, 72-6 | 3.3 | 13 |
| 42 | Differential effects of acute serotonin and dopamine depletion on prepulse inhibition and p50 suppression measures of sensorimotor and sensory gating in humans. <i>Neuropsychopharmacology</i> , 2008 , 33, 1653-66 | 8.7 | 37 |
| 41 | Cannabinoid modulation of amygdala reactivity to social signals of threat in humans. <i>Journal of Neuroscience</i> , 2008 , 28, 2313-9 | 6.6 | 193 |
| 40 | An examination of acute changes in serotonergic neurotransmission using the loudness dependence measure of auditory cortex evoked activity: effects of citalopram, escitalopram and sertraline. <i>Human Psychopharmacology</i> , 2008 , 23, 231-41 | 2.3 | 29 |
| 39 | Effects of selective and combined serotonin and dopamine depletion on the loudness dependence of the auditory evoked potential (LDAEP) in humans. <i>Human Psychopharmacology</i> , 2008 , 23, 301-12 | 2.3 | 35 |
| 38 | Amygdala-frontal connectivity during emotion regulation. <i>Social Cognitive and Affective Neuroscience</i> , 2007 , 2, 303-12 | 4 | 803 |
| 37 | Altered central micro-opioid receptor binding after psychological trauma. <i>Biological Psychiatry</i> , 2007 , 61, 1030-8 | 7.9 | 93 |
| 36 | Amygdala and orbitofrontal reactivity to social threat in individuals with impulsive aggression. <i>Biological Psychiatry</i> , 2007 , 62, 168-78 | 7.9 | 424 |
| 35 | Amygdala reactivity to emotional faces at high and low intensity in generalized social phobia: a 4-Tesla functional MRI study. <i>Psychiatry Research - Neuroimaging</i> , 2007 , 154, 93-8 | 2.9 | 79 |
| 34 | High-dose glycine inhibits the loudness dependence of the auditory evoked potential (LDAEP) in healthy humans. <i>Psychopharmacology</i> , 2007 , 195, 85-93 | 4.7 | 19 |
| 33 | Acute serotonin and dopamine depletion improves attentional control: findings from the stroop task. <i>Neuropsychopharmacology</i> , 2007 , 32, 1600-10 | 8.7 | 67 |
| 32 | Paralimbic and medial prefrontal cortical involvement in neuroendocrine responses to traumatic stimuli. <i>American Journal of Psychiatry</i> , 2007 , 164, 1250-8 | 11.9 | 84 |
| 31 | Dopamine receptor stimulation does not modulate the loudness dependence of the auditory evoked potential in humans. <i>Psychopharmacology</i> , 2006 , 188, 92-9 | 4.7 | 27 |

(2003-2006)

| 30 | Direct evidence that acutely enhancing serotonin with the selective serotonin reuptake inhibitor citalopram modulates the loudness dependence of the auditory evoked potential (LDAEP) marker of central serotonin function. <i>Human Psychopharmacology</i> , 2006 , 21, 47-52 | 2.3 | 54 |
|----|--|------|-----|
| 29 | Beyond threat: amygdala reactivity across multiple expressions of facial affect. <i>NeuroImage</i> , 2006 , 30, 1441-8 | 7.9 | 336 |
| 28 | Neural correlates of social and nonsocial emotions: An fMRI study. <i>NeuroImage</i> , 2006 , 31, 397-409 | 7.9 | 206 |
| 27 | Association between amygdala hyperactivity to harsh faces and severity of social anxiety in generalized social phobia. <i>Biological Psychiatry</i> , 2006 , 59, 424-9 | 7.9 | 411 |
| 26 | Corticolimbic blood flow during nontraumatic emotional processing in posttraumatic stress disorder. <i>Archives of General Psychiatry</i> , 2006 , 63, 184-92 | | 133 |
| 25 | Neural correlates of telling lies: a functional magnetic resonance imaging study at 4 Tesla. <i>Academic Radiology</i> , 2005 , 12, 164-72 | 4.3 | 133 |
| 24 | Neural substrates for voluntary suppression of negative affect: a functional magnetic resonance imaging study. <i>Biological Psychiatry</i> , 2005 , 57, 210-9 | 7.9 | 701 |
| 23 | Corticolimbic blood flow in posttraumatic stress disorder during script-driven imagery. <i>Biological Psychiatry</i> , 2005 , 57, 832-40 | 7.9 | 226 |
| 22 | The role of glutamate in anxiety and related disorders. CNS Spectrums, 2005, 10, 820-30 | 1.8 | 159 |
| 21 | Anterior cingulate neurochemistry in social anxiety disorder: 1H-MRS at 4 Tesla. <i>NeuroReport</i> , 2005 , 16, 183-6 | 1.7 | 72 |
| 20 | Neuroimaging and personality disorders. Current Psychiatry Reports, 2005, 7, 65-72 | 9.1 | 41 |
| 19 | Neural response to emotional salience in schizophrenia. <i>Neuropsychopharmacology</i> , 2005 , 30, 984-95 | 8.7 | 122 |
| 18 | Neural correlates of internally-generated disgust via autobiographical recall: a functional magnetic resonance imaging investigation. <i>Neuroscience Letters</i> , 2004 , 370, 91-6 | 3.3 | 71 |
| 17 | Neural correlates of individual ratings of emotional salience: a trial-related fMRI study. <i>NeuroImage</i> , 2004 , 21, 768-80 | 7.9 | 375 |
| 16 | Nonstationary cluster-size inference with random field and permutation methods. <i>NeuroImage</i> , 2004 , 22, 676-87 | 7.9 | 582 |
| 15 | Real-time fMRI of cortico-limbic brain activity during emotional processing. <i>NeuroReport</i> , 2004 , 15, 527 | -327 | 45 |
| 14 | Functional neuroimaging studies of human emotions. CNS Spectrums, 2004, 9, 258-66 | 1.8 | 352 |
| 13 | Extended amygdala and emotional salience: a PET activation study of positive and negative affect. <i>Neuropsychopharmacology</i> , 2003 , 28, 726-33 | 8.7 | 148 |

| 12 | Habituation of rostral anterior cingulate cortex to repeated emotionally salient pictures. Neuropsychopharmacology, 2003 , 28, 1344-50 | 8.7 | 94 |
|----|---|------|------|
| 11 | Neural correlates of traumatic recall in posttraumatic stress disorder. <i>Stress</i> , 2003 , 6, 151-6 | 3 | 70 |
| 10 | Brain-imaging studies of posttraumatic stress disorder. CNS Spectrums, 2003, 8, 641-50 | 1.8 | 74 |
| 9 | Activation of the medial prefrontal cortex and extended amygdala by individual ratings of emotional arousal: a fMRI study. <i>Biological Psychiatry</i> , 2003 , 53, 211-5 | 7.9 | 166 |
| 8 | Valence, gender, and lateralization of functional brain anatomy in emotion: a meta-analysis of findings from neuroimaging. <i>NeuroImage</i> , 2003 , 19, 513-31 | 7.9 | 937 |
| 7 | Subjective rating of emotionally salient stimuli modulates neural activity. <i>NeuroImage</i> , 2003 , 18, 650-9 | 7.9 | 308 |
| 6 | mu-Opioid receptors and limbic responses to aversive emotional stimuli. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 7084-9 | 11.5 | 73 |
| 5 | Functional neuroanatomy of emotion: a meta-analysis of emotion activation studies in PET and fMRI. <i>NeuroImage</i> , 2002 , 16, 331-48 | 7.9 | 2718 |
| 4 | The interplay of childhood maltreatment and maternal depression in relation to the reward positivity in youth. <i>Development and Psychopathology</i> ,1-11 | 4.3 | О |
| 3 | The Cambridge Handbook of Human Affective Neuroscience375-400 | | 7 |
| 2 | Disorder-specific cingulo-opercular network hyperconnectivity in pediatric OCD relative to pediatric anxiety. <i>Psychological Medicine</i> ,1-11 | 6.9 | 0 |
| 1 | Neural responses during down-regulation of negative emotion in patients with recently diagnosed | 6.9 | O |